Volume 16 Issue 9
Originally issued as F2



Global Journal of Science Frontier Research: F
Mathematics and Decision Sciences
Volume 16 Issue 2 Version 1.0 Year 2016
Type : Double Blind Peer Reviewed International Research Journal
Publisher: Global Journals Inc. (USA)
Online ISSN: 2249-4626 & Print ISSN: 0975-5896

Two Curious Summation Formulae in the Monograph of Salahuddin Et Al

By Salahuddin & R. K. Khola
Mewar University, India

Abstract- In this paper we have developed two summation formulae which are unique with the help of contiguous relation.

Keywords: *contiguous relation, summation formulae, prudnikov et al.*

GJSFR-F Classification : *33C05, 33C20, 33C60*



Strictly as per the compliance and regulations of :



© 2016. Salahuddin & R. K. Khola. This is a research/review paper, distributed under the terms of the Creative Commons Attribution-Noncommercial 3.0 Unported License http://creativecommons.org/licenses/by-nc/3.0/), permitting all non commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

eJournal
physical existance Print Journal
epaper
open standard
3d virtual journal

2. Prudnikov, A.P., Brychkov, Yu. A. and Marichev, O.I.; Integral and Series Vol 3: More Special Functions, Nauka, Moscow, 2003.

Two Curious Summation Formulae in the Monograph of Salahuddin Et Al

Salahuddin [α] & R. K. Khola [σ]

Abstract- In this paper we have developed two summation formulae which are unique with the help of contiguous relation.

Keywords: contiguous relation, summation formulae, prudnikov et al.

I. Introduction and Results Required

Special functions are very useful in Mathematical Analysis, Applied Mathematics, Physical sciences and so many other branches of science and engineering. The uses of summation formulae are spectacular. So many scientists are involved to develop summation formulae in the field of Hypergeometric function. Contiguous relations are also useful with summation formulae.

Prudnikov et al[2,p.414] developed the following seven summation formulae

$$ {}_2F_1\left[\begin{matrix} a, & -a \\ c & \end{matrix}; \quad \frac{1}{2}\right] = \frac{\sqrt{\pi}\,\Gamma(c)}{2^c}\left[\frac{1}{\Gamma(\frac{c+a+1}{2})\,\Gamma(\frac{c-a}{2})} + \frac{1}{\Gamma(\frac{c+a}{2})\,\Gamma(\frac{c-a+1}{2})}\right] \tag{1} $$

$$ {}_2F_1\left[\begin{matrix} a, & 1-a \\ c & \end{matrix}; \quad \frac{1}{2}\right] = \frac{\sqrt{\pi}\,\Gamma(c)}{2^{c-1}}\left[\frac{1}{\Gamma(\frac{c+a}{2})\,\Gamma(\frac{c-a+1}{2})}\right] \tag{2} $$

$$ {}_2F_1\left[\begin{matrix} a, & 2-a \\ c & \end{matrix}; \quad \frac{1}{2}\right] = \frac{\sqrt{\pi}\,\Gamma(c)}{(a-1)\,2^{c-2}}\left[\frac{1}{\Gamma(\frac{c+a-2}{2})\,\Gamma(\frac{c-a+1}{2})} - \frac{1}{\Gamma(\frac{c+a-1}{2})\,\Gamma(\frac{c-a}{2})}\right] \tag{3} $$

$$ {}_2F_1\left[\begin{matrix} a, & 3-a \\ c & \end{matrix}; \quad \frac{1}{2}\right] = \frac{\sqrt{\pi}\,\Gamma(c)}{(a-1)(a-2)\,2^{c-3}}\left[\frac{(c-2)}{\Gamma(\frac{c+a-2}{2})\,\Gamma(\frac{c-a+1}{2})} - \frac{2}{\Gamma(\frac{c+a-3}{2})\,\Gamma(\frac{c-a}{2})}\right] \tag{4} $$

$$ {}_2F_1\left[\begin{matrix} a, & 4-a \\ c & \end{matrix}; \quad \frac{1}{2}\right] = \frac{\sqrt{\pi}\,\Gamma(c)}{(1-a)(2-a)(3-a)\,2^{c-4}}\left[\frac{(a-2c+3)}{\Gamma(\frac{c+a-4}{2})\,\Gamma(\frac{c-a+1}{2})} + \frac{(a+2c-7)}{\Gamma(\frac{c+a-3}{2})\,\Gamma(\frac{c-a}{2})}\right] \tag{5} $$

$$ {}_2F_1\left[\begin{matrix} a, & 5-a \\ c & \end{matrix}; \quad \frac{1}{2}\right] = \frac{\sqrt{\pi}\,\Gamma(c)}{2^{c-5}\{\prod_{\gamma=1}^{4}(\gamma-a)\}}\left[\frac{\{2(c-2)(c-4)-(a-1)(a-4)\}}{\Gamma(\frac{c-a+1}{2})\,\Gamma(\frac{c+a-4}{2})} + \frac{(12-4c)}{\Gamma(\frac{c-a}{2})\,\Gamma(\frac{c+a-5}{2})}\right] \tag{6} $$

$$ {}_2F_1\left[\begin{matrix} a, & 6-a \\ c & \end{matrix}; \quad \frac{1}{2}\right] = $$

$$ = \frac{\sqrt{\pi}\,\Gamma(c)}{2^{c-6}\{\prod_{\delta=1}^{5}(\delta-a)\}}\left[\frac{(4c^2+2ac-a^2-a-34c+62)}{\Gamma(\frac{c-a}{2})\,\Gamma(\frac{c+a-5}{2})} - \frac{(4c^2-2ac-a^2+13a-22c+20)}{\Gamma(\frac{c-a+1}{2})\,\Gamma(\frac{c+a-6}{2})}\right] \tag{7} $$

Author α σ: Mewar University, Gangrar, Chittorgarh (Rajasthan), India. e-mail: vsludn@gmail.com

© 2016 Global Journals Inc. (US)

The contiguous relation is defined as Abramowitz et al[1,p.558]

$$b\ {}_2F_1\left[\begin{matrix} a, & b+1 \\ c & \end{matrix};\ z\right] = (b-c+1)\ {}_2F_1\left[\begin{matrix} a, & b \\ c & \end{matrix};\ z\right] + (c-1)\ {}_2F_1\left[\begin{matrix} a, & b \\ c-1 & \end{matrix};\ z\right] \tag{8}$$

Salahuddin et al[3,4,5] derived the following fifteen summation formulae

$${}_2F_1\left[\begin{matrix} a, & 7-a \\ c & \end{matrix};\ \frac{1}{2}\right] =$$

$$= \frac{\sqrt{\pi}\ \Gamma(c)}{2^{c-7}\{\prod_{\varsigma=1}^{6}(\varsigma-a)\}}\Big[\frac{1}{\Gamma(\frac{c-a+1}{2})\ \Gamma(\frac{c+a-6}{2})}(-3a^2c+12a^2+21ac-84a+4c^3-48c^2+158c-120)+$$

$$+\frac{1}{\Gamma(\frac{c-a}{2})\ \Gamma(\frac{c+a-7}{2})}(2a^2-14a-8c^2+64c-108)\Big] \tag{9}$$

$${}_2F_1\left[\begin{matrix} a, & 8-a \\ c & \end{matrix};\ \frac{1}{2}\right] =$$

$$= \frac{\sqrt{\pi}\ \Gamma(c)}{2^{c-8}\{\prod_{\xi=1}^{7}(\xi-a)\}}\Big[\frac{1}{\Gamma(\frac{c-a}{2})\ \Gamma(\frac{c+a-7}{2})}(-a^3-4a^2c+30a^2+4ac^2-4ac-107a+8c^3-124c^2+576c-762)+$$

$$+\frac{1}{\Gamma(\frac{c-a+1}{2})\ \Gamma(\frac{c+a-8}{2})}(-a^3+4a^2c-6a^2+4ac^2-68ac+181a-8c^3+92c^2-288c+210)\Big] \tag{10}$$

$${}_2F_1\left[\begin{matrix} a, & 9-a \\ c & \end{matrix};\ \frac{1}{2}\right] =$$

$$= \frac{\sqrt{\pi}\ \Gamma(c)}{2^{c-9}\{\prod_{\varpi=1}^{8}(\varpi-a)\}}\Big[\frac{1}{\Gamma(\frac{c-a+1}{2})\ \Gamma(\frac{c+a-8}{2})}(a^4-18a^3-8a^2c^2+80a^2c-85a^2+72ac^2-720ac+1494a+8c^4-$$

$$-160c^3+1056c^2-2560c+1680)+\frac{1}{\Gamma(\frac{c-a}{2})\ \Gamma(\frac{c+a-9}{2})}(8a^2c-40a^2-72ac+360a-16c^3+240c^2-1072c+1360)\Big] \tag{11}$$

$${}_2F_1\left[\begin{matrix} a, & 10-a \\ c & \end{matrix};\ \frac{1}{2}\right] =$$

$$= \frac{\sqrt{\pi}\ \Gamma(c)}{2^{c-10}\{\prod_{\upsilon=1}^{9}(\upsilon-a)\}}\Big[\frac{1}{\Gamma(\frac{c-a+1}{2})\ \Gamma(\frac{c+a-10}{2})}(-a^4-4a^3c+42a^3+12a^2c^2-72a^2c-107a^2+8ac^3-252ac^2+$$

$$+1772ac-3054a-16c^4+312c^3-2000c^2+4704c-3024)+\frac{1}{\Gamma(\frac{c-a}{2})\ \Gamma(\frac{c+a-9}{2})}(a^4-4a^3c+2a^3-12a^2c^2+192a^2c-$$

$$-553a^2+8ac^3-12ac^2-868ac+3406a+16c^4-392c^3+3320c^2-11224c+12264)\Big] \tag{12}$$

$${}_2F_1\left[\begin{matrix} a, & 11-a \\ c & \end{matrix};\ \frac{1}{2}\right] =$$

$$= \frac{\sqrt{\pi}\ \Gamma(c)}{2^{c-11}\{\prod_{\varphi=1}^{10}(\varphi-a)\}}\Big[\frac{1}{\Gamma(\frac{c-a+1}{2})\ \Gamma(\frac{c+a-10}{2})}(5a^4c-30a^4-110a^3c+660a^3-20a^2c^3+360a^2c^2-1305a^2c-$$

$$-810a^2+220ac^3-3960ac^2+21010ac-31020a+16c^5-480c^4+5240c^3-25200c^2+50544c-30240)+$$

$$+\frac{1}{\Gamma(\frac{c-a}{2})\ \Gamma(\frac{c+a-11}{2})}(-2a^4+44a^3+24a^2c^2-288a^2c+530a^2-264ac^2+3168ac-8492a-32c^4+768c^3-6352c^2+$$

$$+20928c-22320)\Big] \tag{13}$$

$${}_2F_1\left[\begin{matrix} a, & 12-a \\ c & \end{matrix};\ \frac{1}{2}\right] =$$

Ref

4. Salahuddin, Khola, R. K.; New hypergeometric summation formulae arising from the summation formulae of Prudnikov, South Asian Journal of Mathematics, 4(2014),192-196.

© 2016 Global Journals Inc. (US)

$$= \frac{\sqrt{\pi}\,\Gamma(c)}{2^{c-12}\{\prod_{\chi=1}^{11}(\chi-a)\}}\Big[\frac{1}{\Gamma(\frac{c-a+1}{2})\,\Gamma(\frac{c+a-12}{2})}(a^5-6a^4c+9a^4-12a^3c^2+300a^3c-1103a^3+32a^2c^3-$$

$$-408a^2c^2+46a^2c+6351a^2+16ac^4-800ac^3+10364ac^2-46852ac+62182a-32c^5+944c^4-10112c^3+47656c^2-$$

$$-93776c+55440)+\frac{1}{\Gamma(\frac{c-a}{2})\,\Gamma(\frac{c+a-11}{2})}(a^5+6a^4c-69a^4-12a^3c^2+12a^3c+769a^3-32a^2c^3+840a^2c^2-$$

$$-5662a^2c+8301a^2+16ac^4-32ac^3-4612ac^2+42380ac-96002a+32c^5-1136c^4+15104c^3-$$

$$-92536c^2+255392c-245640)\Big] \tag{14}$$

$${}_2F_1\left[\begin{array}{ccc} a, & 13-a & ; \\ c & & ; \end{array}\ \frac{1}{2}\right] =$$

$$= \frac{\sqrt{\pi}\,\Gamma(c)}{2^{c-13}\{\prod_{\beta=1}^{12}(\beta-a)\}}\Big[\frac{1}{\Gamma(\frac{c-a+1}{2})\,\Gamma(\frac{c+a-12}{2})}(-a^6+39a^5+18a^4c^2-252a^4c+275a^4-468a^3c^2+6552a^3c$$

$$-18135a^3-48a^2c^4+1344a^2c^3-9834a^2c^2+5964a^2c+74246a^2+624ac^4-17472ac^3+167388ac^2-631176ac$$

$$+752856a+32c^6-1344c^5+21824c^4-172032c^3+674384c^2-1187424c+665280)+$$

$$+\frac{1}{\Gamma(\frac{c-a}{2})\,\Gamma(\frac{c+a-13}{2})}(-12a^4c+84a^4+312a^3c-2184a^3+64a^2c^3-1344a^2c^2$$

$$+6620a^2c-2436a^2-832ac^3+17472ac^2-112424ac+216216a-64c^5+2240c^4-29312c^3+176512c^2-$$

$$-478752c+453600)\Big] \tag{15}$$

$${}_2F_1\left[\begin{array}{ccc} a, & 14-a & ; \\ c & & ; \end{array}\ \frac{1}{2}\right] =$$

$$= \frac{\sqrt{\pi}\,\Gamma(c)}{2^{c-14}\{\prod_{\gamma=1}^{13}(\gamma-a)\}}\Big[\frac{1}{\Gamma(\frac{c-a+1}{2})\,\Gamma(\frac{c+a-14}{2})}(a^6+6a^5c-87a^5-24a^4c^2+150a^4c+925a^4-32a^3c^3+1392a^3c^2$$

$$-12706a^3c+24615a^3+80a^2c^4-1728a^2c^3+5368a^2c^2+58986a^2c-242486a^2+32ac^5-2320ac^4+47328ac^3$$

$$-391568ac^2+1344076ac-1496568a-64c^6+2656c^5-42560c^4+330752c^3-1278144c^2+2222160c-1235520)+$$

$$+\frac{1}{\Gamma(\frac{c-a}{2})\,\Gamma(\frac{c+a-13}{2})}(-a^6+6a^5c-$$

$$-3a^5+24a^4c^2-570a^4c+2225a^4-32a^3c^3+48a^3c^2+7454a^3c-39225a^3-80a^2c^4+3072a^2c^3-35608a^2c^2+133626a^2c-$$

$$-68104a^2+32ac^5-80ac^4-19872ac^3+313808ac^2-1676564ac+2856228a+64c^6-3104c^5+59360c^4-566848c^3+$$

$$+2810304c^2-6724560c+5897520)\Big] \tag{16}$$

$${}_2F_1\left[\begin{array}{ccc} a, & 15-a & ; \\ c & & ; \end{array}\ \frac{1}{2}\right] =$$

$$= \frac{\sqrt{\pi}\,\Gamma(c)}{2^{c-15}\{\prod_{\varepsilon=1}^{14}(\varepsilon-a)\}}\Big[\frac{1}{\Gamma(\frac{c-a+1}{2})\,\Gamma(\frac{c+a-14}{2})}(-7a^6c+56a^6+315a^5c-2520a^5+56a^4c^3-1344a^4c^2+5103a^4c+$$

$$+16520a^4-1680a^3c^3+40320a^3c^2-271215a^3c+449400a^3-112a^2c^5+4480a^2c^4-54040a^2c^3+150080a^2c^2+845824a^2c-$$

$$-3383296a^2+1680ac^5-67200ac^4+999600ac^3-6787200ac^2+20482140ac-21070560a+64c^7-3584c^6+80864c^5-$$

$$-940800c^4+5987520c^3-20296192c^2+32464368c-17297280)+\frac{1}{\Gamma(\frac{c-a}{2})\,\Gamma(\frac{c+a-15}{2})}(2a^6-90a^5-48a^4c^2+768a^4c-$$

$$-1474a^4+1440a^3c^2-23040a^3c+77970a^3+160a^2c^4-5120a^2c^3+46640a^2c^2-90880a^2c-226192a^2-2400ac^4+$$

$$+76800ac^3-861600ac^2+3955200ac-6138120a-128c^6+6144c^5-116160c^4+1095680c^3-5363584c^2+$$

$$+12679168c-11009376)\Big] \tag{17}$$

$${}_2F_1\left[\begin{array}{ccc} a, & 16-a & ; \\ c & & ; \end{array}\ \frac{1}{2}\right] =$$

© 2016 Global Journals Inc. (US)

$$= \frac{\sqrt{\pi}\,\Gamma(c)}{2^{c-16}\{\prod_{\zeta=1}^{15}(\zeta-a)\}}\Big[\frac{1}{\Gamma(\frac{c-a+1}{2})\,\Gamma(\frac{c+a-16}{2})}(-a^7+8a^6c-12a^6+24a^5c^2-792a^5c+3710a^5-80a^4c^3+1080a^4c^2+$$

$$+6280a^4c-66600a^4-80a^3c^4+5280a^3c^3-85480a^3c^2+435480a^3c-458929a^3+192a^2c^5-6240a^2c^4+45200a^2c^3+$$
$$+271560a^2c^2-3746640a^2c+8942052a^2+64ac^6-6336ac^5+186000ac^4-2408160ac^3+15005072ac^2-42553152ac+$$
$$+41722740a-128c^7+7104c^6-158720c^5+1827360c^4-11505152c^3+38596416c^2-61194240c+32432400)+$$
$$+\frac{1}{\Gamma(\frac{c-a}{2})\,\Gamma(\frac{c+a-15}{2})}(-a^7-8a^6c+124a^6+24a^5c^2-24a^5c-2818a^5+80a^4c^3-3000a^4c^2+26360a^4c-40760a^4-80a^3c^4+$$
$$+160a^3c^3+45080a^3c^2-534760a^3c+1499471a^3-192a^2c^5+10080a^2c^4-175760a^2c^3+1189560a^2c^2-2226480a^2c-$$
$$-2760884a^2+64ac^6-192ac^5-75120ac^4+1782560ac^3-16394608ac^2+65703616ac-93008652a+128c^7-8128c^6+$$
$$+210944c^5-2878240c^4+22080512c^3-94015552c^2+202146816c-165145680)\Big] \qquad (18)$$

$${}_2F_1\left[\begin{array}{ccc} a, & 17-a & ; \\ c & & ; \end{array}\ \frac{1}{2}\right] =$$

$$= \frac{\sqrt{\pi}\,\Gamma(c)}{2^{c-17}\{\prod_{\vartheta=1}^{16}(\vartheta-a)\}}\Big[\frac{1}{\Gamma(\frac{c-a+1}{2})\,\Gamma(\frac{c+a-16}{2})}(a^8-68a^7-32a^6c^2+576a^6c-638a^6+1632a^5c^2-29376a^5c+101320a^5+$$

$$+160a^4c^4-5760a^4c^3+44640a^4c^2+129600a^4c-1341071a^4-5440a^3c^4+195840a^3c^3-2303840a^3c^2+$$
$$+9743040a^3c-9832052a^3-256a^2c^6+13824a^2c^5-246560a^2c^4+1411200a^2c^3+4297408a^2c^2-64103040a^2c+$$
$$+143207628a^2+4352ac^6-235008ac^5+4977600ac^4-52289280ac^3+282566656ac^2-727036416ac+670152240a+$$
$$+128c^8-9216c^7+275456c^6-4423680c^5+41249792c^4-224907264c^3+683065344c^2-1014128640c+518918400+$$
$$+\frac{1}{\Gamma(\frac{c-a}{2})\,\Gamma(\frac{c+a-17}{2})}(16a^6c-144a^6-816a^5c+7344a^5-160a^4c^3+4320a^4c^2-22480a^4c-30960a^4+5440a^3c^3-$$
$$-146880a^3c^2+1157360a^3c-2484720a^3+384a^2c^5-17280a^2c^4+247840a^2c^3-1092960a^2c^2-1901760a^2c+$$
$$+15669504a^2-6528ac^5+293760ac^4-4999360ac^3+39804480ac^2-146267456ac+194890176a-256c^7+16128c^6-$$
$$-414976c^5+5610240c^4-42628864c^3+179788032c^2-383195904c+310867200)\Big] \qquad (19)$$

$${}_2F_1\left[\begin{array}{ccc} a, & 18-a & ; \\ c & & ; \end{array}\ \frac{1}{2}\right] =$$

$$= \frac{\sqrt{\pi}\,\Gamma(c)}{2^{c-18}\{\prod_{\eta=1}^{17}(\eta-a)\}}\Big[\frac{1}{\Gamma(\frac{c-a+1}{2})\,\Gamma(\frac{c+a-18}{2})}(-a^8-8a^7c+148a^7+40a^6c^2-256a^6c-3362a^6+80a^5c^3-4440a^5c^2+$$

$$+49664a^5c-103400a^5-240a^4c^4+5520a^4c^3+18760a^4c^2-849520a^4c+3240271a^4-192a^3c^5+17760a^3c^4-440560a^3c^3+$$
$$+4091160a^3c^2-12923320a^3c+3622852a^3+448a^2c^6-20352a^2c^5+253360a^2c^4+576240a^2c^3-31091248a^2c^2+$$
$$+192701168a^2c-344444908a^2+128ac^7-16576ac^6+660032ac^5-12228640ac^4+118499872ac^3-604789504ac^2+$$
$$+1488844864ac-1324543920a-256c^8+18304c^7-542976c^6+8650240c^5-79993344c^4+432549376c^3-1303568384c^2+$$
$$+1923025920c-980179200)+\frac{1}{\Gamma(\frac{c-a}{2})\,\Gamma(\frac{c+a-17}{2})}(a^8-8a^7c+4a^7-40a^6c^2+1264a^6c-6214a^6+80a^5c^3-120a^5c^2-$$
$$-32416a^5c+213904a^5+240a^4c^4-12720a^4c^3+186440a^4c^2-743120a^4c-456391a^4-192a^3c^5+480a^3c^4+216080a^3c^3-$$
$$-4278120a^3c^2+27569480a^3c-52277444a^3-448a^2c^6+30720a^2c^5-745840a^2c^4+7817520a^2c^3-30345632a^2c^2-$$
$$-19224224a^2c+253516684a^2+128ac^7-448ac^6-259264ac^5+8556320ac^4-118218848ac^3+813195488ac^2-$$
$$-2692403360ac+3335839536a+256c^8-20608c^7+696192c^6-12817024c^5+139638144c^4-913535872c^3+3463541888c^2-$$
$$-6848013696c+5284782720)\Big] \qquad (20)$$

$${}_2F_1\left[\begin{array}{ccc} a, & 19-a & ; \\ c & & ; \end{array}\ \frac{1}{2}\right] =$$

© 2016 Global Journals Inc. (US)

$$= \frac{\sqrt{\pi}\,\Gamma(c)}{2^{c-19}\{\prod_{\lambda=1}^{18}(\lambda-a)\}}\Big[\frac{1}{\Gamma(\frac{c-a+1}{2})\,\Gamma(\frac{c+a-18}{2})}(9a^8c-90a^8-684a^7c+6840a^7-120a^6c^3+3600a^6c^2-14046a^6c-99540a^6+$$

$$+6840a^5c^3-205200a^5c^2+1664856a^5c-2968560a^5+432a^4c^5-21600a^4c^4+277080a^4c^3+327600a^4c^2-20793831a^4c+$$

$$+70898310a^4-16416a^3c^5+820800a^3c^4-14644440a^3c^3+111013200a^3c^2-315518940a^3c+131909400a^3-576a^2c^7+$$

$$+40320a^2c^6-992880a^2c^5+9324000a^2c^4+4429536a^2c^3-636886080a^2c^2+3695816316a^2c-6211091160a^2+10944ac^7-$$

$$-766080ac^6+21827808ac^5-325310400ac^4+2707726176ac^3-12394025280ac^2+28254838896ac-23908836960a+256c^9-$$

$$-23040c^8+880512c^7-18627840c^6+238347264c^5-1891123200c^4+9158978048c^3-25507261440c^2+35661692160c-$$

$$-17643225600)+\frac{1}{\Gamma(\frac{c-a}{2})\,\Gamma(\frac{c+a-19}{2})}(-2a^8+152a^7+80a^6c^2-1600a^6c+3148a^6-4560a^5c^2+91200a^5c-371488a^5-$$

$$-480a^4c^4+19200a^4c^3-185680a^4c^2-126400a^4c+4559182a^4+18240a^3c^4-729600a^3c^3+9799440a^3c^2-50068800a^3c+$$

$$+73373288a^3+896a^2c^6-53760a^2c^5+1107680a^2c^4-8467200a^2c^3-743936a^2c^2+274718720a^2c-822056088a^2-$$

$$-17024ac^6+1021440ac^5-24338240ac^4+292569600ac^3-1853708096ac^2+5798641920ac-6885423072a-$$

$$-512c^8+40960c^7-1374464c^6+25123840c^5-271685888c^4+1764075520c^3-6639757056c^2+13042437120c-$$

$$-10013310720)\Big] \tag{21}$$

$${}_2F_1\left[\begin{array}{ccc} a, & 20-a & ; \\ c & & ; \end{array}\ \frac{1}{2}\right] =$$

$$= \frac{\sqrt{\pi}\,\Gamma(c)}{2^{c-20}\{\prod_{\Upsilon=1}^{19}(\Upsilon-a)\}}\Big[\frac{1}{\Gamma(\frac{c-a+1}{2})\,\Gamma(\frac{c+a-20}{2})}(33522128640+47215599696a+14182895460a^2+345040520a^3-$$

$$-140133105a^4+962073a^5+330750a^6-9330a^7+15a^8+a^9-67958134272c-57343402272ac-9605975576a^2c+$$

$$+295428296a^3c+58846422a^4c-2100880a^5c-32820a^6c+1640a^7c-10a^8c+48842214912c^2+$$

$$+25998562336ac^2+2187966784a^2c^2-168954152a^3c^2-6101120a^4c^2+380720a^5c^2-2240a^6c^2-40a^7c^2-17641896960c^3-$$

$$-5917427456ac^3-182014144a^2c^3+27821280a^3c^3-9440a^4c^3-19680a^5c^3+160a^6c^3+3666323456c^4+750095264ac^4-$$

$$-1895280a^2c^4-1926160a^3c^4+23280a^4c^4+240a^5c^4-465172736c^5-54369728ac^5+1155616a^2c^5+55104a^3c^5-672a^4c^5+$$

$$+36595328c^6+2174144ac^6-61824a^2c^6-448a^3c^6-1740800c^7-41984ac^7+1024a^2c^7+45824c^8+256ac^8-512c^9)+$$

$$+\frac{1}{\Gamma(\frac{c-a}{2})\,\Gamma(\frac{c+a-19}{2})}(-190253266560-131460917904a-15315714660a^2+1718684120a^3+100625805a^4-10839927a^5+$$

$$+135450a^6+7470a^7-195a^8+a^9+258458522112c+117489033888ac+5199265016a^2c-1259577944a^3c+961578a^4c+$$

$$+3256720a^5c-84780a^6c+40a^7c+10a^8c-139931759232c^2-40815588704ac^2+198370336a^2c^2+283436248a^3c^2-$$

$$-7330880a^4c^2-224080a^5c^2+7840a^6c^2-40a^7c^2+40472263680c^3+7213462784ac^3-274206656a^2c^3-26053920a^3c^3+$$

$$+1017440a^4c^3-480a^5c^3-160a^6c^3-6993636736c^4-700147936ac^4+42392880a^2c^4+896240a^3c^4-47280a^4c^4+240a^5c^4+$$

$$+757008896c^5+36475712ac^5-2849056a^2c^5+1344a^3c^5+672a^4c^5-51764608c^6-836416ac^6+88704a^2c^6-448a^3c^6+$$

$$+2170880c^7-1024ac^7-1024a^2c^7-50944c^8+256ac^8+512c^9)\Big] \tag{22}$$

$${}_2F_1\left[\begin{array}{ccc} a, & 21-a & ; \\ c & & ; \end{array}\ \frac{1}{2}\right] =$$

$$= \frac{\sqrt{\pi}\,\Gamma(c)}{2^{c-21}\{\prod_{\Psi=1}^{20}(\Psi-a)\}}\Big[\frac{1}{\Gamma(\frac{c-a+1}{2})\,\Gamma(\frac{c+a-20}{2})}(670442572800+946321185600a+284169369024a^2+4885689900a^3-$$

$$-3333875180a^4+41694345a^5+10037727a^6-381150a^7+1230a^8+105a^9-a^{10}-1394694005760c-1198379286720ac-$$

$$-203053089360a^2c+8433107760a^3c+1530533620a^4c-70408800a^5c-1146200a^6c+92400a^7c-1100a^8c+$$

$$+1048586614272c^2+578478838560ac^2+49539606520a^2c^2-4805882760a^3c^2-177714670a^4c^2+15397200a^5c^2-$$

$$-141500a^6c^2-4200a^7c^2+50a^8c^2-404078540800c^3-143591669760ac^3-4354528640a^2c^3+902932800a^3c^3-$$

$$-2094400a^4c^3-1108800a^5c^3+17600a^6c^3+91700259840c^4+20464187520ac^4-122473120a^2c^4-77439600a^3c^4+$$

© 2016 Global Journals Inc. (US)

$$+1402800a^4c^4+25200a^5c^4-400a^6c^4-13092907520c^5-1739633280ac^5+50240960a^2c^5+3104640a^3c^5-73920a^4c^5+$$
$$+1209103616c^6+87071040ac^6-3652320a^2c^6-47040a^3c^6+1120a^4c^6-72089600c^7-2365440ac^7+112640a^2c^7+$$
$$+2677760c^8+26880ac^8-1280a^2c^8-56320c^9+512c^{10})+\frac{1}{\Gamma(\frac{c-a}{2})\,\Gamma(\frac{c+a-21}{2})}(362387520000+268742591040a+$$
$$+41471452880a^2-1867829040a^3-305673060a^4+14303520a^5+225720a^6-18480a^7+220a^8-494250063360c-$$
$$-247867413696ac-19713479280a^2c+1984361232a^3c+69962284a^4c-6179040a^5c+56920a^6c+1680a^7c-20a^8c+$$
$$+268936121344c^2+89644203264ac^2+2511762176a^2c^2-547968960a^3c^2+1404480a^4c^2+665280a^5c^2-10560a^6c^2-$$
$$-78226625536c^3-16719935232ac^3+112602112a^2c^3+62139840a^3c^3-1126720a^4c^3-20160a^5c^3+320a^6c^3+$$
$$+13598953984c^4+1756191360ac^4-51029440a^2c^4-3104640a^3c^4+73920a^4c^4-1480941056c^5-104786304ac^5+$$
$$+4397120a^2c^5+56448a^3c^5-1344a^4c^5+101871616c^6+3311616ac^6-157696a^2c^6-4296704c^7-43008ac^7+2048a^2c^7+$$
$$+101376c^8-1024c^9)\Big] \tag{23}$$

II. Main Summation Formulae

$${}_2F_1\left[\begin{matrix}a, & 22-a \\ c & \end{matrix}\;;\;\frac{1}{2}\right]=$$
$$=\frac{\sqrt{\pi}\;\Gamma(c)}{2^{c-22}\{\prod_{\Xi=1}^{21}(\Xi-a)\}}\Big[\frac{1}{\Gamma(\frac{c-a+1}{2})\,\Gamma(\frac{c+a-22}{2})}(-1279935820800-1868233671360a-628352859744a^2-$$
$$-34417212780a^3+5753119700a^4+134236095a^5-20700687a^6+312270a^7+8730a^8-225a^9+a^{10}+2668809669120c+$$
$$+2417863186656ac+489345655848a^2c-219480864a^3c-3388493178a^4c+53042458a^5c+4970700a^6c-142820a^7c+$$
$$+390a^8c+10a^9c-2014029186048c^2-1197461040576ac^2-138256171792a^2c^2+5911683120a^3c^2+583619652a^4c^2-$$
$$-22165920a^5c^2-176120a^6c^2+10800a^7c^2-60a^8c^2+779711413248c^3+306554335232ac^3+17513420736a^2c^3-$$
$$-1499242976a^3c^3-32128320a^4c^3+2199680a^5c^3-13440a^6c^3-160a^7c^3-177857647616c^4-45404661120ac^4-$$
$$-823493664a^2c^4+154420560a^3c^4-467600a^4c^4-75600a^5c^4+560a^6c^4+25531683072c^5+4062167872ac^5-$$
$$-27880608a^2c^5-7519456a^3c^5+86688a^4c^5+672a^5c^5-2370643968c^6-219093504ac^6+4625152a^2c^6+161280a^3c^6-$$
$$-1792a^4c^6+142098432c^7+6765568ac^7-178176a^2c^7-1024a^3c^7-5305344c^8-103680ac^8+2304a^2c^8+112128c^9+$$
$$+512ac^9-1024c^{10})+\frac{1}{\Gamma(\frac{c-a}{2})\,\Gamma(\frac{c+a-21}{2})}(7610141548800+5664039006240a+862754799384a^2-50618670580a^3-$$
$$-7467040370a^4+438809595a^5+6355587a^6-793890a^7+14040a^8-5a^9-a^{10}-10762094073600c-5490993903456ac-$$
$$-428082370072a^2c+53697863232a^3c+1803933278a^4c-214732742a^5c+2793980a^6c+100060a^7c-2370a^8c+10a^9c+$$
$$+6167102701056c^2+2126343680320ac^2+53972779984a^2c^2-16286791024a^3c^2+92193948a^4c^2+28580160a^5c^2-$$
$$-673960a^6c^2+240a^7c^2+60a^8c^2-1923629552128c^3-434298545536ac^3+5057543680a^2c^3+2145900064a^3c^3-$$
$$-52633280a^4c^3-1200640a^5c^3+38080a^6c^3-160a^7c^3+366720941312c^4+51431687104ac^4-1928215296a^2c^4-$$
$$-133374640a^3c^4+4718000a^4c^4-1680a^5c^4-560a^6c^4-45108419328c^5-3603513536ac^5+200868192a^2c^5+$$
$$+3361568a^3c^5-160608a^4c^5+672a^5c^5+3654604800c^6+142266880ac^6-10065664a^2c^6+3584a^3c^6+1792a^4c^6-$$
$$-193800192c^7-2561024ac^7+245760a^2c^7-1024a^3c^7+6471168c^8-2304ac^8-2304a^2c^8-123392c^9+512ac^9+1024c^{10})\Big]$$
$${}_2F_1\left[\begin{matrix}a, & 23-a \\ c & \end{matrix}\;;\;\frac{1}{2}\right]= \tag{24}$$
$$=\frac{\sqrt{\pi}\;\Gamma(c)}{2^{c-23}\{\prod_{\Omega=1}^{22}(\Omega-a)\}}\Big[\frac{1}{\Gamma(\frac{c-a+1}{2})\,\Gamma(\frac{c+a-22}{2})}(-28158588057600-41169473009280a-13846175136288a^2-$$
$$-688985043120a^3+149373094200a^4+2886127860a^5-648260844a^6+12963720a^7+382800a^8-15180a^9+132a^{10}+$$
$$+60062080780800c+55217638146528ac+11293160726232a^2c-82022959260a^3c-93645815450a^4c+1995539777a^5c+$$

© 2016 Global Journals Inc. (US)

Notes

$$+178029929a^6c-6909430a^7c+31460a^8c+1265a^9c-11a^10c-47111453908992c^2-28820579344128ac^2-$$
$$-3392485386048a^2c^2+183098051136a^3c^2+17810133264a^4c^2-867081600a^5c^2-6985440a^6c^2+728640a^7c^2-7920a^8c^2+$$
$$+19258856466432c^3+7922696165824ac^3+461791289168a^2c^3-49584004624a^3c^3-1091526436a^4c^3+105693280a^5c^3-$$
$$-988680a^6c^3-20240a^7c^3+220a^8c^3-4723308327936c^4-1289002826496ac^4-22320173568a^2c^4+5914856640a^3c^4-$$
$$-30824640a^4c^4-5100480a^5c^4+73920a^6c^4+745452131072c^5+130485126464ac^5-1364040832a^2c^5-359725520a^3c^5+$$
$$+6190800a^4c^5+85008a^5c^5-1232a^6c^5-78371758080c^6-8302221312ac^6+235834368a^2c^6+10881024a^3c^6-$$
$$-236544a^4c^6+5546010624c^7+322674176ac^7-12539648a^2c^7-129536a^3c^7+2816a^4c^7-260941824c^8-6994944ac^8+$$
$$+304128a^2c^8+7822848c^9+64768ac^9-2816a^2c^9-135168c^{10}+1024c^{11})+\frac{1}{\Gamma(\frac{c-a}{2})\ \Gamma(\frac{c+a-23}{2})}(-14558535129600-$$
$$-11503844032320a-2137013714928a^2+23993967080a^3+17223845140a^4-382057830a^5-32189094a^6+1259940a^7-$$
$$-5760a^8-230a^9+2a^{10}+20652447375360c+11426734414848ac+1249606186752a^2c-70894693632a^3c-$$
$$-6453736128a^4c+319011840a^5c+2486400a^6c-264960a^7c+2880a^8c-11881425202176c^2-4559948772992ac^2-$$
$$-249358186400a^2c^2+27700361696a^3c^2+584111304a^4c^2-57805440a^5c^2+541520a^6c^2+11040a^7c^2-120a^8c^2+$$
$$+3722781351936c^3+967717718016ac^3+15372177408a^2c^3-4341281280a^3c^3+23278080a^4c^3+3709440a^5c^3-$$
$$-53760a^6c^3-713155826176c^4-120677707136ac^4+1319899392a^2c^4+327847520a^3c^4-5645920a^4c^4-77280a^5c^4+$$
$$+1120a^6c^4+88159518720c^5+9128189952ac^5-260370432a^2c^5-11870208a^3c^5+258048a^4c^5-7178121216c^6-$$
$$-411665408ac^6+16002560a^2c^6+164864a^3c^6-3584a^4c^6+382500864c^7+10174464ac^7-442368a^2c^7-12831744c^8-$$
$$-105984ac^8+4608a^2c^8+245760c^9-2048c^{10})\Big] \qquad (25)$$

III. Derivation of the Main Formulae

Involving the contiguous relation (8) and the formula of Salahuddin et al(23), one can established the result(24) and on the same way result(25) can be established.

References Références Referencias

1. Abramowitz, Milton., A and Stegun, Irene; *Handbook of Mathematical Functions with Formulas, Graphs, and Mathematical Tables.* National Bureau of Standards, 1970.
2. Prudnikov, A.P., Brychkov, Yu. A. and Marichev, O.I.; *Integral and Series Vol 3: More Special Functions*, Nauka, Moscow, 2003.
3. Intazar Husain and Salahuddin; Two Ridiculous Summation Formulae arising from the summation formulae of Salahuddin et al, *International Research Journal of Engineering and Technology*, 3(2016), 110-120.
4. Salahuddin, Khola, R. K.; New hypergeometric summation formulae arising from the summation formulae of Prudnikov, *South Asian Journal of Mathematics*, 4(2014),192-196.
5. Salahuddin, Khola, R. K.; New Prospective of Hypergeometric Summation, *Sohag Journal of Mathematics*,3(2016),15-21.
6. Salahuddin, Pandit,U. K. and Chaudhary, M. P.; Two Incredible Summation Formula Involving Computational Technique, *Global Journal of Science Frontier Research:* F,15(2015),29-35.

© 2016 Global Journals Inc. (US)

This page is intentionally left blank

© 2016 Global Journals Inc. (US)