



NANO-Technologies and the Physics of Missing Scales

Article Record

Dr. Stanislav V. Ordin §*

ORCID 0000-0003-4189-8948

* Corresponding Author



§ Russian Academy of Sciences, Moscow, Russia ^(OA)

RECEIVED

2026-05-26

ACCEPTED

2026-06-04

ONLINE PUBLISHED

2026-07-07

PUBLISHED

2026-09-23

PEER REVIEW

Double Blind

Abstract

The development of NANO-technologies follows the path of Feynman's linear approximation of the element minimization method. With this approach, the construction of artificial structures relied on microscopic (quantum) models. However, the output of such NANO-technologies typically didn't exactly correspond to the intended outcome, but to a result that required further understanding and further learning. This is why processors require regular updates of the HIOS. The heuristics of this development path for NANO-technologies are close to zero, so NANO-technologies have become mere empiricism. Achieving UNDERSTANDING what and how to do things, and UNDERSTANDING what NANO-technologies actually do, is possible only by considering two fundamental physical aspects that are essential at the NANO-scale: 1. Local Thermodynamic Effects, determined by Prigogine's Flow Thermodynamics, must be taken into account. 2. It is necessary to consider the experience of "Living Nanotechnology," which relies not on "dead" Boltzmann statistics, but on statistics with information accumulation and on the fractal construction of Life from below, from fullerenes to minimal fractals and beyond. And both of these aspects must be considered both at the design stage of the required device's functionality and in the formation of the NANO-structure itself.

dimensional linear approximation

fractality

limits of "dead" NANO-technology

NANO-anomalies

Resonance states

AI USE STATEMENT

No generative AI was used for analysis or results.

FUNDING

No external funding was declared for this work.

CONFLICT OF INTEREST

The authors declare no conflict of interest.

DATA AVAILABILITY

Not applicable for this article.

ETHICS

No ethics committee approval was required for this article type.

CONSENT

Not applicable for this article.

TRIAL REG.

Not applicable.

Crossref DOI: 10.34257/GJSFRA257716

How to Cite: Ordin (2026). NANO-Technologies and the Physics of Missing Scales. Global Journal of Science Frontier Research, 26(2), 29-34. DOI: 10.34257/GJSFRA257716

LICENSE

© 2026 Global Journals. Open-access article under CC BY-NC-ND 4.0 International License.



Print ISSN 0975-5896



Online ISSN 2249-4626



Under the strict compliance and defined process of



ARCHIVAL RECORD

GJSFR · Vol 26 · Issue 2 · 2026

Article ID GJSFR-257716 · DOI 10.34257/GJSFRA257716

Print ISSN 0975-5896 · Online ISSN 2249-4626

NANO-Technologies and the Physics of Missing Scales

Dr. Stanislav V. Ordin^{§*} 

Affiliations

[§] Russian Academy of Sciences, Moscow, Russia ^(OA)

Abstract

The development of NANO-technologies follows the path of Feynman's linear approximation of the element minimization method. With this approach, the construction of artificial structures relied on microscopic (quantum) models. However, the output of such NANO-technologies typically didn't exactly correspond to the intended outcome, but to a result that required further understanding and further learning. This is why processors require regular updates of the HIOS. The heuristics of this development path for NANO-technologies are close to zero, so NANO-technologies have become mere empiricism. Achieving UNDERSTANDING what and how to do things, and UNDERSTANDING what NANO-technologies actually do, is possible only by considering two fundamental physical aspects that are essential at the NANO-scale: 1. Local Thermodynamic Effects, determined by Prigogine's Flow Thermodynamics, must be taken into account. 2. It is necessary to consider the experience of "Living Nanotechnology," which relies not on "dead" Boltzmann statistics, but on statistics with information accumulation and on the fractal construction of Life from below, from fullerenes to minimal fractals and beyond. And both of these aspects must be considered both at the design stage of the required device's functionality and in the formation of the NANO-structure itself.

Keywords: dimensional linear approximation, fractality, limits of "dead" NANO-technology, NANO-anomalies, Resonance states

* Corresponding Author
Dr. Stanislav V. Ordin

DOI
10.34257/GJSFRA257716

1. Introduction

Both in Physics itself and in the common consciousness, phenomenological misconceptions have led to the triumph of the illusion that the Quantum-Mechanical Description provides the most complete picture of the Phenomenon and the gaping Peaks of Science. But the modern Quantum-Mechanical Description itself ignored Albert Einstein's wise remark: "Some (CORRECT) equations of Classical Mechanics can be rewritten in operator form." Furthermore, the profoundly ironic warning of the founder of Quantization, Max Planck, was also ignored: "Apparently, I am not literate enough to understand what has been calculated on the basis of the Quantum Concepts I introduced." Thus, modern Quantum Theory has given rise to a jumble of formulas of the "most rigorous science" - Quantum Electrodynamics, with the "discoveries" of the useless God Particles and Black Holes [1]. In reality, the Schrödinger equation only adequately describes the s-orbitals of hydrogen-like atoms [2]. Nevertheless, this primitive description was also used in Chemistry [3], and it became virtually the primary tool underlying the Quantum Theory of Solid State Physics [4]. At the same time, unproven, arbitrary individuals assumed that these Quantum-Mechanical Models could be directly extended to NANO-effects.

The enthusiasm with which Quantum Mechanics began to be used to explain effects in Solid States somehow obscured the question of the fundamental POSSIBILITY of observing Quantum Phenomena in Macroscopic Dimensions. And new effects discovered on the NANO-scale, believing them to be a linear approximation between the Quantum and Macroscopic, were also taken for granted as OBSERVABLE. With the exception

of Thermoelectric Effects, which, based on Boltzmann Thermodynamics, were considered UNOBSERVABLE in principle [5]. Therefore, a TABOO was imposed on the very EXISTENCE of NANO-Thermo-EMF. And their EXISTENCE, as well as their MEASURABILITY, follow from Ilya Prigogine's Local Entropy Production, discovered by him in Flow Thermodynamics [6]. The registration of NANO-Thermo-EMF demonstrated that between Quantum and Macroscopic Effects, there exist previously unaccounted for ballistic Thermionic Effects [7], which are not inferior in magnitude to Photoelectric Effects (Fig. 1).




Figure 1. Schematic diagram of the formation of both photo-EMF and local thermal-EMF (left) in the p-n junction, leading to an antiphase shift in the current-voltage characteristics (right).

These recorded powerful thermionic effects directly indicate the need to transform the physics of semiconductor devices at the nanoscale [8], which has not yet been taken into account even in processor design.

However, they indirectly indicate the need to consider local entropy production in manufacturing, in nanotechnologies themselves.

After all, modern nanotechnologies are essentially simply attempting to implement Feynman's linear approximation: make devices smaller, and then make these devices even smaller (Fig. 2).




Figure 2. "Dead" NANO-technology, based on models using destructive measurement techniques, from the macro level down to the atoms, according to Feynman's linear approximation.

And 3D printing of materials—without taking into account chemical bonds, allowed electron orbitals, and resonant states of the material, in general, without considering the NANO-structuring of the created materials—is largely a waste of time. To build NANO-technology, it is necessary to understand that it is described by the boundary between Classical and Quantum Physics [9]. Moreover, new properties of the created NANO-objects must be sought not in mystical changes in Fundamental Characteristics, which contradicts the adiabatic decomposition of Energy, but in NANO-structuring, which leads to gigantic effects. And there's already a significant experimental and theoretical foundation for this, based on research into midi effects in natural and artificial superstructures, which simply need to be generalized and understood. However, attempts continue to be made to build devices with ever-smaller elements, simply following Feynman's linear approximation. The developers themselves can't always understand what they've done. This is how, for example, computer processors are made. But then, through programming, they're effectively corrected. Moreover, after the first release of a "working" processor, an updated BIOS is released almost every month, correcting newly discovered errors.

Yet, Feynman's "cellular automaton," implemented by dead NANO-technologies, is, in principle, an alternative to the von Neumann-Conway cellular automaton [10, 11], confirmed at least by the fact that this model lifted the thermodynamic BAN on the existence of LIFE itself.

But, as was understood, the work of a living cellular automaton results in an increase in the object not at all like the growth of an ideal crystal - linearly, but fractally (Fig. 3).




Figure 3. Fractal growth of an object and the superposition of the elementary "Flower" Fractal on Chaos.

So, the dynamics of shrinking a NANO-object using "dead" technology will also collide with the fact that Nature strives to create its OWN (resonant, quantum, according to Planck) structures on the NANO-scale. After all, as living "NANO-technology" clearly demonstrates, simply shrinking a tree will not produce its branch or root, and vice versa – a tree is not simply an enlarged cell (Fig. 4).



Figure 4. Bipolar fractal development of a tree's crown and roots.

Living NANO-technology begins to build organic matter from the smallest fullerenes, capable of accumulating information about prehistory within their structure. And by transforming the "dead" Boltzmann statistics into "living" statistics with information accumulation, it sets the stage for fractal development. In living nature, the Creator determines whichever fractal first "came to hand"—those trees, vegetables, and organs will grow (Fig. 5).




Figure 5. Fractal tree (left), kale (center), trachea (right).

Thus, while "dead" NANO-technology, according to Feynman, ultimately leads only to the destruction of life, living NANO-technology emphasizes that the INDIGENOUS structuring of the material at different scales must be taken into account. Furthermore, it must be taken into account that the artificial structures being created are in a metastable state, which, as is well known from "dead" technologies, leads to structural transformations at certain temperatures. This is most clearly demonstrated by incommensurate crystals. In particular, the quasicrystal of Higher Manganese Silicide (HMS), which exists in a metastable incommensurate state over a very wide temperature range: 2–100 K [12]. This allows us to trace the dependence of the lattice of concentration solitons arising in it on heat treatment: rapid cooling (Fig. 6a) and slow drawing of the sample through a temperature gradient at the boundary of the solid-phase transition (Fig. 6b).




Figure 6. Optical photographs of a plane parallel to the disproportion axis C of an incommensurate HMS quasicrystal: a) during the stochastic formation of concentration precipitates approximately $3\ \mu\text{m}$ thick during rapid cooling; b) during the formation of a regular network of concentration solitons perpendicular to the disproportion axis C, $300\ \text{\AA}$ thick, during slow cooling.

The rapidly cooled HMS samples (Fig. 6, left) had a blurring of the Bragg reflections from the C axis that was almost two orders of magnitude greater than that of highly ordered HMS quasicrystals, which, in the region between concentration solitons, were close to the commensurate Mn_4Si_7 superstructure (Fig. 6, right). However, judging by the moiré pattern between the concentration solitons (Fig. 7), the disproportion is also preserved in the highly ordered HMS quasicrystal.




Figure 7. Scanning electron microscopy of the plane of a highly ordered HMS quasicrystal parallel to the C axis: a - overall picture, b - near a concentration soliton, c - transmission electron microscopy of the HMS quasicrystal between concentration solitons.

So, for the reasons noted, using nanotechnology without understanding the fundamental laws of the nanoscale is not only ineffective but also extremely dangerous. In the meantime, they employ a purely empirical approach, driven by bluff companies like the graphene company, which leads to a waste of effort and resources. Meanwhile,

The emergence of gigantic effects at boundary scales is clearly manifested at the nanoscale in the IR reflectance spectra of an incommensurate HMS quasicrystal (Fig. 8).




Figure 8. Crystal lattice of an incommensurate HMS quasicrystal (top, right) and the Giant Spatial Dispersion in its polarized IR reflection (the insets schematically indicate the direction of IR radiation propagation and its polarization relative to the concentration solitons in the HMS) [12].

As can be seen from Fig. 8, when IR radiation is polarized parallel to the incommensurate axis C (left, top), only one characteristic powerful lattice oscillator is excited, determined by a local dipole. Therefore, along the incommensurate axis of the HMS quasicrystal, multiple folding of the Brillouin zone, as in commensurate superstructures, does not occur, and the quasicrystal behaves like an amorphous body. While the polarization of IR radiation in the plane perpendicular to the incommensurability axis C (Fig. 8, bottom), in the plane, as shown by Bragg reflections, with a clearly defined period of translation of the unit cell of the crystal lattice (Fig. 8, top, right), we have a set of oscillators corresponding to the unit crystal lattice (highlighted in solid pink). However, judging by the presence of long-wavelength oscillators at fractional frequencies relative to the high-frequency set of oscillators (highlighted in pink frames), they arise due to the parametric interaction of the high-frequency set of oscillators with oscillations along the incommensurability axis C. Moreover, the contribution

of increased conductivity along the layers of concentration solitons is significant only if the light propagates along these layers (Fig. 8, bottom, left). Whereas, when light propagates along the C-axis, because the thickness of the concentration solitons is smaller than the skin layer thickness, no plasma reflection is formed (Fig. 8, bottom, right).

It is also necessary to consider the influence of the size of nanostructure elements on the energy band structure of the materials used. This influence affects not only the change in the position of the energy bands of macroscopic materials, but also the change in barriers at the boundaries of dissimilar materials due to the Schottky effect (Fig. 9).




Figure 9. Reduction in the height of the potential barrier between materials when the thickness of the element decreases below the Debye length.

So, even on the path of element reduction using "dead" NANO-technology (moving from above), incommensurate quasicrystals arising due to solid-phase transitions in the crystal lattice in a metastable state demonstrate that the Feynman linear approximation is not observed. Indeed, all created artificial NANO-structures are in a metastable state. The same violation of the linear approximation is demonstrated by living "NANO-technology" on the path from below, from fullerenes, through the fractals shown above, and to microorganisms.

The General Principles of miniaturization of artificial, dead technologies [13] and natural, living technologies found by Nature show that Nature has long mastered the NANO-scale, and with much higher accuracy than we can consciously do (Fig. 10).




Figure 10. Diagram of the polar development of dead and living technologies.

At the same time, as shown by the dotted lines in Fig. 9, the minimum limit of controllable sizes achieved by "dead" NANO-technology is significantly higher than that of living "NANO-technology." However, the upper limit of achieved sizes is the opposite: we have learned to build ships larger than a whale and skyscrapers and bridges larger than an elephant.

Here is a "simplest" example of the reproduction of a living cell and its development into the most complex neuron in our brains (Fig. 11).




Figure 11. Living "nano-technology" embedded in cell reproduction through fusion and division (on the left is Synapsis—chromosome conjugation, the pairwise temporary convergence of homologous chromosomes, during which an exchange of homologous regions can occur between them).

From the formed cells, organs, nerve fibers, and the entire organism are formed (as demonstrated previously—fractally). But even in the area of UNDERSTANDING living "NANO-technologies," there is still no ELEMENTARY, consistent description. Thus, Fig. 11 on the left will not give us the neuron depicted on the right, since its recurrent invariance is violated—it would be too wasteful for "wise Nature" to create an unnecessary anti-cell (marked with a question mark). Of course, this is important not only for constructing physical models, but also for developing medical models and, ultimately, for proper treatment.

So, for now, we have both a loose description of living "NANO-technologies," built on the basis of life-destroying physical methods, and a primitive description of "dead" NANO-technologies, based on crude quantum-mechanical models. Moreover, as has been shown, a fundamentally important aspect of the description of both living and dead Nature has been omitted.

Thus, without actually mastering even the micron scale, by simply reducing the size of components, we have built call centers out of processors that will not only soon consume the majority of the electrical energy produced by humanity, but also define TASKS

that are supposedly relevant for all of humanity. And modern consumer society, built on bureaucratic principles, has no way to counter this. And not only does it counter this, but, on the contrary, it is engaged in a race to actively utilize Artificial Intelligence based on the practically used dead NANO-technology.

Thus, NANO-technologies have reached the social level. But the ELEMENTS of Electronics, created without reliance on Fundamental Science, consume billions of times more energy than the receptors and nervous system of a living organism. So, while these unintelligent NANO-technologies are devouring planet Earth, they leave no room for LIFE on it! And Artificial Intelligence only facilitates this.

In fact, what is currently happening in the world is a vortex, sucking all of humanity into complete UNCERTAINTY, which is now fashionably called a Singularity. Although this name is meaningless, as it denotes the same uncertainty, but for the mathematical function being used—i.e., the wrong function is being used to describe the observed process.

■ REFERENCES

- [1] S. V. Ordin, *Foundations of Quantization*, Taylor & Francis Group, New York, 2024, 494 pp. <https://doi.org/10.1201/9781003570615>
- [2] Ordin SV (2026). Tetrahedral Characterization of Electronic Materials. *Global J Mater Sci Eng* 8 (1): 191 DOI: <https://doi.org/10.36266/GJMSE/191>
- [3] Ordin S.V., "Frontier Chemistry Aspects", *Global Journal of Science Frontier Research: B- Chemistry (GJSFR-B)*, Volume 20 Issue 2 Version 1.0, pp. 1-11, Year 2020. ISSN Online: 2249-4626, ISSN Print : 0975-5896, DOI : 10.17406/GJSFR, https://globaljournals.org/GJSFR_Volume20/1-Frontier-Chemistry-Aspects.pdf
- [4] J.M. Ziman, *Principles of the theory of solids*, Cambridge, University Press, 1972, 278 pp.
- [5] S.V. Ordin, «"Anomalies in Thermoelectricity and Reality are Local Thermo-EMFs», *Global Journal of Science Frontier Research - Physics & Space Science, GJSFR-A*, Volume 18 Issue 2 Version 1.0, p. 59-64, 2018 https://globaljournals.org/GJSFR_Volume18/6-Anomalies-in-Thermoelectricity.pdf
- [6] Ordin S.V., *Refinement and Supplement of Phenomenology of Thermoelectricity*, *American Journal of Modern Physics*, Volume 6, Issue 5, September 2017, Page: 96-107, <https://doi.org/10.11648/j.ajmp.20170605.14>
- [7] Stanislav Ordin, «Ballistic thermoelectricity», *Advanced Energy Conversion Materials*, ISSN: 2717-5804 (Print) 2717-5812 (Online), Letter, Volume 4 Issue 2 | 2023 | 139-146, <https://ojs.wiserpub.com/index.php/AECM/article/view/3336>
- [8] Stanislav Ordin, «Transformation of Electronics Taking Local Effects into Account», *Journal of Material Sciences & Energy Advances*, Scientific Knowledge Group (SKG) Publishers, Received: January 26, 2026; Accepted: February 03, 2026; Published: February 10, 2026, *J Mat Sci Ener Adva*, 2026; Vol 1; Issue 1, pp. 1-4, <https://skgpublishers.com/journal-of-material-sciences-energy-advances-jmse-article-inpress>
- [9] Stanislav Ordin, « Physical Bases of Nano», *Crimson Publishers (Wings to the Research)*, *Research & Development in Material Science (RDMS RDMS.001029. 22(1).2025, Volume 22 - Issue 1, 2663-2668: Res Dev Material Sci. 22(1). RDMS. 001029. 2025. DOI: 10.31031/RDMS.2025.22.001029, <https://doi.org/10.31031/RDMS.2025.22.001029>*
- [10] J. H. Conway. *Regular Algebra and Finite Machines*. — London : Chapman and Hall, 1971. — ISBN 9780412106200. J. H. Conway. *Regular Algebra and Finite Machines*. — New York : Dover, 2012. — ISBN 9780486310589. — ISBN 9780486485836.
- [11] J. H. Conway. *On Numbers and Games*. — New York : Academic Press, 1976. — ISBN 9780121863500. J. H. Conway. *On Numbers and Games*. — 2nd ed. — Wellesley, Massachusetts : A K Peters, 2001. — ISBN 9781568811277.
- [12] S.V. Ordin, "Giant spatial dispersion in the region of plasmon-phonon interaction in one-dimensional- incommensurate crystal the higher silicide of manganese (HSM)", in Book: *Optical Lattices: Structures, Atoms and Solitons*, Editors: Benjamin J. Fuentes, Nova Sc. Publ. Inc., 2011, pp. 101-130. ISBN: 978-1-61324-937-6, Series: *Lasers and Electro-Optics Research and Technology, Physics Research and Technology*, Binding: Hardcover, Pages: 241.pp, Status: AV
- [13] Ordin SV (2026). Principles of Characterization of Nanomaterials. *Global J Mater Sci Eng* 8 (1): 185 DOI: <https://doi.org/10.36266/GJMSE/185>
- [14] S.V. Ordin, "Experimental and Theoretical Expansion of the Phenomenology of Thermoelectricity", *Global Journal of Science Frontier Research- Physics & Space Science (GJSFR-A)* Volume 18, Issue 1, p. 1-8, 2018. [https://globaljournals.org/GJSFR_Volume18/E-Journal_GJSFR_\(A\)_Vol_18_Issue_1.pdf](https://globaljournals.org/GJSFR_Volume18/E-Journal_GJSFR_(A)_Vol_18_Issue_1.pdf)
- [15] S.V. Ordin, «"Anomalies in Thermoelectricity and Reality are Local Thermo-EMFs», *Global Journal of Science Frontier Research - Physics & Space Science, GJSFR-A*, Volume 18 Issue 2 Version 1.0, p. 59-64, 2018 https://globaljournals.org/GJSFR_Volume18/6-Anomalies-in-Thermoelectricity.pdf
- [16] Ordin S.V., "C & BN-Foundation for Atomic-Crystalline Orbitals", *Global Journal of Science Frontier Research - Physics & Space Science, GJSFR-A*, Volume 18, Issue 5, Version 1.0, pp. 17-47, https://globaljournals.org/GJSFR_Volume18/3-C-&-BN-Foundation.pdf, [https://globaljournals.org/GJSFR_Volume18/E-Journal_GJSFR_\(A\)_Vol_18_Issue_5.pdf](https://globaljournals.org/GJSFR_Volume18/E-Journal_GJSFR_(A)_Vol_18_Issue_5.pdf)
- [17] Ordin S.V., «Newton's Coulomb Laws», *Global Journal of Science Frontier Research- Physics & Space Science (GJSFR-A)*, 2019 Vol.19 Issue 1 Version 1.0, p. 145-155. [https://globaljournals.org/GJSFR_Volume19/E-Journal_GJSFR_\(A\)_Vol_19_Issue_1.pdf](https://globaljournals.org/GJSFR_Volume19/E-Journal_GJSFR_(A)_Vol_19_Issue_1.pdf)
- [18] Ordin, S.V., «CHAOS – IMAGINARY OSTENSIBILITY – ORTHOGONALITY», *Global Journal of Science Frontier Research - Physics & Space Science, GJSFR-A* Volume 19 Issue 3 Version 1.0 p.49-58, https://globaljournals.org/GJSFR_Volume19/3-Chaos-Imaginary-Ostensibility.pdf
- [19] Ordin, S.V., «Parametrically excited Anharmonic Oscillator», *Global Journal of Science Frontier Research - Physics & Space Science, GJSFR-A* Volume 19 Issue 3 Version 1.0 p.133-144,

https://globaljournals.org/GJSFR_Volume19/7-Parametrically-Excited.pdf

- [20] Ordin, S.V., «The Schottky Effect and Cosmos», Global Journal of Science Frontier Research- Physics & Space Science (GJSFR-A), Volume 19 Issue 4 Version 1.0, p.39-50, <https://journalofscience.org/index.php/GJSFR/article/view/2480>, <https://journalofscience.org/index.php/GJSFR/issue/view/399>, [https://globaljournals.org/GJSFR_Volume19/E-Journal_GJSFR_\(A\)_Vol_19_Issue_4.pdf](https://globaljournals.org/GJSFR_Volume19/E-Journal_GJSFR_(A)_Vol_19_Issue_4.pdf)
- [21] Ordin S.V., "Frontier Chemistry Aspects", Global Journal of Science Frontier Research: B- Chemistry (GJSFR-B), Volume 20 Issue 2 Version 1.0, pp. 1-11, Year 2020. ISSN Online: 2249-4626, ISSN Print : 0975-5896, DOI : 10.17406/GJSFR, https://globaljournals.org/GJSFR_Volume20/1-Frontier-Chemistry-Aspects.pdf
- [22] Stanislav Ordin, "Gaps and Errors of the Schrödinger Equation", Global Journal of Science Frontier Research, GJSFR Volume 22 Issue 3 Version 1.0, p 1-5. https://globaljournals.org/GJSFR_Volume22/3-Gaps-and-Errors.pdf
- [23] Stanislav Ordin, "Quantization ESSENCE." Global Journal of Science Frontier Research: A, Physics and Space Science, Volume 23 Issue 5 Version 1.0 Year 2023, p.21-29, Type: Double Blind Peer Reviewed International Research Journal Publisher: Global Journals, Online ISSN: 2249-4626 & Print ISSN: 0975-5896, DOI : 10.17406/GJSFR, <https://doi.org/10.34257/GJSFRAVOL23IS5PG21>, https://globaljournals.org/GJSFR_Volume23/2-Quantization-Essence.pdf, [https://globaljournals.org/GJSFR_Volume23/E-ournal_GJSFR_\(A\)_Vol_23_Issue_5.pdf](https://globaljournals.org/GJSFR_Volume23/E-ournal_GJSFR_(A)_Vol_23_Issue_5.pdf)
- [24] Stanislav Ordin, "Math-Phys-Chem-Virology." Global Journal of Science Frontier Research: A, Physics and Space Science, Volume 23 Issue 5 Version 1.0 Year 2023. Type: Double Blind Peer Reviewed International Research Journal, Publisher: Global Journals, p. 41-44, Online ISSN: 2249-4626 & Print ISSN: 0975-5896, DOI : 10.17406/GJSFR, <https://doi.org/10.34257/GJSFRAVOL23IS5PG41>, https://globaljournals.org/GJSFR_Volume23/4-Math-Phys-Chem-Virology.pdf, [https://globaljournals.org/GJSFR_Volume23/E-ournal_GJSFR_\(A\)_Vol_23_Issue_5.pdf](https://globaljournals.org/GJSFR_Volume23/E-ournal_GJSFR_(A)_Vol_23_Issue_5.pdf)
- [25] Stanislav Ordin, "Non-Schroedinger Orbitals", Global Journal of Science Frontier Research: A, Physics and Space Science Volume 24 Issue 2 Version 1.0 Year 2024, p. 39-48. Publisher: Global Journals. Online ISSN: 2249-4626 & Print ISSN: 0975-5896. DOI : 10.17406/GJSFR, GJSFR-A Classification: LCC: QC174.17.S3 <https://globaljournals.org/latest-ejournals-in-gjsfr> <https://doi.org/10.17406/gjsfr>
- [26] Stanislav Ordin, "Exceptionality Exclusion: Bridging Quantization and Relativity", Global Journal of Science Frontier Research: A, Physics and Space Science Volume 24 Issue 2 Version 1.0 Year 2024, p. 5-65. Publisher: Global Journals. Online ISSN: 2249-4626 & Print ISSN: 0975-5896. DOI : 10.17406/GJSFR, GJSFR-A Classification: LCC: QC174.12 https://globaljournals.org/GJSFR_Volume24/5-EXCEPTIONALITY-EXCLUSION.pdf
- [27] Stanislav Ordin, «Anti-Graphene», Global Journal of Science Frontier Research: A, Physics and Space Science, Volume 25 Issue 6 Version 1.0, 2026, pp. 19-25, <https://journalofscience.org/index.php/GJSFR/article/view/103041>, <https://journalofscience.org/index.php/GJSFR/article/view/103040/27146>
- [28] Stanislav Ordin, «Anti-Graphene», Global Journal of Science Frontier Research: A, Physics and Space Science, Volume 25 Issue 6 Version 1.0, 2026, pp. 19-25, <https://journalofscience.org/index.php/GJSFR/article/view/103041>, <https://journalofscience.org/index.php/GJSFR/article/view/103040/27146>
- [29] Stanislav V. Ordin, «The Dialectics of Science and Magnetism», Journal: Global Journal of Science Frontier Research - A: Physics & Space Science (GJSFR) Volume: GJSFR-A Volume 26 | Issue: GJSFR Volume 26 Issue A1 | Version: 1.0, pp. 8-14 eLaunch Date and Time: April 8, 2026, · Article ID GJSFR-254694 · DOI <https://doi.org/10.34257/GJSFRA254694>, Print ISSN 0975-5896 · Online ISSN 2249-4626 https://globaljournals.org/?post_type=scholarly_article&p=254694, https://doc.globaljournals.org/4ydkq_254694/article/10.34257/GJSFRA254694, https://doc.globaljournals.org/GJSFR_Volume_26/EJournal_gjsfr_volume_26_issue_a1.pdf?v=320cb0d1e8ec