

GLOBAL JOURNAL

OF SCIENCE FRONTIER RESEARCH: E

Interdisciplinary

Dengue Virus Infection

Therapy with Thrombolysis

Highlights

Tertiary Institution Graduates

Submassive Pulmonary Embolism

Discovering Thoughts, Inventing Future

VOLUME 13

ISSUE 1

VERSION 1.0



GLOBAL JOURNAL OF SCIENCE FRONTIER RESEARCH: E
INTERDISCIPLINARY

GLOBAL JOURNAL OF SCIENCE FRONTIER RESEARCH: E
INTERDISCIPLINARY

VOLUME 13 ISSUE 1 (VER. 1.0)

OPEN ASSOCIATION OF RESEARCH SOCIETY

© Global Journal of Science
Frontier Research .2013.

All rights reserved.

This is a special issue published in version 1.0
of "Global Journal of Science Frontier
Research." By Global Journals Inc.

All articles are open access articles distributed
under "Global Journal of Science Frontier
Research"

Reading License, which permits restricted use.
Entire contents are copyright by of "Global
Journal of Science Frontier Research" unless
otherwise noted on specific articles.

No part of this publication may be reproduced
or transmitted in any form or by any means,
electronic or mechanical, including
photocopy, recording, or any information
storage and retrieval system, without written
permission.

The opinions and statements made in this
book are those of the authors concerned.
Ultraculture has not verified and neither
confirms nor denies any of the foregoing and
no warranty or fitness is implied.

Engage with the contents herein at your own
risk.

The use of this journal, and the terms and
conditions for our providing information, is
governed by our Disclaimer, Terms and
Conditions and Privacy Policy given on our
website [http://globaljournals.us/terms-and-condition/
menu-1463/](http://globaljournals.us/terms-and-condition/menu-1463/)

By referring / using / reading / any type of
association / referencing this journal, this
signifies and you acknowledge that you have
read them and that you accept and will be
bound by the terms thereof.

All information, journals, this journal,
activities undertaken, materials, services and
our website, terms and conditions, privacy
policy, and this journal is subject to change
anytime without any prior notice.

Incorporation No.: 0423089
License No.: 42125/022010/1186
Registration No.: 430374
Import-Export Code: 1109007027
Employer Identification Number (EIN):
USA Tax ID: 98-0673427

Global Journals Inc.

(A Delaware USA Incorporation with "Good Standing"; **Reg. Number: 0423089**)

Sponsors: *Open Association of Research Society*
Open Scientific Standards

Publisher's Headquarters office

Global Journals Inc., Headquarters Corporate Office,
Cambridge Office Center, II Canal Park, Floor No.
5th, **Cambridge (Massachusetts)**, Pin: MA 02141
United States

USA Toll Free: +001-888-839-7392

USA Toll Free Fax: +001-888-839-7392

Offset Typesetting

Open Association of Research Society, Marsh Road,
Rainham, Essex, London RM13 8EU
United Kingdom.

Packaging & Continental Dispatching

Global Journals, India

Find a correspondence nodal officer near you

To find nodal officer of your country, please
email us at local@globaljournals.org

eContacts

Press Inquiries: press@globaljournals.org

Investor Inquiries: investers@globaljournals.org

Technical Support: technology@globaljournals.org

Media & Releases: media@globaljournals.org

Pricing (Including by Air Parcel Charges):

For Authors:

22 USD (B/W) & 50 USD (Color)

Yearly Subscription (Personal & Institutional):

200 USD (B/W) & 250 USD (Color)

EDITORIAL BOARD MEMBERS (HON.)

John A. Hamilton, "Drew" Jr.,
Ph.D., Professor, Management
Computer Science and Software
Engineering
Director, Information Assurance
Laboratory
Auburn University

Dr. Henry Hexmoor
IEEE senior member since 2004
Ph.D. Computer Science, University at
Buffalo
Department of Computer Science
Southern Illinois University at Carbondale

Dr. Osman Balci, Professor
Department of Computer Science
Virginia Tech, Virginia University
Ph.D. and M.S. Syracuse University,
Syracuse, New York
M.S. and B.S. Bogazici University,
Istanbul, Turkey

Yogita Bajpai
M.Sc. (Computer Science), FICCT
U.S.A. Email:
yogita@computerresearch.org

Dr. T. David A. Forbes
Associate Professor and Range
Nutritionist
Ph.D. Edinburgh University - Animal
Nutrition
M.S. Aberdeen University - Animal
Nutrition
B.A. University of Dublin- Zoology

Dr. Wenying Feng
Professor, Department of Computing &
Information Systems
Department of Mathematics
Trent University, Peterborough,
ON Canada K9J 7B8

Dr. Thomas Wischgoll
Computer Science and Engineering,
Wright State University, Dayton, Ohio
B.S., M.S., Ph.D.
(University of Kaiserslautern)

Dr. Abdurrahman Arslanyilmaz
Computer Science & Information Systems
Department
Youngstown State University
Ph.D., Texas A&M University
University of Missouri, Columbia
Gazi University, Turkey

Dr. Xiaohong He
Professor of International Business
University of Quinnipiac
BS, Jilin Institute of Technology; MA, MS,
PhD,. (University of Texas-Dallas)

Burcin Becerik-Gerber
University of Southern California
Ph.D. in Civil Engineering
DDes from Harvard University
M.S. from University of California, Berkeley
& Istanbul University

Dr. Bart Lambrecht

Director of Research in Accounting and Finance
Professor of Finance
Lancaster University Management School
BA (Antwerp); MPhil, MA, PhD
(Cambridge)

Dr. Carlos García Pont

Associate Professor of Marketing
IESE Business School, University of Navarra
Doctor of Philosophy (Management),
Massachusetts Institute of Technology (MIT)
Master in Business Administration, IESE,
University of Navarra
Degree in Industrial Engineering,
Universitat Politècnica de Catalunya

Dr. Fotini Labropulu

Mathematics - Luther College
University of Regina
Ph.D., M.Sc. in Mathematics
B.A. (Honors) in Mathematics
University of Windsor

Dr. Lynn Lim

Reader in Business and Marketing
Roehampton University, London
BCom, PGDip, MBA (Distinction), PhD,
FHEA

Dr. Mihaly Mezei

ASSOCIATE PROFESSOR
Department of Structural and Chemical
Biology, Mount Sinai School of Medical
Center
Ph.D., Eötvös Loránd University
Postdoctoral Training,
New York University

Dr. Söhnke M. Bartram

Department of Accounting and Finance
Lancaster University Management School
Ph.D. (WHU Koblenz)
MBA/BBA (University of Saarbrücken)

Dr. Miguel Angel Ariño

Professor of Decision Sciences
IESE Business School
Barcelona, Spain (Universidad de Navarra)
CEIBS (China Europe International Business School).
Beijing, Shanghai and Shenzhen
Ph.D. in Mathematics
University of Barcelona
BA in Mathematics (Licenciatura)
University of Barcelona

Philip G. Moscoso

Technology and Operations Management
IESE Business School, University of Navarra
Ph.D in Industrial Engineering and
Management, ETH Zurich
M.Sc. in Chemical Engineering, ETH Zurich

Dr. Sanjay Dixit, M.D.

Director, EP Laboratories, Philadelphia VA
Medical Center
Cardiovascular Medicine - Cardiac
Arrhythmia
Univ of Penn School of Medicine

Dr. Han-Xiang Deng

MD., Ph.D
Associate Professor and Research
Department Division of Neuromuscular
Medicine
Davee Department of Neurology and Clinical
Neuroscience
Northwestern University
Feinberg School of Medicine

Dr. Pina C. Sanelli

Associate Professor of Public Health
Weill Cornell Medical College
Associate Attending Radiologist
NewYork-Presbyterian Hospital
MRI, MRA, CT, and CTA
Neuroradiology and Diagnostic
Radiology
M.D., State University of New York at
Buffalo, School of Medicine and
Biomedical Sciences

Dr. Roberto Sanchez

Associate Professor
Department of Structural and Chemical
Biology
Mount Sinai School of Medicine
Ph.D., The Rockefeller University

Dr. Wen-Yih Sun

Professor of Earth and Atmospheric
SciencesPurdue University Director
National Center for Typhoon and
Flooding Research, Taiwan
University Chair Professor
Department of Atmospheric Sciences,
National Central University, Chung-Li,
TaiwanUniversity Chair Professor
Institute of Environmental Engineering,
National Chiao Tung University, Hsin-
chu, Taiwan.Ph.D., MS The University of
Chicago, Geophysical Sciences
BS National Taiwan University,
Atmospheric Sciences
Associate Professor of Radiology

Dr. Michael R. Rudnick

M.D., FACP
Associate Professor of Medicine
Chief, Renal Electrolyte and
Hypertension Division (PMC)
Penn Medicine, University of
Pennsylvania
Presbyterian Medical Center,
Philadelphia
Nephrology and Internal Medicine
Certified by the American Board of
Internal Medicine

Dr. Bassey Benjamin Esu

B.Sc. Marketing; MBA Marketing; Ph.D
Marketing
Lecturer, Department of Marketing,
University of Calabar
Tourism Consultant, Cross River State
Tourism Development Department
Co-ordinator , Sustainable Tourism
Initiative, Calabar, Nigeria

Dr. Aziz M. Barbar, Ph.D.

IEEE Senior Member
Chairperson, Department of Computer
Science
AUST - American University of Science &
Technology
Alfred Naccash Avenue – Ashrafieh

PRESIDENT EDITOR (HON.)

Dr. George Perry, (Neuroscientist)

Dean and Professor, College of Sciences

Denham Harman Research Award (American Aging Association)

ISI Highly Cited Researcher, Iberoamerican Molecular Biology Organization

AAAS Fellow, Correspondent Member of Spanish Royal Academy of Sciences

University of Texas at San Antonio

Postdoctoral Fellow (Department of Cell Biology)

Baylor College of Medicine

Houston, Texas, United States

CHIEF AUTHOR (HON.)

Dr. R.K. Dixit

M.Sc., Ph.D., FICCT

Chief Author, India

Email: authorind@computerresearch.org

DEAN & EDITOR-IN-CHIEF (HON.)

Vivek Dubey(HON.)

MS (Industrial Engineering),

MS (Mechanical Engineering)

University of Wisconsin, FICCT

Editor-in-Chief, USA

editorusa@computerresearch.org

Sangita Dixit

M.Sc., FICCT

Dean & Chancellor (Asia Pacific)

deanind@computerresearch.org

Suyash Dixit

(B.E., Computer Science Engineering), FICCTT

President, Web Administration and

Development , CEO at IOSRD

COO at GAOR & OSS

Er. Suyog Dixit

(M. Tech), BE (HONS. in CSE), FICCT

SAP Certified Consultant

CEO at IOSRD, GAOR & OSS

Technical Dean, Global Journals Inc. (US)

Website: www.suyogdixit.com

Email: suyog@suyogdixit.com

Pritesh Rajvaidya

(MS) Computer Science Department

California State University

BE (Computer Science), FICCT

Technical Dean, USA

Email: pritesh@computerresearch.org

Luis Galárraga

J!Research Project Leader

Saarbrücken, Germany

CONTENTS OF THE VOLUME

- i. Copyright Notice
 - ii. Editorial Board Members
 - iii. Chief Author and Dean
 - iv. Table of Contents
 - v. From the Chief Editor's Desk
 - vi. Research and Review Papers
-
- 1. Public and Private Sector Participation and Tourism Development in Cross River State, Nigeria. **1-6**
 - 2. Economic Recession Psycho-Social Human Characteristics and Sale of Fake Drugs by Tertiary Institution Graduates in South-South Nigeria. **7-16**
 - 3. Strategy to Diagnose Dengue Virus Infection in Local Settings: An Experience. **17-23**
 - 4. Submassive Pulmonary Embolism – A 'Watch-And-Wait' Strategy with Anticoagulation Alone or Advanced Therapy with Thrombolysis. **25-26**
-
- vii. Auxiliary Memberships
 - viii. Process of Submission of Research Paper
 - ix. Preferred Author Guidelines
 - x. Index



GLOBAL JOURNAL OF SCIENCE FRONTIER RESEARCH
INTERDISCIPLINARY

Volume 13 Issue 1 Version 1.0 Year 2013

Type : Double Blind Peer Reviewed International Research Journal

Publisher: Global Journals Inc. (USA)

Online ISSN: 2249-4626 & Print ISSN: 0975-5896

Public and Private Sector Participation and Tourism Development in Cross River State, Nigeria

By Udumo, B. O, Arikpo, A. & Ekpo-Eloma, E. O,

University of Calabar, Nigeria

Abstract - This study assesses the role of public and private sectors in tourism development in Cross River State, Nigeria. Data for the study were collected through structured questionnaire administered to 175 staff from tourism industry as respondents; and semi-structured interview with 10 management staff. The data were statistically analyzed using population t-test and percentages. The findings of the study revealed that both the public and private sectors are contributing immensely in the development of tourism in the state; and for tourism to be fully developed, both sectors must collaborate to harness the enormous natural resources of the state.

GJSFR-E Classification : FOR Code: 900399



Strictly as per the compliance and regulations of :



Public and Private Sector Participation and Tourism Development in Cross River State, Nigeria

Udumo, B. O^α, Arikpo, A. ^σ & Ekpo-Eloma, E. O, ^ρ

Abstract - This study assesses the role of public and private sectors in tourism development in Cross River State, Nigeria. Data for the study were collected through structured questionnaire administered to 175 staff from tourism industry as respondents; and semi-structured interview with 10 management staff. The data were statistically analyzed using population t-test and percentages. The findings of the study revealed that both the public and private sectors are contributing immensely in the development of tourism in the state; and for tourism to be fully developed, both sectors must collaborate to harness the enormous natural resources of the state.

I. INTRODUCTION

Nigeria is a vast country richly endowed with ecological and cultural resources. The country offers a wide variety of tourist attractions such as extended and many rivers, ocean beaches ideal for swimming and other water sports, unique and diverse wildlife, vast tracts of unspoiled nature ranging from tropical forest, magnificent waterfalls and climatic conditions in some parts particularly conducive for holiday. Other attractions include traditional ways of life, preserved in local customs, rich and varied handicrafts and other colourful products depicting nature arts and life style, and the authentic unsophisticated but friendly disposition of many of the Nigerian populace.

Cross River State in particular can boast of abundant resources, natural and human whose importance, culturally, politically and economically is underscored by its rich social history in the country. It is on the basis of the above that the study is out to present the tourism potential that abound in state. This includes the following: Obudu Ranch Resort, The Legendary Mary Slessor Abode at Akpap Okoyong, Tinapa Business and Leisure Resort, Agbokim Waterfalls, Kwafalls. Canopy Walkway System, Old Residency Museum among others.

Despite the enormous natural resources that abound in the state and the pragmatic effort by the public sector (government) to develop tourism, the desire goal has not been realized due to limited resources available to the state. The private sector can contribute to tourism development to complement government efforts. This is in recognition of the fact that

the efforts of both sectors can lead to rapid development of tourism industry in the state. Within the past few years the private sector is gradually making her presence felt in towards the realization of the tourism vision of the state. This may be attributed to the stakeholders meeting convened by the previous administration lobbying the private sector to join hands with the government to develop the tourism potentials of the state.

a) Objectives of the Study

The study is set to achieve the following objectives:

- To assess the role of public and private sectors in the development of tourism in Cross River State
- To determine the level of collaboration between public and private sectors in tourism development and
- To investigate the factors that impede tourism development in Cross River State.

II. LITERATURE REVIEW

Tourism has the potential to enhance lives in a sustainable framework through wealth creation, choice, innovation and competition. For tourism to achieve the aforementioned services, and also to become a key growth area of the state economy, there is need for substantial public and private sectors' collaboration. For this reason, governments of both developed and developing countries have taken the initiatives to develop the tourism industry. These initiatives according to Gamble (1989) involve laws to ease the transfer of money in and out of the country, providing lax, incentives for investors, restricting the rights of trade unions speeding up the processes of planning, land purchase and trying to ensure political stability. Similarly the private sector on its part has been providing money used in building hotels, amusement parks, telecommunication, transportation, recreational centers, and supporting infrastructural development. All these are aimed at increasing export and stimulating tourism industry. While stressing the importance of public - private sector partnership in tourist industry. Oladiji (2000) opined that when public (government) sector provides the needed platform or facilities, private sector now uses these facilities to provide services for tourists. This will enhance the economy of the nation through taxes derived

Authors α σ ρ : Department of Curriculum and Teaching University of Calabar. E-mail : abamarikeposfso@yahoo.com

from both the facilities and services provided. For instance in Thailand, the government spent a huge sum of money to tar the roads, stabilize the political situation and make the environment to be clean. Then the private sectors facilitated in building of hotels, amusement park, provision of provision of telecommunication etc. Falade (2001) also opined that for tourism industry to develop, both public and private sectors must develop a positive attitude towards the industry, otherwise the industry would not flourish.

In a related assertion, Abokom-Aba (1997) stated that the common way for tourism promotion and development decision to be made and funded is through public and private organizations, public and private participation in an organization whose members include government officials and private investors. He further stressed that tourism related public/private organization usually has membership composed of government officials, tourism business owners and managers. These partnerships are being used more and more to fund the promotion and development of tourism. With the partnership the public sector (government) provides infrastructures, make positive and development oriented laws. The private sector on its part provides fund for the infrastructure (often with the help of tax rebate incentives). Together, the two sectors can promote tourism through collaboration.

The growth of tourism in any giving society or state is predicated upon the effective functioning of both public and private sectors. Both sectors must play a complementary role if tourism is to become the key growth area of any nation. Wale (2000) lamented the slow state of tourism development in nations and attributes it to lack of participation and involvement of private sector. He further stressed that the role of private sector should be recognized and encouraged. This will enable key tourism products like adventure and eco-tourism. Cruise and boat tourism, country side, recreational, historical and cultural tourism to be tapped. Aremu (2001) had asserted that if private sector is allow to participate in tourism development, the financial standing and developmental strides of the public sector (government) will be increased and appreciated. Perhaps, it is this that prompted Nwakama (1989) to assert that, the private sector need to be encouraged to invest in the tourism industry not just in the hotel and travel agency business, but also in the establishment of amusement parks, family vacation resorts and outdoor games facilities.

III. RESEARCH METHODOLOGY

The population of this study comprises of all the staff of the Tourism Industry in Cross River State. The population is derived as shown in Table 1 from the following: eco-tourism (1840), hospitality Industry (4000), Cross River National Park (700). Cultural Tourism

(400) and Old Residency Museum (60) (Mofi News. 2001). In all. the entire population of staff in the tourism organization is 7000. Stratified random sampling procedure was adopted in other to effectively represent the different organizations or industries used for this study. From the population of seven thousand (7000), a total of one hundred and seventy five respondents representing 2.5% of the total population were drawn as the sample for the study using purposeful sampling technique. The research instruments used for data collection in the study were the questionnaire and interview. Section A of the questionnaire was designed to elicit data from respondents on the contributions of public and private sectors in the development of tourism industry in Cross River State. Section B contains 15 items on private sector involvement, while section C contains 17 items on public sector involvement. The items here were based on ranking from 1-10. The highest option being 10 and the lowest 1. Section D seeks to obtain data on the collaboration between public and private sectors in tourism development. This section of the questionnaire contains 16 items. And the respondents were expected to indicate who (private or public sector or both) should provide each of the facilities represented in the 16 items. Section H was designed to draw information on how conducive Cross River State environment is for investment in tourism by the private sector while Section F looks at factors militating against tourism development in Cross River State. The semi structured interview was conducted with ten (10) management staff of the of selected organizations used for the study.

IV. RESEARCH RESULTS

The results in Table 2 show the means and t-value on the contributions of the private sector in 15 areas of tourism development in the State. The results indicate that the mean ranged from 4.78 for establishing business resort up to 6.98 for developing road map guide for tourists, while the t-value ranged from 1.63 to 4.63. The mean score for 14 out of the 15 areas were found to be statistically significant ($P < .005$) suggesting that the private sector was perceived by the respondents as contributing in these areas of tourism development. The means score for private sector was not statistically significant ($P > 0.05$) in the area of business resort indicating that private sector was not contributing significantly in this area towards tourism development in the state. Judging from the mean score and t-value. the private sector contributes more in the development of road maps for tourist (mean = 6.98; $t = 4.63$); followed by building of hotels to accommodate tourists (mean = 6.94; $t = 4.34$), providing employment for citizens (mean 6.73; $t = 4.21$), provision of tourism libraries and information (mean: 6.61; $t = 4.09$) and providing communication centres (mean - 6.42; $t = 3.86$),

providing efficient means of transportation (mean = 6.27; $t = 3.03$), providing airlines (mean = 6.00; $t = 3.01$), building good roads (mean 5.98; $t = 2.98$), setting up of tour agencies and tour guides, (mean = 5.90; $t = 2.78$), providing adequate security (mean = 5.85; $t = 2.59$), building tourists sites (mean = 5.41; $t = 2.49$) and advertising youth and social activities (mean = 5.38; $t = 2.22$) in that order.

Table 1 : Population and sample of the study

S/N		Sector	Population	Sample size
1.	Hospitality industry (hotels) private sector	Private sector	4000	100
2.	Ecto-tourism (Obudu Ranch Resort)	Private sector	1840	46
3.	Cross River National Park	Public sector	700	17
4.	Cultural tourism (Cultural Centre)	Public sector	400	10
5.	Histo-tourism (Old Residency Museum)	Public sector	60	2
	Total		7000	175

Table 2 : Contributions of the private sector to tourism development

SNo.	Areas of Contributions	Estimated means	t-value	I. level
1.	Building and running of hotels	6.94	4.34	.000*
2.	Development of tourism sites	5.41	2.49	.030*
3.	Transportation	6.27	3.03	.000**
4.	Provision of adequate security	5.83	2.54	.028*
5.	Increased investment in the state	6.40	3.45	.000**
6.	Build good roads	5.98	2.98	.001**
7.	Airlines provided airlines	6.00	3.01	.000**
8.	Employment opportunities	6.73	4.21	.000**
9.	Tour agencies and guides	5.90	2.78	.001**
10.	Scholarship for tourism studies	5.85	2.59	.002*
11.	Business resorts	4.78	1.63	.096ns
12.	Advertisement of youth and social activities	5.38	2.22	.041ns
13.	Provision of libraries/tourism information	6.61	4.09	.000**
14.	Road map guide for tourists	6.98	4.63	.000**
15.	Communication centres	6.42	3.86	.000**

** $P < .001$ (significant at 0.001)

- $P < .005$ (significant at 0.005)
- ns $P > .005$ (not significant at 0.05)

Table 3 : Contribution of public sector to the development of tourism

S/No.	Areas of Contributions	Means	t-value	P. level
1.	Creating an enabling environment	6.07	3.48	.000**
2.	Provision of tour guards	5.79	3.21	.000**
3.	Providing road maps for tour guards	5.34	2.48	.030*
4.	Friendly policies	6.63	2.49	.000**
5.	Providing adequate security	4.91	1.42	1.104ns
6.	Building of tourism sites	5.20	1.82	.089ns
7.	Building of good roads	4.75	1.31	1.43ns
8.	Providing clean and potable water	3.87	0.98	.93ns
9.	Providing electricity	3.90	1.23	1.136ns
10.	Providing a clean environment	5.23	1.921	.62ns

11.	Providing conducive environment	5.23	3.01	.000**
12.	Carrying out awareness campaign for people to be friendly	5.19	1.49	.91ns
13.	Removal of toll-gate on roads	5.09	1.36	.12ns
14.	Building of hotels	3.87	1.09	.146ns
15.	Reduced taxes, rates/levies	4.71	1.17	.712ns
16.	Cultural and social development	6.31	4.13	.000**
17.	Establishing airlines	4.58	1.15	200ns

** $P < .0(0)1$ (significant at 0.01)

* $P < .05$ (significant at 0.05) ns

$P > .05$ (not significant at 0.05)

Table 3 shows that the means and t-value on areas of contribution to tourism development by the public sector ranged from 3.87 for provision of clean and portable water to 6.63 for formulating environmentally friendly policies to promote tourism; while the t-value ranged from 6.63 to 3.87. The mean for 10 out of 17 areas were statistically significant ($P < .05$) indicating that the public sector was perceived by respondents in these 10 areas is contributing tourism guard. From the mean scores, the public sector -1 contributes more in formulating environmentally friendly policies to promote tourism (mean = 6.63; $t = 4.29$), than in any other area, followed by promotion of social and cultural development (mean = 6.31; $t = 4.13$) and creating enabling of environment (mean 6.07; $t = 3.48$). Others are providing tour guards tourist (mean = 5.79; $t = 3.21$), providing road maps to-guards tourists (mean = 5.34; $t = 2.48$), providing clean environment (mean = 5.23; $t = 1.921$), building of tourism site (mean = 5.20; $t = 1.82$), carrying out awareness campaigns (mean = 5.19; $t = 1.49$) and removal of toll gates on roads (mean = 5.09; 1.36).

The results that the private sector has contributed in all areas listed but one to the development of tourism equally confirm the findings of Heeley (1986) who reported that more than 10 percent of the 2.2m workers in leisure industry in the U.S. are from the private sector. Equally Boo (1989) state that in Thailand, the private sector has contributed significantly to tourism development through the establishment of holiday homes, airlines operation transportation and general accommodation e.g. camping grounds, bed and break fast, and establishment of motels. Similarly, finding shows that the public sector has made major contributions in tourism development in Cross River State. Of the 17 areas measured, results shows that the public sector has contributed significantly in 10 of the area. The interview results equally confirm this position. One of the interviewees had this to say: "The public sector has played a regulatory role in the development of tourism in the State, For instance, the public sector has licensed a number of tourism outfits in the State."

a) Collaboration between the public and private sector

Findings show the perception of respondents on areas of collaboration between the public and private

sectors. The results show that most of the respondents 112 out of 175 are of the opinion that the public sector should get involved in building and expansion of airports while a higher percentage of the respondents 56% routed for the private sector in the operating of airlines. The results agree with Lee (1999) who revealed that the Tunisian government built the Tabarka airport in order to encourage tourism by attracting more tourists. Studies by Tarbush (1985) and Young (2003) also showed that in Seychelles the building of airport was seen as a save way of promoting tourism hence airports were built by government using public funds. This may be due to the huge financial implications of buildings airports and the security implications.

The results also show that respondents are of the opinion that government need to build good roads as well as work towards the promotion of cultural activities.

Generally, the result shows that most of the respondents are of the opinion that both the public and private sectors need to collaborate for the development of tourism. 10 of the 16 items responded to show that collaboration is needed to develop tourism. A look at the top areas listed for collaboration (good transport) system, training and retraining of hospitality industry, staff, provision of infrastructures/facilities, creating of employment opportunities etc) are areas of high monetary demand/investment that one sector alone will find it difficult to provide the needed services.

Wale (2000) lamented that the slow pace of tourism development is due to the slow pace of collaboration between the public and private sectors. He emphasized that both sectors must play complimentary roles if tourism is to become one of the key factors of the economic growth of any nation. The survey results in the ten areas of collaboration between the public and private sectors are in conformity with Aremu (2001) who concluded that if the public and the private sectors work together, the financial standing and developmental strides of the public sector will be boosted by that of the private sector.

Interestingly, no area out of the 16 areas respondent was seen as an exclusive preserve of the private sector. This may be due to the small or significant presence of private investors and industries in the state.

Cross River State has been known over the years as a civil service state. Respondents may have been influenced by the former state of Cross River when they were responding to the questions. That the state had no viable factories and industries could have also influenced the direction of thought of respondents who may be obvious of the importance of the private sector in economic development of any nation.

However, the general result on table 3 shows that there is need for collaborative efforts if Cross River State is to develop her full tourism potentials. Perhaps it is in recognition of the importance of collaboration that Cross River State government is canvassing for a public - private sector driven tourism. This is collaborated by the interview result. One of the respondents interviewed summarized the collaborative effects of the public private sector as: yes, there are so many areas which the public and the private sector have been collaborating to promote tourism in Cross River State. In 2005, Moboho (a ward used by the Efiks to mean a gathering of the coining together of people) was held at the state library in collaboration with other tour operators, travel agent, airport operators, airliners, eatery Journalist and other government officials. According to the tourism official, the aim of this conference was to enable the private sector have a credible knowledge of tourism attraction in Cross River State. Another Mboho was held in 2006 at the cultural centre to market tourism potential. Tinappa business resort is another area which the two sectors (public and private sectors) have collaborated to establish.

b) Conducive nature of Cross River State for public-private investment

Table 3 shows the friendly nature of Cross River environment to enhance a public private tourism development. The result shows that Cross River environment is generally friendly. The state is acclaimed as the cleanest in Nigeria. The result of the study equally supports this position. Result equally shows that there is a good security network in the state. This is in line with the general perception of people about the state of security in Cross River State. Many people who have had course to relocate to the state from other neighbouring States of the Niger Delta attest to this. It is a fact that events of kidnapping, assassinations, arm robbery, ethnic fighting, pipelines vandalisation, religious fighting occurring daily in other Niger Delta States as well as other parts of Nigeria are hardly experienced in Cross River State. Interestingly, the study shows that there is high occurrence of intertribal wars in the state. The result may be due to the increasing cases of intertribal wars in the slate, a phenomenon that was hardly heard of before the current political dispensation in the country. Cross Riverians are not given to violence hence little skirmishes happening in rural communities are perceived as capable of threatening the

peaceful nature of the stale. Clean and portable water was also seen as one factor that is threatening the conducive environment of Cross River State with 81.7% saying that there is no clean water. This however opposed to the Cross. River Water Board Bulletin (2005) report that the State through the World Bank assisted water programme enjoys a good supply of water. Tourists need clean and portable water for bathing, drinking and washing. The direction of the result may be due to the fact that the state currently has only succeeded in providing clean and portable water in the state capital and few surrounding local government areas, while other local governments are still groping with the problem of clean and portable water. However, it is hope that the current efforts by the state in conjunction with the World Bank assisted water project.

The public sector was not perceived to play statistically significant roles in the following areas: provision of adequate security (mean = 4.91; t = 1.42), building of good roads (mean 4.75; t = 1.31), reduction in taxes and levies (mean = 4.71; t = 1.17), establishment of airlines (mean = 4.58; t = 1.15); provision of electricity (mean = 3.90; t = 1.23); provision of clean and portable water (mean = 3.87; t = 1.097), and building of hotels to accommodate tourists (mean 3.87; t=1.09).

V. DISCUSSION OF RESULTS

a) Contributions of the public and private sectors to tourism development

The finding of this study show that the private sector has done much in the area of development of road maps to guide tourists, building and running of hotels, generating employment for citizens, provision of tourism workers and information among others. These findings arc in conformity with previous works of Nwakana (1980), Smith (1979) and WTO report (1967). These studies shows that the private sector has over time invested in hotels and tour agency business, and financial support to the public sector for the development of tourism. For instance, Smith (1979) stated that the United Nation's and World Tourism Organization have consistently encouraged the growth of tourism in developing countries through financial assistance and technical advise respectively. Equally, the World Bank is said to be one major source of financial support to developing countries for tourism development (Smith, 1979), while Boo (1989) reported the efforts of World Wildlife Fund (WWF) in supporting tourism development. Richtcr (1985) also stated that in United States, 99% of U.S. Travel businesses are established by the private sector will soon solve the problem in all local Majority of the respondents (68%) also said the state lacks a tax friendly environment that will promote tourism. Tourism strives better in slates with friendly tax laws. Young 2003 reported that to promote tourism in Karnataka, the government had to

offer 4% tax concession for three years on advocating fuel to encourage domestic aviation industries to operate flight to tourist destinations. Also Gamble (1989) traced the development of the tourism industry in Egypt to tax incentives for investors among others.

VI. CONCLUSION AND RECOMMENDATIONS

Both the public and private sectors have contributed immensely in the development of tourism in cross river state. While the private sector contributed in the area of road map development to guide tourists, building and running hotels, generating employment for citizens, the public sector on its part has contributed in all areas such as expansion of airports, establishment of Airlines, building of good roads, provision of good public transport system, training of tour guards, establishment of traveling agencies, promotion of cultural activities, provision of employment opportunities, and provision of infrastructures.

For tourism industry to be fully developed, both sectors must as a necessity collaborate to harness the enormous natural resources embedded in the state. The areas requiring collaboration mostly include transport system, training and re-training of hospitality workers, provision of infrastructures of facilities, creating of employment opportunities. The findings also reveal that, both sectors must play a complementary role if tourism is to become one of the key factors of the economic growth of state and indeed any nation.

- i. In the light of the findings of the study, the following recommendations are made: The public sector should resuscitate most of these tourist sites such as zoo, parks and other entertaining site attraction, to keep the tourism tempo high: and also to be attracting tourists to the state.
- ii. The public sector should collaborate with the private sector by undertaking the funding and management of the state tourism industry.
- iii. The public sector should provide accessibility to the tourism site by building good roads.
- iv. The public sector should partner with the private sector to hold conferences, talk shows on tourism either monthly, quarterly or yearly educate people towards tourism development.

REFERENCES RÉFÉRENCES REFERENCIAS

1. Abokom-Aba, B. O. (1997). *The effect of tourism on the rural people*. Bnugu: University Press.
2. Aremu, C. I. (2001). *Tourism and its impact on the environment*. Onitsha: Hybrid Publishers.
3. Boo, W. (1989). *Foundation of tourism*. New Jersey: Prentice 1 tall.
4. Falade, O. L. (2001). *Tourism today: A geographical analysis*. New York: Longman
5. Gamble, I.; I. (1989). *Tourist development*. New York: Longman.
6. Heeley, P. O. (1986). *A geography of tourism*. Mac Donald Hvals.
7. Lee, I. E. (1989). *Private and commercial recreation*. New York: John Wiley.
8. Nwakama, C. (1980). How Nigeria tourism industry can be developed to attract foreign tourists. *Nigeria Handbook and Review*. 11. 109.
9. Oladiji, M. L. (2000). *Marketing and planning hotels and tourism projects*. London: flutchison.
10. Rileher, T. I. (1985). *Culture conservation and biodiversity*. Toronto: John.
11. Wiley Smith, O. (1979). *Land and leisure in England and Wales*: New York: The Free Press. Tarbush. W. A. (1985). *Environmental management and tourism strategy?*. London: Pitman. Wale, A. (2000). *Marketing tourism places*. Oxford: Oxford University Press.
12. Young. C. II. (2003). *Tourism and development in Africa: Case studies in the developing*.



GLOBAL JOURNAL OF SCIENCE FRONTIER RESEARCH
INTERDISCIPLINARY

Volume 13 Issue 1 Version 1.0 Year 2013

Type : Double Blind Peer Reviewed International Research Journal

Publisher: Global Journals Inc. (USA)

Online ISSN: 2249-4626 & Print ISSN: 0975-5896

Economic Recession Psycho-Social Human Characteristics and Sale of Fake Drugs by Tertiary Institution Graduates in South-South Nigeria

By Arikpo, A. & Olofu, M.

University of Calabar, Nigeria

Abstract - This export facto study was carried out to determine the impact of sex, curriculum outcomes, personality trait, gender rolesterotype and common business on the running of fake drug stops by tertiary institution graduates in the event of economic recession. 361 tertiary institution graduates were used for the study multiple regression analysis, and t-test showed their activities to have been influenced by common business practices and personality traits; and the sample members differed as males and females only in the influence of extrovert personality trait which only skewed towards the males. Five questionnaires were used for the study and it findings provided support that informal business practices and education strategies present value employment opportunities that help economic recession victims engage in fake drug sales.

GJSFR-E Classification : FOR Code: 111799, 111599



ECONOMIC RECESSION PSYCHO-SOCIAL HUMAN CHARACTERISTICS AND SALE OF FAKE DRUGS BY TERTIARY INSTITUTION GRADUATES IN SOUTH-SOUTH NIGERIA

Strictly as per the compliance and regulations of :



RESEARCH | DIVERSITY | ETHICS

Economic Recession Psycho-Social Human Characteristics and Sale of Fake Drugs by Tertiary Institution Graduates in South-South Nigeria

Arikpo, A.^α & Olofu, M.^σ

Abstract - This export facto study was carried out to determine the impact of sex, curriculum outcomes, personality trait, gender rolestereotype and common business on the running of fake drug stops by tertiary institution graduates in the event of economic recession. 361 tertiary institution graduates were used for the study multiple regression analysis, and t-test showed their activities to have been influenced by common business practices and personality traits; and the sample members differed as males and females only in the influence of extrovert personality trait which only skewed towards the males. Five questionnaires were used for the study and it findings provided support that informal business practices and education strategies present value employment opportunities that help economic recession victims engage in fake drug sales.

I. INTRODUCTION

Drug is any substance, which by its chemical nature and physiological process is expected when taken into the body to affect the structure and function of body (Agbator, 2005). The World Health Organization (WHO) sees it as any substance, or product that is used or is intended to be used to modify or explore physiological systems or pathological states of the body for the benefit of the individual (World Health Organization, 1995).

According to the 1993 NAFDAC provisions of Decree No.15 of the Federal Government of Nigeria a drug could take the forms of a vegetable or mineral either prepared, mixed or manufactured and sold or advertised for use in (i) the diagnosis, treatment, integration, and prevention of any diseases, disorder, abnormal physical state and symptoms thereof in a man or animal; (ii) restoration, correction or modification of organic functions in a man or animal; and (iii) disinfection or control of vermin, insects or pest, or contraceptive (pg 203). It functions as therapeutic chemical interventions and communications resulting in inter rated repairs and reinforcements among billions of separated cells.

However, for any drug to produce beneficial effects it is expected its packaging shows evidences of ethical preparations, availability only with presumptions, free over-the-counter purchase and sales, and its reaching of its target site in adequate concentration. Otherwise such a drugs would become evident as fake, counterfeit, substandard or in secured. (World Health Organization 1990). Its registration is not in accordance with the provisions of the 1993 food, drugs, and related products Decree No. 19 of the Federal Republic of Nigeria as amended by Decree No. 25 of 1999 (FRN,1999b:1114). Its production is not genuine; it is deliberately and fraudulently mislabeled; its ingredients are incorrect, wrong inactive, and insufficient (All African News, 2008).

According to Agbato (2005) these illicit drugs greatly flooded the Nigerian market and business world from the beginning of the 20th century. There was world wide economic recession, continuous devaluation of the naira, and large scale unemployment or retrenchment of already employed labour. These situations created a vacuum whose result was the sprout of a number of drug companies, whose owners were callous, unscrupulous and generally unskilled; and their products fake and substandard imported drugs (WHO 1988b). Victims of the recession suffered an unanticipated social role strain. Despite their age, status, positions in their respective families and communities and time and money invested in education, they unexpectedly become socially unproductive. The great expectation of monetary reward and relief from poverty which goes with investment in education were lost. Their worth, sense of belongingness and the financial power of self expression among age mates or peers, were lost to the family or community. So, they came under the social challenge of struggling to find alternative means of earning an income that would help them get back their lost positions and states in their families and the larger society. They engaged in wage-oriented hobbies like drugs peddling; or transfer their learning to cottage drug stores, small scale pharmacies, small scale buying and selling of drugs and other individualized drug marketing projects (Nwachuku, 1994).

Authors α,σ: Department of Curriculum and Teaching University of Calabar, Calabar. E-mail : abamarikpostso@yahoo.com

The activities above assumed an alarming range in 1986. Import licenses were issued, permitting most victims of the economic recession to import pharmaceutical products into the country. This, of course, was without regard to the laws governing the importation of such products to the country (Agbato, 2005). The Nigerian drug market became flooded with varieties of the same product. Some of these imitated the label and design of popular generic products; wear deceitful labels like made in Germany, while they are made in Nigeria; wore the logo and trade mark of popular companies; wore fictitious expiring dates which told a lie about their safety and shelf life; had no full name and address of manufacturer, were certified and registered with NAFDAC; etc (FRN, 1999b; Agbator, 2005; Erhun, Babalola, and Erhun, 2001).

Nigeria consequently, became the country with the highest incidence of fake and counterfeit drugs. According to FRN (1990b), Adenike (1992) about 40.1% of the drugs sold in Nigeria are either fake, substandard, or adulterated. Between 1989 and 2006 The Nigerian Drug Law Enforcement Agency (NDLEA) arrest over 2,500 persons who engage in the peddle of fake drugs; prosecuted over 15,000 of such persons; made drug seizures amounting to thousands of kilogrammes; and destroyed Indian hemp covering several hectares of land (Ohanyere, 2008).

In 2006, National Agency for Food and Drug Administration and Control (NAFDAC) had sued drug dealers for using romesay syrup powder to produce fake Barbicillin Ampicillin Syrup and Rampicillin to revalidate expired can coca-cola drinks (Ojulawa and Mmuta, 2006).

The engagement of victims of the 20th century economic recession in the sale of fake drugs remained triggard by the following:

- (i) Their emotional feelings and reactions to other people, situations, incidents and ideas which constitute their social environment and relations;
- (ii) Their likes, dislikes or avoids;
- (iii) The extent to which they could happily avoid harmoniously fit into the environment they find themselves;
- (iv) The normal, jovial, moody active, inactive, carefree, and restrictive emotional state, mood, and energy of their person;
- (v) Their personal behaviour as expressed in terms of social values or conducts that are right or wrong (Anwana, 2001);

Their involvement in the sale of fake drugs to avert the negative effects of the economic recession won a developmental change stimulated by the want of self-realization or the harness of talented potentials. It drew from their ability to successfully overcome the life obstacles by the unhealthy economics situation (Ukpong, 2009). It was the result of psychological and

physical attributes, whose presence or absence either mode them succeed or fail in their venture. Such attributes included self confidence, perseverance, adaptability to change, leadership spirit; attitude towards childhood, family and past jobs; physique, planning, organizational ability, empathy, general mental ability, general attitude towards people, human relations and avoidance of hunger and penury (Tawo and Nanna, 2000). To Aggrawal (2007) they must remain evident as good physical appearance, emotional stability, high intellectual ability, high degree of social adjustment, high moral character, cool temperament, good directedness, high adjustability, tremendous common sense, and drive and pragmatic thinking. These ideas are also shared by Ejue (2002). To this end Stalling and Wasden (1992) see their success or failure in the unanticipated job to have emanated from an internal ideas of control evident in their

- (i) more commitment to work,
- (ii) more work oriented behaviour;
- (iii) more concentration and attentiveness;
- (iv) more creativity in artistic arrangement and illustration;
- (v) less overt anxiety and potential behaviour;
- (vi) more capability to master and cope with situations;
- (vii) more assumptions of personal responsibility evident in volunteering for extra tasks, support for others, great dependence on external reinforcement, strict obedience to self concept, etc.

All knowledge they used in setting up the drugs stores arouse from information they acquired through the senses. Their minds on the drug stores were of their birth like tabula Rasa, which became filled through experience, the relative influence of maturation, specific acquired training, the period of time and life they find themselves, happiness arising from successful efforts, and teachable moments emanating from the ripeness of the body and requirement of the society that the individual be ready to achieve a certain task (Anwana, 2001).

Another source of their success was their age. They were within and above age 21; the ages the Pharmacists; Council of Nigeria and the Federal Government of Nigeria consider appropriate for the practicing of patient medicine in Nigeria (Egbor, 1984; PC.N, 2003b, 2004). And according to United Nations AIDS (UNAIDS) young men are given genuine information services and support that suits a particular age can always adopt safe behaviours and make responsible decisions about wealth. They equally as well often help to educate and motivate others to make similar decisions. There is the application of the sense of rationalism or rationalization, empathy, spirit of patriotism, and nationalism.

Their establishment of fake drugs stores involved their choosing a drugs filed, deciding how they want its professional practice to develop, and selecting the educational opportunities that will advance its professional practice. Most of them attended career courses and clubs or associations which helped them learn about patient medicine trade. Others took to interactive career guidance, which provided them information drugs choice, skills, preparation, abilities, interests, values and goals (Brown, 2001, Fitzpatrick, 2001), work habits, verbal and numerical skills (FRN,2004).

II. THEORITICAL FRAMEWORK

One of the theories behind their action Piaget's theory of Cognitive development. By this theory individuals growth always goes with acquisition of concepts and the development of the ability to reason. Their involvement in drugs peddling was thus a function of the interaction between their maturity level and the environment. Maturity was a significant factor in their peddle of drugs. At each stage their peddle of drugs entailed both intellectual and impulsive learning. These gave off intellectual development, mastery of developmental tasks at each stage of drugs peddling and successful achievement of latter drugs peddling tasks. Therefore, their success in drugs peddling passed through five stages of cognitive development not minding their adult ages. These stages were the sensori-motor, the pre-conceptual, the pre-operational intuitive, the concrete operational and the formal operational stage. The reason being that they have no previous professional or academic training in the drug trade; and so were just like new born babies in the trade.

Another theory behind their action is Freud's psychoanalytic personality development theory. By this theory their peddle of drugs is stimulated by constant interaction of three forces. These forces are the id, the ego, and the superego. The id is the unconscious and biological aspect of their personality. This advanced self, gratification and pleasure as bases for which they, despite their lack of academic and professional training, must engage in drug peddling. The ego is the partially conscious and psychological aspect of their personality they are justified by the peddle of drugs with the principle of reality. The superego is the moral aspect of their personality which attributed the drug peddle to the sense of what is right or wrong vis-à-vis incumbent social developments.

Their venture into estranged trade drew from their primitive personality associated solely with libidinal urges or psychic energy. Their venture had or was of conscience, moral value, but immediate gratification of job security or creation through impulses. As the trade grew, the urges that produced it came into direct conflict

with reality. The trade produced gratification only where the urges that produced it were of acceptable circumstances. The trade became entrenched in a conflict between the unconscious mind and the environment, which exposed its development to the principles of reality, or conscious and psychological aspects of personality. Such personality rationalized it and allowed gratification in it only in acceptable manner of the self and pleasure. Implicitly, the drug illicit trade thrived on a social environment which provided it practitioners with moral behaviours of learning and acquiring experiences for the trade.

The third theory is the trait theory. By this theory which was developed by Allport, Cattell, and Eysenck (1891-1967) their engagement in drug peddling was better measured relative to their personality trait. Their engagement in the peddle of drugs was traceable either to dynamic organisms, or psychological systems, which warranted their unique adjustment to its practice.

There was also the floppock composite vocational choice theory. Their peddle into the drug trade was by this theory a reflection of their personality traits and relative strength of their needs, which were psychological, social and economic needs. They went into it because they believe it would best meet their most important needs; and perceived it to be more attractive than others.

Another was that by Ginzberg, the vocational choice development theory. The theory associates their choice of drug peddle, in the heat of economic recession and unemployment with a developmental process, comprising different phases of life, which are irreversible. Their choice therefore found explanation in developmental, economic, emotional and environmental factors.

The final of these theories was the Donald Super's Vocational development theory. The theory associated their involvement in the drug peddle with differential psychology. It identified their choice of the drug trade with series of life stages, each of which corresponded with phases in the development of their self concept. Their degree of career development from the time of early fantasy or childhood to the time of retirement from work tended to inform their choice of drug peddle as an alternative to economic recession, unemployment and retirement. The pleasure and job satisfaction they derived from the illicit trade on drugs were attributable to their personality trait, abilities and values, which fit squarely with the prescribed functions and activities of drug peddling.

III. STATEMENT OF THE PROBLEM

The present study's major concern, therefore, was to predict the difference (if any) in the extent to which curriculum outcomes, sex, personality trait, gender role stereotype and common business practices

may have influenced the running of fake drug stores by male and female tertiary institution graduates in South-South, Nigeria. The choice of male and female tertiary institution graduates was based on the empirical evidence that these cohorts have since between 1980 and 1985 taken to such none nationally patriotic trade. This has been owing to poverty emanating from poor access to employment opportunities and assistance for those living at their margin and those victimized by labour market deregulation and retrenchment (National Millennium Report, 2004). Secondly, their ages fall within super's establishment stage (25-45 years) during which conscious and practical attempts are made of them to find an appropriate, or suitable work field and earn a permanent palce in it (Makinde and Alao, 1987). They also fall within piaget's formal operations stage, during which there is gradual increase in the ability to master formal operations through logical deductions and consideration of hypotheses and consequences (Durojaiye, 1981).

Based on the stated problem, the investigator sought to provide answers to three research question.

IV. RESEARCH QUESTIONS

1. What is the composite effect of curriculum outcomes, sex, personality trait, gender rolestereotype and common business practices on the running of fake drug stores by male and female tertiary institution graduates?
2. What is the relative effect of each of the independent variables on the running of fake drug stores by male and female tertiary institutions graduates?
3. Which of the independent variables would predict the running of fake drug stores by male and female tertiary institution graduate?

a) Research Design

The ex post facto research design was adopted for the study. The variables under consideration have already occurred in the sample and situation under study.

b) Population and Selection of Sample

The population of the study consisted of all male and female University, Colleges of Education, Colleges of Agriculture, Polytechnic or Colleges of Technology and Theological Seminary graduates in South-South Nigeria. Out of these, three hundred and sixty-one (361) male and female graduates were purposively selected for the study. Their denominations were 213 (59%) males and 148 (41%) females. Of these, 79 (220%) were male university graduates and 58 (16.195) female university graduates; 19(5.26%) male college of Agriculture graduates and 14 (3.9%) female college of Agriculture graduates; 44(12.20%) male Polytechnic graduates and 16(44%) female polytechnic

graduates; 36 (9.97%) male college of education graduates; 50 (14%) female college of education graduates; and 35(10%) male Theoretical seminary graduates and 10 (2.8%) female Theological Seminary graduates.

c) Research Instruments

Five research instruments were used in the study. These were a self Employment Characteristics Rating Questionnaire (SECRO); a common sole proprietor Business Practice Questionnaire (CPBPQ); Personality Job Creation Trait Inventory (PJCTI); Gender Rolestereotype Job Creation Inventory (COJBI). These instruments were 20-itemed and were adaptations of those developed by the National Directorate of Employment (NDE) (1989); Hitch in (1996); Akinboye (2001) and Alexander (1996). Each of these instruments was revalidated using chrombach Alpha. They yielded reliability coefficients of 0.83; 0.81; 0.91; 0.92; and 0.93 respectively. These instruments have been used in previous studies by the investigator.

V. PROCEDURE

The investigator visited the Cross River State Ministry of Commerce and Industry; the National Directorate of employment (NDE); homes, Full Gospel Businessmen Fellowship; Graduate Fellowship; Secondary Schools, and Business Premises in south-south Nigeria. He discussed the purpose of the study with their leaders. Purpose sampling here after employed to select individuals to constitute the sample.

Members of the sample were then adequately briefed on the response role they were to play as individuals of the administration of the instruments on them. Thereafter, the investigator and his twelve (12) research assistants administered the five instruments all at once on the sample. No assistance was given to participants except with reading and understanding instructions to the instruments. This exercise lasted for three months. The investigator employed the services of an assistant to score the responses and the data arising from them were computer analyzed. The maximum mark to be obtained on each item was 5 and the least 1.

VI. RESULTS

A multiple stepwise regression analysis procedures was used to test the research questions. Findings from the descriptive statistics and the correlation coefficients are discussed first, followed by reports of the results of answer to the questions.

a) Means and Standard Deviations

The means and standard deviations for the males and females on the one dependent variable and the nine independent variables are shown in Table 1. The means for the males and the females on all the variables are the result of summing scores on all the

items comprising the SECRQ, CPBPQ, PJCTI, GRJCI AND COJBI factors. To place the sample on Likert's continuum, the summed values were divided by the number of items in all the five instruments. The results are 77.77 for the 213 males, and 73.88 for the 148 females. Since the conceptual mean of the continuum is 2.35 for the males and 3.38 for the females, all the subscales leaned towards the participative end of the continuum. The males and females are described by responses to the variables under study as being highly enterprising with their predicted values approaching the participative.

Table 1 : Means and Standard Deviation for Males and Females on all of the Variables

Sex	N	Means	Standard Deviation
Selected			
Male	213	77.77	4.81
Female	148	73.88	7.05
Unselected			
Male	148	76.40	6.03
Female	213	75.57	5.79

Response were reversed.

This result is, of course, when members of the sample are selected; when not selected the means are 76.40 for males and 75.57 for females.

The responses to variables described the sample as having positive enterprising characteristics.

b) Answering of Research Questions

Multiple stepwise regression analysis was used to answer the research questions. In contrast to the preceding residuals statistics, multiple regression is a way to analyse the collective and relative contributions

of the independent variables to the variation in the dependent variable vis-à-vis the sexes under consideration.

i. Research Question 1

The results of statistical provision of answers to the first question are shown in table 2. The composite effect of the nine independent variables on the dependent variable vis-à-vis the sexes under consideration was revealed, for the male block the effect was significant,

$F(213) = 5.273$; $\text{adj } R^2 = 0.154$ with all nine variables obtaining significance, $R = 0.435$ where the males were selected and 0.511 where the males were not selected. The variables also account for 18.9% of variance in the dependent variable, $R^2 = 0.189$. The remaining 81.1% remain attributable to residuals error and other factors not investigated in this study. For the female block the effect was significant $F(147) = 7.661$; $\text{adj } R^2 = 0.290$ with all the nine variables remaining significant, $R = 0.577$ where the females were selected, but 0.349 where not selected. Equally the variable together account for 33.3% of variance in the dependent variable, $R^2 = 0.333$. 66.7% of the remaining variance goes to the residuals, error and other factors not considered in the study. However, both sexes together, the effect was not significant $F(360) = 0.913$; $\text{Adj } R^2 = -0.002$ with the nine variables showing a none significant effect on the constant, $R = 0.0151$. The variables contribute to 02.3% of variance in the dependent variable, $R^2 = 0.023$. The remaining variance goes to residuals, error and other factors not investigated in this study. Although not significant, their effect was sex-wise greater among the females than the males. The first two regression equations.

Table 2 : Composite effect of the Independent Variables on the dependent variable by sex (N=361)

Category sex	R	R ²	S.E	F-Ration	Sig F
First Analysis Suppressors included					
Selected Male	0.435	0.189	10.16	5.273	0.000
N/selected	0.511				
Second Analysis with male sex substituted with female					
Selected female	0.577	0.333	0.290	10.30	7.661
N/selected	0.349				
Third Analysis with both sexes combined					
Both Sexes					
(not selected)	0.151	0.023	-0.002	1.16	0.913.
0.86					
p<0.05					

Associated with this table contained a classical statistical problem; the male and female independent

variables respectively acted as suppressors. Their correlation coefficient were opposite in value to one

another; and this was not the expectation of the researcher. To avoid this complication, the analysis was completed again without sexually separating members of the sample; but the variable yielded no significant effect.

ii. Research Question 2

To determine which of the variable in either of the sexes functions as suppressor, the nine variables were thrice regrouped under the two sexes. Under the males, significantly positive beta weights retrogressively became those of common business practices ($\beta=0.234$; $P<0.05$), extrovert personality trait ($\beta=0.148$; $P<0.05$) introvert personality trait ($\beta=0.174$; $P<0.05$), and affective curriculum outcomes ($\beta= -0.155$; $P<0.05$). Those of psychomotor curriculum outcomes ($\beta= 0.112$; $p>0.05$), feminine gender rolestereotype ($\beta=-0.032$; $P>0.05$), cognitive curriculum outcome ($\beta=-0.052$; $P<0.05$), field experience curriculum outcomes ($\beta=-0.032$; $P>0.05$) and masculine gender rolestereotype ($\beta=-0.028$; $P>0.05$), rather become negative (see the Rank column in table 3).

Under the females, however, significantly positive beta weights or contributions became associated retrogressively only with common business practices ($\beta= 0.355$; $p<0.05$), introvert personality trait ($\beta=0.253$; $P<0.05$), and cognitive curriculum outcome ($\beta= 0.168$, $P<0.05$). Those for affective curriculum

outcomes ($\beta= 0.123$; $p>0.05$), field experience curriculum outcomes ($\beta= 0.0123$; $p>0.05$), psychomotor curriculum outcomes ($\beta=0.124$; $P>0.05$), feminine gender rolestereotype ($\beta=-0.037$; $P>0.05$), masculine gender rolestereotype ($\beta=0.021$; $P>0.05$), and extrovert personality trait ($\beta=0.013$; $P>0.05$). They were native. (See the Rank column in table 3).

For either of the sexes, however, two variables displayed on significantly positive beta weights or contributions. These were common business practices and introvert personality traits; through with a 0.121, and 0.079 reproductive difference in favour of the females. Those of extrovert personality trait, and affective curriculum outcomes were exclusively positive under the males and so were those of cognitive curriculum outcomes for the females outside common business practices and introvert personality traits, the findings are under the sexes, opposite to one another, even when the questions were revised sex-wise. The sexes put together, common business practices, extrovert personality traits and introvert personality traits lost the positive beta weights gained whole exclusively under the males for the non significance of other independent variables in their group. So, did common business practices and introvert personality trait also lose those gained under the females for non significance of their counterparts. (See the Rank column in table 3).

Table 3 : Relative contribution of the Independent variables to the Dependent variables by sex (N0.361)

Independent variables beta		Rank	df	P
First Analysis				
1.	masculine gender rolestereotype	0.028 9 th	12,03	>0.05
2.	Feminine gender rolestereotype	0.069 6 th	1,202	>0.05
3.	Common business practices	0.234 1 st	1,202	<0.05
4.	Extrovert personality trait	0.148 2 nd	1,200	<0.05
5.	Introvert personality trait	0.178 3 rd	1,199	<0.05
6.	Field experience curriculum Outcomes	-0.032 8 th	1,198	>0.05
7.	Psychomotor curriculum outcomes	0.112 5 th	1,197	>0.05
8.	Affective curriculum Outcomes	-0.155 4 th	1,196	>0.05
9.	Cognitive curriculum outcomes	-0.052 7 th	1,195	>0.05
Second Analysis with male sex substituted with female				
1.	Masculine gender Role stereotype	-0.037 8 th	1,137	>0.05

2.	Feminine business Practice	0.037	7 th	1,137	>0.05
3.	Common business Practice	0.0355	1 st	1,136	<0.05
4.	Extrovert personality Trait	0.013	9 th	1,135	>0.05
5.	Introvert personality Trait	0.0253	2 nd	1,134	<0.05
6.	Field experience Curriculum outcomes	-0.015	5 th	1,133	>0.05
7.	psycho-motor curriculum Outcomes	0.124	6 th	1,132	>0.05
8.	Affective curriculum Outcomes	0.123	4 th	1,131	>0.05
9.	Cognitive curriculum Outcomes	0.168	3 rd	1,130	<0.05
Third analysis with					
1.	Masculine gender role stereotype	0.007	9 th	1, 138	70.08
2.	Feminine gender role stereotype	0.091	1 st	1,137	70.05
This findings answer question 2.					

iii. Research question 3

From table 4, only common business practices, extrovert personality trait, and introvert personality trait could under the males predict the dependent variable or tertiary institution graduates running of fake drug shops. They alone have partial correlation coefficients (β) whose t-values are statistically significant ($\beta = 0.200$; $t=2.780$; $p<0.05$; $\beta=0.128$; $t=2.220$; $p<0.05$; $\beta=0.149$; $t=2.140$; $p<0.05$ respectively). Under the females two only common business practices ($\beta = 0.285$; $t=4.693$; $P<0.05$) and introvert personality trait ($B= 0.164$; $t=2.621$; $P<0.05$); and not extrovert personality trait (β

$=9.791$; $t=0.160$; $P>0.05$) out cognitive curriculum outcomes (9.465 ; $t=1.933$; $P<0.05$) which was not listed among the males ($\beta = 3.061$, $t=0.652$; $P>0.05$), could. They alone had partial correlation coefficients, whose t-values are statistically significant. So, in either sex, these independent variables whose partial correlation coefficients (β) have significant t-values are to be entered into the prediction equation. All other independent variables have partial correlation coefficients (β), whose t-value's probability exceed 0.05. They can not be entered into the prediction equation.

Table 4 : Relative Production of the Dependent Variables by the Independent

Independent Variable	B	SEB	df	t	P
First Analysis involving only males					
1. Common Business practice	0.200	0.072	1,203	2.780	<0.05
2. Extrovert personality trait	0.128	0.057	1,202	2.220	<0.05
3. Introvert personality trait	0.149	0.070	1,201	2.140	<0.05
4. Affective curriculum Outcomes	-8.797	0.053	1,200	-1.657	>0.05

5. psycho-motor curriculum outcomes	5.851	0.052	1,200	-1.657	>0.05
6. Feminine gender Rolestereotype	4.113	0.048	1,198	1.115	>0.05
7. Cognitive curriculum outcomes	3.061	0.067	1,197	0.652	>0.05
8. Field experience curriculum outcomes	-1.764	0.052	1,196	-0.338	>0.05
9. Masculine gender reloestereotype	-2.075	0.067	1,195	-0.309	>0.05
Constant	47.328	5.38	5.028	1,194	9.244

Second analysis substituting males with females

1. Common Business Practice	0.285	0.061	1,138	4.639	p<0.05
2. Introvert personality trait	0.164	0.062	1,137	2.621	p<0.05
3. Cognitive curriculum outcomes	0.149	0.070	1,201	2.140	p<0.05
4. Affective curriculum outcomes	7.585	0.066	1,135	-1.148	p>0.05
5. Field experience curriculum outcomes	-9.054	0.062	1,134	-0.147	p>0.05
6. psycho-motor curriculum outcomes	-6.879	0.063	1,133	-0.086	p>0.05
7. Feminine Gender rolesterorotype	-2.890	0.079	1,132	0.308	p>0.05
8. Masculine Gender reloestereotype	1.632	0.079	1,131	-0.207	p>0.05
9. Extrovert personality traits	9.791	0.061	1,130	-0.160	p>0.05
Constant	38.751	5.087	9,129	7.618	p<0.05

The prediction equations for either sex are as follows:

1) Males = $Y^1 = 47.382 + 0.200x + 0.128x + 0.149x$

Where Y^1 = fake drug shops ran by unemployed males tertiary institution graduates and x = common business practice, extrovert personality trait and introvert personality trait which underlie their run.

2) Females: $Y^1 = 38.751 + 0.285x + 0.164x$

Where Y^1 = fake drug shops ran by unemployed female tertiary institution graduates and x = common business practices and introvert personality trait harnessed to their run.

VII. DISCUSSION

Several statistically significant relationships were found, through their magnitude varied according to sex. The overall or composite equation statistics for the

step-wise regression procedure, provided a substantial support for the three questions per sex and sex mix.

Its results revealed that, for the males, the nine independent variables taken together do produce a relationship a little close enough to stimulate the dependent variable, or fake drug shops ran by tertiary institution graduates. Their absolute value is a little large enough to give that impression. It is 0.44. But the observed F-ration remains significant at 0.05 level, indicating that, under the males, a combination of the nine independent variables to predict the dependent variables, or tertiary institution graduates' running of fake drug shops could not have occurred by chance. It rather has arisen as a result of 18.9% linear combination of the nine independent variables; the magnitude of their combination with the dependent variable being 0.154.

For the females, however, its results show that the nine independent variables together produce a

relationship moderately close enough to promote the dependent variable, or fake drug shops ran by tertiary institution graduates. The observed F-ratio is significant at 0.05, indicating that the combination of the nine independent variables to predict the dependent variable, or tertiary institution graduates' running of fake drug shops is not by chance. It is the result of 33.3% linear combination of the nine independent variable, 0.290.

However, through the explained variables are a little relatively high, individual variable statistics provide mixed support for the posited relationships. Among the males, only three of the nine independent variables (common business practices, extrovert personality trait, and introvert personality trait) entered the prediction equation. For the females only two did, common business practices and introvert personality trait. Across the sexes and their mix, only five of possible 27 beta weights were significant at or beyond 0.05 alpha level.

Answers to the research questions included positive predictions of the dependent variable or tertiary institution graduates' running of fake drug shops by common business practices, extrovert personality trait and introvert personality trait among males, and common business practices and introvert personality trait common among females. They, therefore, became on either sex the only independent variables qualified to be entered into the regression equation. Independent variables other than these could not because they did not predict the dependent variable, or tertiary institution graduates' running of fake drug shops. The latter disposition applied to all independent variable when considered on none sex grounds. None of them could predict the dependent variable, or tertiary institution graduates' running of fake drug shops.

Each of the nine independent variables contribute to the dependent variable or tertiary institution graduates, running of fake drug shops, but the extent differed. Among the males common business practices revealed first followed by extrovert personality trait, then introvert personality trait, affective curriculum outcomes, psychomotor curriculum outcomes, feminine gender rolestereotype, cognitive curriculum outcomes, field experience curriculum outcomes masculine gender rolestereotype, respectively. Among the females, as among the males, common business practices ranked first, but followed by introvert personality trait, then extrovert personality trait, then cognitive curriculum outcomes, affective curriculum outcomes, field experience curriculum outcomes, psycho-motor curriculum outcomes, feminine gender rolestereotype, masculine gender relesoterotype, and extrovert personality trait, retrogressively. But when the independent variables were considered irrespective of sex Feminine gender ranked first, followed by introvert personality trait, then common business practices, extrovert personality trait, cognitive curriculum outcomes, affective curriculum outcomes, field

experience curriculum outcomes, psychomotor curriculum outcomes, and masculine gender relestereotype.

The non-sex biased findings reinforce those of Hoy, Newland and Blazovsky (1977) as in Barelllo and Sage (1979), centralization reduces morale, but increased formalization improves attitudes towards jobs. Shertzer's and Stone's position that personality trait helps individuals to use self-understanding and the knowledge of their abilities to develop their potentialities was confirmed; so was Parson's proposition that self-knowledge, knowledge of the world of work, and true reasoning assist in career planning and placement. (Makinde and Alao 1987). The accepted premise that males and females differ on their subjects, functions, styles, needs and use of power and relationship strategies was found to be true (Pelt, 2000:8-9).

A synthesis of this discussion provides the following generalization: tertiary institution graduates who run fake drug shops in the absence of formal sector employment are characterized by (i) common business practices, (ii) less centralized decision making structures; (iii) more formalized general rules and (iv) trait-factor activities.

This statement supports the extrovert theoretical views that subjective factors like optimistic expectations, personal liberty, private property, individual initiative, and private control of enterprise exhibit more complex and variegated effects than the government or public agencies on tertiary institutions graduates' running of fake drugs shops.

VIII. RECOMMENDATIONS

From the findings and discussion above, it is pertinent that tertiary institution curriculae will need to offer critical competency areas their graduates will need in order to function in the private sector. These areas will need to be those that will make for: ICT competencies; business skills, attitudes and knowledge; marketing competencies; social and personal business attributes; mindset change; consultation with relevant centers or agencies; inter-disciplinary collaboration; professional development programmes; and career tracks.

IX. CONCLUSION

The purpose of this study was to build on existing literature dealing with the running of fake drugs shops and psycho-social human characteristic to their run; while avoiding several deficiencies limiting its generalizability. This objective was achieved in many ways. Literature was reviewed with a multi-dimensional synthesis. Research questions were asked, a relatively large sample of tertiary institution graduates was selected, reliable research instruments were used, and sophisticated data analysis procedures were employed. Yet as the investigation went on a number of

shortcomings became apparent. The theoretical frameworks used here may not have been complex enough to explain the wide variation of psycho-social behaviour in none formal running of fake drug shops. Alternative theoretical framework, especially those on sex and gender may be considered to select and display the subtle relationship between and among human psycho-social characteristics and the running of fake drugs by tertiary institution graduates.

A second shortcoming is the narrowness of the research methodologies used in curriculum and the teaching of tertiary institution undergraduates. The study used ex post facto techniques and perceptual measures. However, the dependent variable may need to be considered vis-à-vis ethnographic, experimental, and longitudinal procedures.

This far, the study has made contribution to the understanding of the running of fake drug shops as a human psycho-social characteristic drive.

REFERENCES RÉFÉRENCES REFERENCIAS

- Hoy, W.K, Newland, W, and Blazovsky, R. (1977). *Subordinate loyalty to superior, Espirit, and Aspects of Bureaucratic Structure*. Educational Administration Quarterly B(1) 71-85.
- Pelt, N. L. V (2000). *Highly effective marriage*. Ghana: Advery Press.
- Makinde, O. and Alao, K. (1987). *Profile of career education*. Ibadan: Signal Educational Services.
- Durojaiye, M.O.A. (1981). *New introduction to educational psychology*. Ibadan: Evans Bovilors.
- Nigeria (2004). *Millennium development goals report 2004*. Nigeria.
- Brown. D. (2001). Careers, World Book Encyclopedia 2001. 3 (c-ch) pp 214-236; Fitzpatrick G. M. (2001). *Careers Planning, Encyclopedia the Americana* pg 642-651. Danbury, Groller Incorporated.
- Erhun, W. O; Babalola, O.O and Erhun, M.O. (2001). *Drug regulation and control in Nigeria: The challenge of counterfeit drugs*. Journal of Health and population in Developing Countries 4(2) 23-33.
- Adenilie, F. B. (1992). *Principles of essential drugs management*. Ibadan: Shanason C. I. Limited.
- Ohamgere, A. N. (2008). *The maladies of illicit drugs and other related issues is Nigeria-Ikeja*: Arthill Publishers.
- Anawana, U. I. (2001). *Psychology: Aspects of human development (2nd ed)* Enugu: Academic Publishing Company.
- Ojakwu, A. and Mmuta (2006). *NAFDAC sues drug dealer*. (website: safemedecines <http://www.safemedicine.org>). Retrieved 15/1/2009.
- Ukpong, E.M (2003). *Child development*. in A. E. O. Esu and E.P Ntukidem (Ed). *Fundamentals of elementary education*. Calabar: Helimo Associates.
- Aggrawal, J. C. (2007). *Essentials of educational psychology*. New Dehhi : Vikes Publishing House.
- Stalling, R. B. and Wasten, R. E (1992). *Study guide for western psychology: Theories and Variations*. NewYork: Brook/Cole.
- PCN (2003). *Approval patient medicine list*. Abuja: Pharmacist council of Nigeria.
- PCN (2004). *Orientation programme for potent medicine vendors*. Abuja: Pharmacist' Council of Nigeria.
- Agbator, G. U. (2005). *The menace of fake and counterfeit drugs in Nigeria and steps taken to eliminate them*. National Association of Nigeria Nurses and Midwives, Akwa Nursing Digest 1(2) 6-10.
- World Health Organization (1995). *The Use of essential drugs 6th Report of the Expert Committee*. WHO Technical Report Series 850. Geneva: World Health Organization.
- World Health Organization (1990). *Use of essential drugs*. Geneva: World Health Organization
- Federal Republic of Nigeria (1999b) *Counterfeit and Fake Drugs and Unwholesome Processed Foods* (Miscellaneous Provisions) Decree No. 25 of 1999. Supplement of Official Gazette of the Federal Republic of Nigeria 86(29) 1105-1116 Lagos: Federal Government Press.
- All African New (2008). *Nigeria NDLEA Commander arrested for aiding drug barrons* (Website; <http://www.african.news.com/site/listmessages/13931>). Retrieved On 03-03-2009.
- WHO (1988). *Guidelines for developing drug policies*. Geneva: World Health Organization.
- FRN (2004). *National Policy on Education*. Abuja: Federal Government Press.
- Egboh, A. A. (1984). *Pharmacy laws and practice in Nigeria*. Ikeja: Literamed Publication.



GLOBAL JOURNAL OF SCIENCE FRONTIER RESEARCH
INTERDISCIPLINARY

Volume 13 Issue 1 Version 1.0 Year 2013

Type : Double Blind Peer Reviewed International Research Journal

Publisher: Global Journals Inc. (USA)

Online ISSN: 2249-4626 & Print ISSN: 0975-5896

Strategy to Diagnose Dengue Virus Infection in Local Settings: An Experience

By Shazia Tabassum Hakim, Shaista malik, Qudsia Hussain,
Sayyada Kanwal Zehra Zaidi & Sayyada Ghufrana Nadeem

Jinnah University for Women, Pakistan

Abstract - Introduction : Perfect and well-organized diagnosis of dengue is significant for medical concern, observation maintenance, studies about pathogenesis, and research for vaccines. Diagnosis is also significant for infection verification (DF or DHF/DSS), to distinguish dengue from other infections, and further flavivirus diseases, and for the designated treatment strategy organization as well as estimation of persons having severe infection (1).

Materials & Methods : There were 85 serum samples and 03 whole blood samples collected from suspected dengue patients, from different hospitals and laboratories of Karachi city in year 2012. Initially three whole blood samples were subjected to Immuno fluorescent staining technique then RNA was extracted from dengue serum samples and subjected to one step multiplex Real Time RT PCR and 2% agarose gel respectively.

Results : All the 85 serum samples gave positive results on one step multiplex Real Time RT PCR and also gave bands on 2% agarose for dengue serotype 2, 3 and 4.

Keywords : DF (dengue fever), DHF (dengue hemorrhagic fever), DSS (dengue shock syndrome), RT PCR (reverse transcriptase polymerase chain reaction).

GJSFR-E Classification : FOR Code: 110802



Strictly as per the compliance and regulations of :



Strategy to Diagnose Dengue Virus Infection in Local Settings: An Experience

Shazia Tabassum Hakim ^α, Shaista Malik ^σ, Qudsia Hussain ^ρ, Sayyada Kanwal Zehra Zaidi ^ω
& Sayyada Ghufrana Nadeem [✱]

Abstract - Introduction : Perfect and well-organized diagnosis of dengue is significant for medical concern, observation maintenance, studies about pathogenesis, and research for vaccines. Diagnosis is also significant for infection verification (DF or DHF/DSS), to distinguish dengue from other infections, and further flavivirus diseases, and for the designated treatment strategy organization as well as estimation of persons having severe infection (1).

Materials & Methods : There were 85 serum samples and 03 whole blood samples collected from suspected dengue patients, from different hospitals and laboratories of Karachi city in year 2012. Initially three whole blood samples were subjected to Immuno fluorescent staining technique then RNA was extracted from dengue serum samples and subjected to one step multiplex Real Time RT PCR and 2% agarose gel respectively.

Results : All the 85 serum samples gave positive results on one step multiplex Real Time RT PCR and also gave bands on 2% agarose for dengue serotype 2, 3 and 4. Immuno fluorescent staining was also positive for dengue serotype (2).

Conclusion : The results of this study shows that both immunofluorescence technique as well as one step multiplex Real Time RT PCR are efficient and rapid techniques for diagnosis and for research purpose equally, if it would be fully establish in local setting. Along with these finding we also found that the major dengue virus infections in year 2012 were of dengue serotype 4, while dengue serotype 2 and dengue serotype 3 were present in very small percentage i.e., 10% and 6% respectively.

Keywords : DF (dengue fever), DHF (dengue hemorrhagic fever), DSS (dengue shock syndrome), RT PCR (reverse transcriptase polymerase chain reaction).

1. INTRODUCTION

Dengue fever is caused by a virus which is transferred through a vector called mosquito; and four serological types of dengue virus circulating in our environment are: DEN-1, DEN-2, DEN-3, and DEN-4 that causes dengue infection. Dengue fever is very valuable Arbovirus disease which causes disease in humans, and World Health Organization (WHO) indicates that its extent of effect has risen with part of thirty over the preceding fifty years (2). DENV is transferred towards humans through *Stegomyia aegypti*

(previously *Aedes aegypti*) mosquitoes and broad variety of signs appear, as of mild disease (dengue fever) to a severe hemorrhagic type (dengue hemorrhagic fever) (2, 3). Genus of Dengue viruses is Flavivirus and family is Flaviviridae. Dengue viruses have single stranded RNA and are enveloped. The size of RNA genome is almost 11 kilo base and the RNA encodes a three structural proteins: E (envelope protein), M (membrane protein), and C (core protein), the large poly protein precursor are produced by RNA genome, which is co translationally processed by virus encoded proteases and host cell to produce individual dengue virus protein. The NS1, NS2a, NS2b, NS3, NS4a, NS4b, and NS5 are nonstructural (NS) proteins (2). DHF-DSS is a most important reason of hospitalization and death amongst children in Southeast Asia, where more than one million cases were recorded between 1987 and 1989. Over 30,000 deaths due to DHF-DSS in children have been reported worldwide since 1950 (4). DF is an infection of youth, in Southeast Asia. There is, though, confirmation to recommend that the occurrence of DHF among adults is rising (5). Dengue virus infection epidemics are observed periodically all over the tropics and dengue is endemic in Southeast Asia and India. In recent times it has become endemic in Pakistan, with cases observed in main hospitals all year around. A current study that was under taken in a tertiary care hospital in Pakistan illustrated that cases of DHF and DSS are on the increase (6). In Pakistan, the initial known report was in 1985 (7), whereby dengue virus serotype 2 was isolated for encephalitis in a sero epidemiological study. The initial main outbreak was testimony in Karachi in 1994-95 (8).

Hence, to stop and manage the development of dengue virus infection the World Health Organization has recommended the augmentation of active and accurate laboratory-based surveillance for early reporting of dengue virus infections to the public health authorities (9). In DHF and DSS epidemics, quick analysis of the serological type(s) within person having dengue disease is significant (10). Analysis is essential hence proper preclusion, treatment, as well as management measures are able to be started as well as exact epidemiologic facts be able to be retained (4). Dengue virus infection diagnosis on the basis of medical conditions is not consistent; therefore analysis must be definite through learning of laboratory (11).

Authors ^{α σ ρ ω ✱} : Virology & Tissue Culture Laboratory, Department of Microbiology, Jinnah University for Women, Karachi-74600, Pakistan. E-mail : shaz2971@yahoo.com

Authors ^{ρ ω} : Mycology Research & Reference Institute, Department of Microbiology, Jinnah University for Women, Karachi-74600, Pakistan.

Infection with Dengue virus is now identified by means of numerous biological experiments: on mosquito cells virus isolation, viral RNA discovery via reverse transcription-PCR (RT-PCR) or experiments of serology, for example immunoglobulin M (IgM) capture enzyme-linked immunosorbent assay (MAC-ELISA). Commercial MAC-ELISA kits are accessible, but they cannot be utilized for early diagnosis, because IgM cannot be visible until 5 to 10 days later than the start of infection in cases of primary dengue virus infection and until 4 to 5 days later than the start of secondary infections (2). Immunofluorescence experiments used in the precedent, novel techniques relating enzyme conjugates for example peroxidase as well as phosphatase with combination to either monoclonal or polyclonal antibodies are very much progressed (12). Recognition of the DEN virus is commonly skillful by means of immunofluorescence methods along serological type-specific monoclonal anti-DEN antibodies on infected cells or vector head crushes (13).

II. MATERIALS AND METHODS

There were 85 serum samples and 3 whole blood samples collected from suspected dengue patients, from different hospitals and laboratories of Karachi city during the months of August to November 2012. Initially 03 whole blood samples were subjected to Immunofluorescent staining technique, this technique was used for the identification and detection of dengue viral antigen. For performing immunofluorescent staining technique we followed the protocol of Sirichan Chunhakan et al; 2009 (14).

RNA was isolated from 85 serum samples from suspected dengue patient by using the extraction kit (viral gene spinTM) from intron. The isolated RNA were amplified by one step multiplex Real Time RT PCR. The purified RNA was amplified by using puRe Taq Ready-To-Go PCR Beads, (Amershan Bio sciences UK.). CFX 96TM Real Time C1000 Touch thermal cycler (Bio rad) was used for one step multiplex Real Time RT PCR. 0.6ul was taken from each primer and added in puRe Taq Ready-To-Go PCR Beads tube, then in this added 1ul M-MLV Reverse Transcriptase (Promega) and 5ul of M-MLV 5X Reaction buffer (Promega) and 7ul of isolated RNA. The final volume of 25ul was made by diluting this master mix reaction tube with diluents. Thermal cycle for dengue Real Time RT PCR was set. Initially the RNA was reverse transcribed to cDNA by providing it temperature of 55°C for 10 minutes, this was followed by one cycle of denaturation at 95°C for 8 min, next amplification was proceeded with 50 cycles at 95°C for 10 sec and one cycle at 60°C for 1 min (15). After that amplicons were subjected to 2% agarose gel in order to observe the size of amplified cDNA (complementary DNA) with the help of marker DNA (fermentas 1kb Ready-To-Use).

III. RESULTS

A total of 85 serum samples and 03 whole blood samples were collected from suspected dengue patients, from different hospitals and laboratories of Karachi city during the months of August to November 2012. Out of 85 serum samples 17 serum samples were collected from Dow University of Health Sciences, 20 serum samples from Essa Laboratory and Diagnostic Centers, 28 serum samples from Imam Clinic and 20 serum samples and 03 whole blood samples were also collected from Memon Medical Institute as shown in Table 1. RNA was extracted from those suspected serum samples using viral gene spinTM. Isolated RNA was subjected to one step multiplex Real Time RT PCR and then processed on 2% agarose gel for electrophoresis. After performing all steps, it was observed that all 85 serum samples from different dengue suspected patients gave positive one step multiplex Real Time RT PCR results and also produced relative bands on agarose gel. The bands on 2% agarose gel electrophoresis of dengue cDNA gave almost equal sizes or lengths which were in the range of 1,500 bps to 2,000 bps as shown in Figure 3 and some were in the range of 2,500 bps to 3,000 bps as shown in Figure 4.

The molecular weight of isolated bands were in the ranges of 1,500 bps to 2,000 bps and 2,500bps to 3,000 bps as also mentioned by other scientist, and confirms the presence of dengue virus. It is important to note that majority of isolates were of dengue type 4 in about 84%, where as dengue serotype 2 was in 10% and dengue serotype 3 was in 6% only as shown in Table 2.

A total of 03 whole blood samples of dengue positive (IgG and IgM antibodies) serum patients were collected and preceded for immunofluorescence staining. This was the very first time we were trying to use immunofluorescence staining for the detection of this virus in Karachi, Pakistan we have to tried to establish each and every requirement and all the necessary equipments. That is why, we tried first with only three (100%) positive specimens and the results were promising. Our findings suggests that the DENV2 - infected monocytes were present in the slides as observed by using immunofluorescence microscopy and shown as green fluorescent objects in staining.

IV. DISCUSSION

Molecular techniques are very useful and beneficial in a sense of detecting, identification and typing of dengue virus and also for epidemiological studies. Initially in this study, we tried to establish immunofluorescent technique in local setting but due to

lack of/ unavailability of required reagents in enough quantity, we had tried this technique only on three positive whole blood samples and get progressive results for DEN-2, it means that immunofluorescent technique is a easiest and rapid technique if we may establish it in local settings. Moreover we also detected, identified and evaluated that, which dengue serotype is commonly circulating in our community or environment. For that purpose along with immunofluorescence technique we also did one step multiplex Real time RT PCR. After performing one step multiplex real time RT PCR, we obtained positive results, means all 85 dengue serum samples from suspected dengue patients had RNA of almost equal length on 2% agarose that is in the range of 1,500 bps to 2,000 bps and very small in numbers the bands were in the range of 2,500 bps to 3,000 bps, it also suggests that majority of the 85 serum samples from suspected dengue patients shared almost the same serotypes in Karachi city during climate year of 2012.

Anna P. Durbin et al., 2001(16) indicated that the size of dengue virus serotype 4 complete genome is 2,000 bps in another study Ching-Juh Lai et al, 1991 (17) showed that the full genome size of dengue virus serotype is 1343 bps, so it means that complete genome size of dengue virus serotype 4 is in the range of 1,000 bps to 2,000 bps while the size of dengue virus serotype 2 according to Stephanie Polo et al, 1997(18) is 3.2kb which is approximately 3,200 bps, Lewis Markoff et al, 2002(19), said that the size of dengue serotype 1 is 1-1.5 kb which is approximately 1000-1500 bps. According to Joseph E. Blaney JR, et al, 2004(20) dengue serotype 3 has approximately 2,000 bps, but according to our results, as we observed on 2% agarose gel about 84% bands were in the range of 1,500 bps to 2,000 bps, and dengue serotype 2 was present in about 10% and dengue serotype 3 was present in about 6%, it means that the dengue serotype 4 which is about 84% was the major cause of dengue outbreaks in Karachi in 2012. According to Erum Khan et al, 2010(21) in the year of 2004 dengue serotype 2 was dominant and in year of 2005 the dengue virus serotype 3 was dominating. According to Muhammad Idrees et al., 2012 (22) in the year 2006-2009 both the dengue serotype 2 and dengue serotype 3 were co circulating and in 2011 dengue serotype 2 was dominating. Our results showed that in 2012 the dengue serotype 4 was more dominating than dengue serotype 2 and dengue serotype 3 and may be responsible of causing severe dengue infections i.e. dengue hemorrhagic fever (DHF) and dengue shock syndrome (DSS) during that particular year. Situation for the coming years especially for the patients who had previously infected with the dengue infection and in case of secondary infection with any of the four serotype of dengue the resultant will be more severe that's why it is recommended to take serious measures to eliminate the dengue infection from

our region and make maximum effort to prevent the people from dengue infection.

Secondly, one step multiplex Real Time RT PCR detected dengue viral RNA and reverse transcribed dengue viral RNA into complementary DNA (cDNA), this evidence showed that all 85 serum samples from suspected dengue patients had been collected in early phase, this is because RNA remains in human blood during only first five to six days of infection, after that immunoglobulin M (IgM) produces in blood and start to eliminate the dengue virus, then after immunoglobulin G (IgG) produces and further precede the elimination of dengue virus and that IgG stays in blood for long interval of time and give immunity to person with same serotype. That is why all 85 serum samples were diagnosed as early phase serum samples and had shared almost the same serotype of dengue virus in Karachi city in 2012. These results help in epidemiological study and aid in collection of surveillance data of dengue viral infection from Karachi city.

Karachi city is geographically distributed into 5 districts which are; central, south, east, west and malir district. As we collected the sample from different hospitals and laboratories of Karachi city which are located in different districts of Karachi city, the higher number of dengue samples were received from central district that were about 48 in number and lowest number of dengue samples were received from district east that were about 40 in numbers. So in this study we also find that in 2012 dengue serotype 4 was distributed in district central and east of Karachi city while other dengue serotype that are dengue serotype 2 and dengue serotype 3 were also circulating almost in all district but in very small numbers. The percentage of dengue serotype 4 from different district of Karachi was about 84% while dengue serotype 2 and 3 were only 10% and 6% respectively. As the other studies mentioned that in previous years dengue serotype 2 and dengue serotype 3 were dominating so, it may be possible that in coming next year all four serotype will co circulating in all districts of Karachi city and may result in more sever dengue infection. So, this is the time to get rid of dengue infection and save the people from sever dengue infection. We hope that this all data about dengue infection and distribution of dengue infection according to districts of Karachi city will be helpful in elimination of dengue infection.

Most important thing in any viral infection is the management i.e. identification and characterization of causative agent. If we identify and characterize viral disease then, it becomes easy to design strategy for elimination of that disease from the community or environment. This was the reason why we evaluated the immunofluorescent technique and one step multiplex real time RT PCR because they gave us very rapid results. One step multiplex real time RT PCR is very rapid, specific and sensitive method, as well as

immunofluorescent technique is also a very rapid and easy, these techniques are useful at both research and diagnostic level and by using these techniques we may easily typify the dengue virus and will help to determine further measures to eliminate dengue virus and related infections from our community or environment.

The results of this study shows that both immunofluorescence technique as well as one step multiplex Real Time RT PCR are efficient and rapid techniques for diagnosis and for research purpose and the immunofluorescent technique is very beneficial if it would be fully established in local setting and along these finding we also found by using immunofluorescent technique, one step multiplex Real Time RT PCR and agarose gel electrophoresis that the major dengue virus infections in year 2012 was of dengue serotype 4, while dengue serotype 2 and dengue serotype 3 were present in very small percentage. Geographically dominating dengue serotype 4 was present in most of the district of Karachi city while, dengue serotype 2 and dengue serotype 3 were also present in almost all district of Karachi city. It is an alarming situation for coming years because, it may be possible that in next monsoon season all dengue serotype1-4 will be circulating and an outbreak will happen which may cause co-infections with more severity so before the monsoon season we should take some measures for elimination of dengue infection and prevents the lives from severe dengue infection. This result may be of help in eliminating dengue infection in the next coming years.

Our study provides very beneficial information on immunofluorescent technique for the diagnosis and research purpose, and its use for diagnosis of dengue and on the basis of this study we suggests that this technique will be very helpful in future in many ways. And by using both techniques the data we found will be helpful for the further epidemiological study and our study will also be helpful in elimination of dengue virus infection from our community by making different strategies and management for dengue infection and it may also be helpful in future work on vaccine preparation.

V. ACKNOWLEDGEMENT

The authors are thankful to all the hospitals and Diagnostic laboratories from where the specimens were collected, and also thankful to the administration of JUW for their moral and financial support throughout the study.

REFERENCES RÉFÉRENCES REFERENCIAS

1. Mar'la G. Guzman, Gustavo Kour', 2004. Dengue Diagnosis, Advances and Challenges, International Journal of Infectious Diseases 8, 69-80.
2. Philippe Dussart, Bhety Labeau, Gise`Le Lagathu, Philippe Louis, Marcio R. T. Nunes, Sueli G. Rodrigues, Ce'Cile Storck-Herrmann, Raymond Cesaire, Jacques Morvan, Marie Flamand, and Laurence Baril, 2006. Evaluation of an Enzyme Immunoassay for Detection of Dengue Virus Ns1 Antigen in Human Serum, Clinical And Vaccine Immunology. Nov, P. 1185-1189.
3. Gubler, D. J. 1998. Dengue and dengue hemorrhagic fever. Clin. Microbiol. Rev. 11:480- 96.
4. Robert S. Lanciotti, Charles H. Calisher, Duane J. Gubler, Gwong-Jen Chang, and Vance Vorndam, 1992, Rapid Detection and Typing of Dengue Viruses from Clinical Samples By Using Reverse Transcriptase-Polymerase Chain Reaction, Journal Of Clinical Microbiology, Mar. P. 545-551.
5. Muhammad Mehmood Riaz, Khalid Mumtaz, Muhammad Shoaib Khan, Junaid Patel, Muhammad Tariq, Harith Hilal, Shaheryar Ahmed Siddiqui, Farrukh Shezad, 2009. Outbreak of Dengue Fever in Karachi 2006: A Clinical Perspective, J Pak Med Assoc, June. Vol. 59, No. 6.
6. Aysha Almas, Om Parkash and Jaweed Akhter, 2010, Clinical Factors Associated With Mortality in Dengue Infection At A Tertiary Care Center, Southeast Asian J Trop Med Public, Mar.Vol 41 No. 2.
7. Qureshi JA, Notta NJ, Salahuddin N, Zaman V, Khan JA.1997. An epidemic of Dengue fever in Karachi. Associated clinical manifestations. J Pak Med Assoc; 47: 178-81.
8. Shazia T. Hakim, Syed M. Tayyab, Shams U. Qasmi, Sayyada G. Nadeem, 2011. An Experience with Dengue in Pakistan: An Expanding Problem, Ibmossina J Med BS, 3(1):3-8.
9. Rafei UM, 1999. Prevention and control of Dengue and Dengue haemorrhagic fever-Comprehensive guidelines. World Health Organization- South-East Asia Regional Office.
10. Han-Chung Wu, Yue-Ling Huang, Ting-Ting Chao, Jia-Tsong Jan, Jau-Ling Huang, Hsien-Yuan Chiang, Chwan-Chuen King, and Men-Fang Shiao. 2001. Identification of B-Cell Epitope of Dengue Virus Type 1 and Its Application In Diagnosis of Patients, Journal of Clinical Microbiology, Mar. P. 977-982.
11. Pei-Yun Shu and Jyh-Hsiunguang, 2004, Current Advances in Dengue Diagnosis, Clinical and Diagnostic Laboratory Immunology, and July. p. 642-650
12. Duane J. Gubler, 1998. Dengue and Dengue Hemorrhagic Fever, Clinical Microbiolog Reviews, July. p. 480-496.
13. Philippe Buchy, Sutee Yoksan, Rosanna W. Peeling, Elizabeth Hunsperger, 2006. Laboratory Tests for The Diagnosis of Dengue Virus Infection z, Full text source Scientific Working Group, Report on Dengue, Oct Geneva, 1-5.

14. Sirichan Chunhakan, Punnee Butthep, Sutee Yoksan, Kanchana Tangnararatch and Ampaiwan Chuansumrit, 2009. Early Diagnosis of Dengue Virus Infection by Detection of Dengue Viral Antigen in Peripheral Blood Mononuclear Cell, the Pediatric Infectious Disease Journal. Dec Vol. 28, No 12.
15. Quantification of Dengue Virus subtypes 1, 2, 3 and 4 genomes. Gene sig Standard kit handbook HB10.02.04.
16. Anna P. Durbin, Ruth A. Karron, Wellington Sun, David W. Vaughn, Mary J. Reynolds, John R. Perreault, Bhavin Thumar, Ruhe Men, Ching-Juh Lai, William R. Elkins, Robert M. Chanock, Brian R. Murphy, And Stephen S. White head, 2001 Attenuation And Immunogenicity In Humans of A Live Dengue Virus Type-4 Vaccine Candidate With A 30 Nucleotide Deletion In Its 3' - Untranslated Region, Am. J. Trop. Med. Hyg., 65(5), Pp. 405–413.
17. Ching- Juh Lai, Bangti Zhao, Hiroyuki Hori, and Michael Bray, 1991. Infectious RNA Transcribed From Stably Cloned Full-Length Cdna of Dengue Type 4 Virus, Proc. Nati. Acad. Sci. Usa, June Pp. 5139-5143,
18. Stephanie Polo, Gary Ketner, Robin Levis, and Barry Falgout. 1997, Infectious Rna Transcripts From Full-Length Dengue Virus Type 2 Cdna Clones Made in Yeast, Journal of Virology, July. P. 5366–5374.
19. Lewis Markoff, Xiaou Pang, Huo-shu Houg, Barry Falgout, Raymond Olsen, Estella Jones, and Stephanie Polo. 2002, Derivation and Characterization of a Dengue Type 1 Host Range-Restricted Mutant Virus That Is Attenuated And Highly Immunogenic In Monkeys, Journal of Virology, Apr. p. 3318–3328.
20. Joseph E. Blaney Jr, Joseph E. Blaney Jr., Christopher T. Hanson, Cai-Yen Firestone, Kathryn A. Hanley, Brian R. Murphy, and Stephen S. Whitehead, 2004. Genetically Modified, Live Attenuated Dengue Virus Type 3 Vaccine Candidates, Am. J. Trop. Med. Hyg., 71(6), Pp. 811– 821.
21. Zhijun Bai, Licheng Liu, Zeng Tu, Lisi Yao, Jianwei Liu, Bing Xu, Boheng Tang Jinhua Liu, Yongji Wan, Meiyu Fang and Weijun Chen, 2008. Real-Time Pcr For Detecting Circulating Dengue Virus in The Guangdong Province of China in 2006, Journal of Medical Microbiology, 57, 1547–1552.
22. Muhammad Idrees, Waqar Hussain, Habib ur Rehman, Ghias un Nabbi Tayyab, Samia Afzal, Zareen Fatima, Madiha Akram, Syed M. Raza, Liaqat Ali, Abrar Hussain, Iram Amin, Muhammad Shahid, Bushra Khubaib, Sana Saleem, Bilal Nasir, Asfand Tariq, Muhammad Wasim, Muhammad Waqar, 2012. Dengue Virus Serotype 2 (DEN-2): the Causative Agent of 2011- Dengue Epidemic in Pakistan, Am. J. Biomed. Sci. 4 (4), 307- 315.

Table 1 : Collection and area wise distribution of serum samples

Hospital/Laboratories Name	District of Karachi	No. of Samples (100%)
Dow University of Health Sciences (DUHS)	District East	17 serum samples (19%)
Imam Clinic	District Central	28 serum samples (31.81%)
Memon Medical Institute (MMI)	District East	20 serum samples and 03 whole blood samples (26.13%)
Essa Laboratory And Diagnostic Centre	District Central	20 serum samples (22.72%)

Table 2 : Distribution and Percentage of Dengue Serotypes

Total no. of Samples	Negative Serum Samples	Positive Serum Samples			
		Den type 1	Den type 2	Den type 3	Den type 4
85 serum samples (100%)	0 (0%)	0 (0%)	9 (10%)	5 (6%)	71 (84%)

Table 3 : Immunofluorescence Positive Blood Specimens

Total no of samples	Negative serum samples	Positive serum samples			
		DEN-1	DEN-2	DEN-3	DEN-4
03 Blood Samples (100%)	0 (0%)	0 (0%)	03 (100%)	0 (0%)	0 (0%)




Figure 1 : Pie Chart Showing District Wise Collection of Serum and Blood Samples




Figure 2 : Agarose gel electrophoresis shows DEN 4 cDNA bands 1,500-2,000 bps




Figure 3 : Agarose gel electrophoresis showing DEN 2 and DEN 3 cDNA bands 2,500 bps-3,000 bps and 2,000 bps respectively

This page is intentionally left blank



GLOBAL JOURNAL OF SCIENCE FRONTIER RESEARCH
INTERDISCIPLINARY

Volume 13 Issue 1 Version 1.0 Year 2013

Type : Double Blind Peer Reviewed International Research Journal

Publisher: Global Journals Inc. (USA)

Online ISSN: 2249-4626 & Print ISSN: 0975-5896

Submassive Pulmonary Embolism - A 'Watch-And-Wait' Strategy with Anticoagulation Alone or Advanced Therapy with Thrombolysis

By Daniel Bogdanov Petrov, Emilian Iliev Gagov & Maria Hristova Milanova

Pirogov Emergency Hospital, Bulgaria

Abstract - A 65-year old man, presented with syncope and dyspnea. On examination he was tachypneic, hypoxemic, normotensive, with elevated D-dimer and cardiac troponin. ECG showed sinus tachycardia $S_1Q_3T_3$ syndrome and echocardiography revealed right ventricular dysfunction. Urgent computed tomograph angiograms showed bilateral pulmonary embolism. After treatment with intravenous tpA the patient's status improved and echocardiogram showed decreasing of the right ventricular systolic pressure.

The most widely accepted indication for thrombolytic therapy is proven pulmonary embolism with cardiogenic shock; therapy is also frequently considered when a patient presents with systemic hypotension without shock. The use of thrombolysis in submassive embolism – that is pulmonary embolism causing right ventricular (RV) dilatation and hypokinesis with systemic hypotension – is debated.¹

Keywords : submassive pulmonary embolism, thrombolysis, advanced therapy.

GJSFR-E Classification : FOR Code: 110305



SUBMASSIVE PULMONARY EMBOLISM A WATCH-AND-WAIT STRATEGY WITH ANTICOAGULATION ALONE OR ADVANCED THERAPY WITH THROMBOLYSIS

Strictly as per the compliance and regulations of :



RESEARCH | DIVERSITY | ETHICS

Submassive Pulmonary Embolism – A ‘Watch-And-Wait’ Strategy with Anticoagulation Alone or Advanced Therapy with Thrombolysis

Daniel Bogdanov Petrov ^α, Emilian Iliev Gagov ^σ & Maria Hristova Milanova ^ρ

Abstract - A 65-year old man, presented with syncope and dyspnea. On examination he was tachypneic, hypoxemic, normotensive, with elevated D-dimer and cardiac troponin. ECG showed sinus tachycardia S₁Q₃T₃ syndrome and echocardiography revealed right ventricular dysfunction. Urgent computed tomograph angiograms showed bilateral pulmonary embolism. After treatment with intravenous tpA the patient's status improved and echocardiogram showed decreasing of the right ventricular systolic pressure.

The most widely accepted indication for thrombotic therapy is proven pulmonary embolism with cardiogenic shock; therapy is also frequently considered when a patient presents with systemic hypotension without shock. The use of thrombolysis in submassive embolism – that is pulmonary embolism causing right ventricular (RV) dilatation and hypokinesia with systemic hypotension – is debated.¹

The purpose of the study was to demonstrate a case of submassive pulmonary embolism who had an excellent clinical electrocardiographic and echocardiographic response to fibrinolysis.

Keywords : submassive pulmonary embolism, thrombolysis, advanced therapy.

I. CASE REPORT

A 65-year-old man, with a history of recent hospitalization for orthopedic surgery, presented with exertional syncope and progressively worsening dyspnea. On examination he was tachypneic (28 breaths per minute), hypoxemic (oxygen saturation 85 on room air), with heart rate of 115 beats per minute and blood pressure of 130/75 mmHg. The neck vein was distended, there was no heart murmur and the lungs were clear on auscultation. Laboratory evaluation was remarkable for D-dimer 2110 ng/ml (normal < 234 ng/ml) and a cardiac troponin level of 1,7 ng/ml (normal < 0,06 ng/ml). The electrocardiogram (ECG) revealed sinus tachycardia with a rate of 115 per minute, a deep S wave in lead I, a Q wave and inverted T wave in lead III (S₁Q₃T₃ syndrome) and a subtle ST elevation in leads aVR and V₁ [Fig. 1]. Transthoracic echocardiography revealed right ventricular dilatation and hypokinesia with

moderate tricuspid regurgitation and an estimated right ventricular systolic pressure of 65 mmHg. Doppler studies of the legs showed bilateral proximal deep venous thrombosis, making the diagnosis of pulmonary embolism likely. Urgent contrast-enhanced computed tomograph angiograms [Fig.2] showed bilateral pulmonary embolism. After screening for contraindication to fibrinolysis was performed, the decision was made to proceed with thrombolysis into low risk of bleeding and increased risk of death. 100 mg of tissue plasminogen activator (tpA) was administered over a 2-hour period, and after completion of the fibrinolysis, unfractionated heparin was started without a bolus as a “bridge” to anticoagulation with warfarin. After treatment with intravenous tpA, the patient's respiratory status dramatically improved over a period of several hours, the S wave in lead I and the ST elevation in leads aVR and V₁ on the ECG disappeared and the heart rate slowed down to 78 beats per minute [Fig. 3]. Repeated echocardiography showed that the right ventricular systolic pressure decreased to 35 mmHg. On follow-up, 4 weeks later, the patient's condition was good and the echocardiogram documented normal right ventricular size and function.

II. DISCUSSION

Submassive pulmonary embolism (PE) defines patients who appear hemodynamically stable on admission, but have evidence of right ventricular (RV) dysfunction. This group of patients can be identified by the presence of RV dysfunction detected on physical examination, cardiac biomarkers, ECG, echocardiography and chest CT.

The decision to administer a fibrinolytic agent in addition to heparin anticoagulation requires individualized assessment of the balance of benefits versus risk. Potential benefits include more rapid resolution of symptoms, stabilization of respiratory and cardiovascular function without need for mechanical ventilation or vasopressor support, reduction of RV damage, improved exercise tolerance, prevention of PE recurrence and increased probability of survival. Potential harm includes disabling of fatal haemorrhage, including intracerebral haemorrhage and increased risk of minor haemorrhage, resulting in prolongation of

Author α : MD, F.E.S.C., Department of Cardiology “Pirogov” Emergency Hospital 21 Tottleben Ave. Sofia 1606, Bulgaria.

E-mail : dpetrov@techno-link.com

Author σ : MD, Department of Cardiology “Pirogov” Emergency Hospital 21 Tottleben Ave. Sofia 1606, Bulgaria.

Author ρ : MD, PhD, Department of Cardiology “Pirogov” Emergency Hospital 21 Tottleben Ave. Sofia 1606, Bulgaria.

hospitalisation and need for blood product replacement. Fibrinolysis is most successful when administered within several days of acute PE. Although the efficacy of fibrinolysis is inversely proportional to the duration of symptoms, effective thrombolysis can be observed up to two weeks after an acute event.

Thrombolysis is indicated in the case of patients with PE who have arterial hypotension or are in shock. In contrast, the benefits of thrombolysis normotensive patients with acute PE are less well established. Results from randomised trials suggested that selected patients with evidence of RV dysfunction and a low risk of bleeding may benefit from early fibrinolysis.^{2,3} The decision to select thrombolysis for submassive PE or to maintain anticoagulation alone must be individualized because of paucity of trials to help guide management. On the other hand, some authors conclude that there is no scientific support for thrombolytic therapy in this case.⁴ In our patient the dilemma was whether the normotensive patient with RV dysfunction, as detected on echocardiogram and CT scan, and with evidence of myocardial injury, as indicated by a positive troponin test, may benefit from early thrombolytic treatment.

After completion of fibrinolysis, the patient's respiratory status and gas-exchange derangements improved over a period of several hours. The ECG returned to normal and the echocardiogram revealed decreasing of the RV systolic pressure.

III. CONCLUSION

The normotensive patients with acute PE and evidence of RV dysfunction may benefit from early thrombolysis.

IV. FIGURE LEGENDS




Figure 1 : The ECG on admission shows sinus tachycardia with a rate of 115, a deep S wave in lead I, a Q wave and inverted T wave in lead III ($S_1Q_3T_3$ syndrome) and a subtle ST elevation in leads aVR and V_1




Figure 2 : Multidetector spiral computer tomogram showing bilateral defects (arrows) in the pulmonary artery




Figure 3 : The ECG performed after completion of fibrinolysis revealed disappearance of S wave in lead I and the ST elevation in leads aVR, V_1 and slowing down of the heart rate to 78

REFERENCES RÉFÉRENCES REFERENCIAS

1. Goldhaber SZ. Thrombolytic therapy for patients with pulmonary embolism who are hemodynamically stable but have right ventricular dysfunction: pro. Arch Intern Med 2005; 165:2197-9
2. Konstantinides S, Geibel A, Heusel G, Heinrich F, Kassper W. Heparin plus alteplase compared with heparin alone in patients with submassive pulmonary embolism. N Engl J Med 2002; 347:1143-50
3. Kearon C, Kahn SR, Agnelli G, Goldhaber SZ, Raskob GE, Comerota AJ. Antithrombotic therapy for venous thromboembolic disease: American College of Chest Physicians evidence-based clinical practice guidelines (8th edition). Chest 2008; 133:454S-545S
4. Ramakrishnan N. Thrombolysis is not warranted in submassive pulmonary embolism: a systematic review and meta-analysis. Critical Care and Resuscitation Journal 20008. 9:357

GLOBAL JOURNALS INC. (US) GUIDELINES HANDBOOK 2013

WWW.GLOBALJOURNALS.ORG

FELLOWS

FELLOW OF ASSOCIATION OF RESEARCH SOCIETY IN SCIENCE (FARSS)

- 'FARSS' title will be awarded to the person after approval of Editor-in-Chief and Editorial Board. The title 'FARSS' can be added to name in the following manner. eg. Dr. John E. Hall, Ph.D., FARSS or William Walldroff Ph. D., M.S., FARSS
- Being FARSS is a respectful honor. It authenticates your research activities. After becoming FARSS, you can use 'FARSS' title as you use your degree in suffix of your name. This will definitely will enhance and add up your name. You can use it on your Career Counseling Materials/CV/Resume/Visiting Card/Name Plate etc.
- 60% Discount will be provided to FARSS members for publishing research papers in Global Journals Inc., if our Editorial Board and Peer Reviewers accept the paper. For the life time, if you are author/co-author of any paper bill sent to you will automatically be discounted one by 60%
- FARSS will be given a renowned, secure, free professional email address with 100 GB of space eg.johnhall@globaljournals.org. You will be facilitated with Webmail, SpamAssassin, Email Forwarders, Auto-Responders, Email Delivery Route tracing, etc.
- FARSS member is eligible to become paid peer reviewer at Global Journals Inc. to earn up to 15% of realized author charges taken from author of respective paper. After reviewing 5 or more papers you can request to transfer the amount to your bank account or to your PayPal account.
- Eg. If we had taken 420 USD from author, we can send 63 USD to your account.
- FARSS member can apply for free approval, grading and certification of some of their Educational and Institutional Degrees from Global Journals Inc. (US) and Open Association of Research,Society U.S.A.
- After you are FARSS. You can send us scanned copy of all of your documents. We will verify, grade and certify them within a month. It will be based on your academic records, quality of research papers published by you, and 50 more criteria. This is beneficial for your job interviews as recruiting organization need not just rely on you for authenticity and your unknown qualities, you would have authentic ranks of all of your documents. Our scale is unique worldwide.
- FARSS member can proceed to get benefits of free research podcasting in Global Research Radio with their research documents, slides and online movies.
- After your publication anywhere in the world, you can upload you research paper with your recorded voice or you can use our professional RJs to record your paper their voice. We can also stream your conference videos and display your slides online.
- FARSS will be eligible for free application of Standardization of their Researches by Open Scientific Standards. Standardization is next step and level after publishing in a journal. A team of research and professional will work with you to take your research to its next level, which is worldwide open standardization.

- FARSS is eligible to earn from their researches: While publishing his paper with Global Journals Inc. (US), FARSS can decide whether he/she would like to publish his/her research in closed manner. When readers will buy that individual research paper for reading, 80% of its earning by Global Journals Inc. (US) will be transferred to FARSS member's bank account after certain threshold balance. There is no time limit for collection. FARSS member can decide its price and we can help in decision.

MEMBER OF ASSOCIATION OF RESEARCH SOCIETY IN SCIENCE (MARSS)

- 'MARSS' title will be awarded to the person after approval of Editor-in-Chief and Editorial Board. The title 'MARSS' can be added to name in the following manner. eg. Dr. John E. Hall, Ph.D., MARSS or William Walldroff Ph. D., M.S., MARSS
- Being MARSS is a respectful honor. It authenticates your research activities. After becoming MARSS, you can use 'MARSS' title as you use your degree in suffix of your name. This will definitely will enhance and add up your name. You can use it on your Career Counseling Materials/CV/Resume/Visiting Card/Name Plate etc.
- 40% Discount will be provided to MARSS members for publishing research papers in Global Journals Inc., if our Editorial Board and Peer Reviewers accept the paper. For the life time, if you are author/co-author of any paper bill sent to you will automatically be discounted one by 60%
- MARSS will be given a renowned, secure, free professional email address with 30 GB of space eg.johnhall@globaljournals.org. You will be facilitated with Webmail, SpamAssassin, Email Forwarders, Auto-Responders, Email Delivery Route tracing, etc.
- MARSS member is eligible to become paid peer reviewer at Global Journals Inc. to earn up to 10% of realized author charges taken from author of respective paper. After reviewing 5 or more papers you can request to transfer the amount to your bank account or to your PayPal account.
- MARSS member can apply for free approval, grading and certification of some of their Educational and Institutional Degrees from Global Journals Inc. (US) and Open Association of Research,Society U.S.A.
- MARSS is eligible to earn from their researches: While publishing his paper with Global Journals Inc. (US), MARSS can decide whether he/she would like to publish his/her research in closed manner. When readers will buy that individual research paper for reading, 40% of its earning by Global Journals Inc. (US) will be transferred to MARSS member's bank account after certain threshold balance. There is no time limit for collection. MARSS member can decide its price and we can help in decision.

AUXILIARY MEMBERSHIPS

ANNUAL MEMBER

- Annual Member will be authorized to receive e-Journal GJSFR for one year (subscription for one year).
- The member will be allotted free 1 GB Web-space along with subDomain to contribute and participate in our activities.
- A professional email address will be allotted free 500 MB email space.

PAPER PUBLICATION

- The members can publish paper once. The paper will be sent to two-peer reviewer. The paper will be published after the acceptance of peer reviewers and Editorial Board.



PROCESS OF SUBMISSION OF RESEARCH PAPER

The Area or field of specialization may or may not be of any category as mentioned in 'Scope of Journal' menu of the GlobalJournals.org website. There are 37 Research Journal categorized with Six parental Journals GJCST, GJMR, GJRE, GJMBR, GJSFR, GJHSS. For Authors should prefer the mentioned categories. There are three widely used systems UDC, DDC and LCC. The details are available as 'Knowledge Abstract' at Home page. The major advantage of this coding is that, the research work will be exposed to and shared with all over the world as we are being abstracted and indexed worldwide.

The paper should be in proper format. The format can be downloaded from first page of 'Author Guideline' Menu. The Author is expected to follow the general rules as mentioned in this menu. The paper should be written in MS-Word Format (*.DOC,*.DOCX).

The Author can submit the paper either online or offline. The authors should prefer online submission.Online Submission: There are three ways to submit your paper:

(A) (I) First, register yourself using top right corner of Home page then Login. If you are already registered, then login using your username and password.

(II) Choose corresponding Journal.

(III) Click 'Submit Manuscript'. Fill required information and Upload the paper.

(B) If you are using Internet Explorer, then Direct Submission through Homepage is also available.

(C) If these two are not convenient, and then email the paper directly to dean@globaljournals.org.

Offline Submission: Author can send the typed form of paper by Post. However, online submission should be preferred.



PREFERRED AUTHOR GUIDELINES

MANUSCRIPT STYLE INSTRUCTION (Must be strictly followed)

Page Size: 8.27" X 11"

- Left Margin: 0.65
- Right Margin: 0.65
- Top Margin: 0.75
- Bottom Margin: 0.75
- Font type of all text should be Swis 721 Lt BT.
- Paper Title should be of Font Size 24 with one Column section.
- Author Name in Font Size of 11 with one column as of Title.
- Abstract Font size of 9 Bold, "Abstract" word in Italic Bold.
- Main Text: Font size 10 with justified two columns section
- Two Column with Equal Column with of 3.38 and Gaping of .2
- First Character must be three lines Drop capped.
- Paragraph before Spacing of 1 pt and After of 0 pt.
- Line Spacing of 1 pt
- Large Images must be in One Column
- Numbering of First Main Headings (Heading 1) must be in Roman Letters, Capital Letter, and Font Size of 10.
- Numbering of Second Main Headings (Heading 2) must be in Alphabets, Italic, and Font Size of 10.

You can use your own standard format also.

Author Guidelines:

1. General,
2. Ethical Guidelines,
3. Submission of Manuscripts,
4. Manuscript's Category,
5. Structure and Format of Manuscript,
6. After Acceptance.

1. GENERAL

Before submitting your research paper, one is advised to go through the details as mentioned in following heads. It will be beneficial, while peer reviewer justify your paper for publication.

Scope

The Global Journals Inc. (US) welcome the submission of original paper, review paper, survey article relevant to the all the streams of Philosophy and knowledge. The Global Journals Inc. (US) is parental platform for Global Journal of Computer Science and Technology, Researches in Engineering, Medical Research, Science Frontier Research, Human Social Science, Management, and Business organization. The choice of specific field can be done otherwise as following in Abstracting and Indexing Page on this Website. As the all Global

Journals Inc. (US) are being abstracted and indexed (in process) by most of the reputed organizations. Topics of only narrow interest will not be accepted unless they have wider potential or consequences.

2. ETHICAL GUIDELINES

Authors should follow the ethical guidelines as mentioned below for publication of research paper and research activities.

Papers are accepted on strict understanding that the material in whole or in part has not been, nor is being, considered for publication elsewhere. If the paper once accepted by Global Journals Inc. (US) and Editorial Board, will become the copyright of the Global Journals Inc. (US).

Authorship: The authors and coauthors should have active contribution to conception design, analysis and interpretation of findings. They should critically review the contents and drafting of the paper. All should approve the final version of the paper before submission

The Global Journals Inc. (US) follows the definition of authorship set up by the Global Academy of Research and Development. According to the Global Academy of R&D authorship, criteria must be based on:

- 1) Substantial contributions to conception and acquisition of data, analysis and interpretation of the findings.
- 2) Drafting the paper and revising it critically regarding important academic content.
- 3) Final approval of the version of the paper to be published.

All authors should have been credited according to their appropriate contribution in research activity and preparing paper. Contributors who do not match the criteria as authors may be mentioned under Acknowledgement.

Acknowledgements: Contributors to the research other than authors credited should be mentioned under acknowledgement. The specifications of the source of funding for the research if appropriate can be included. Suppliers of resources may be mentioned along with address.

Appeal of Decision: The Editorial Board's decision on publication of the paper is final and cannot be appealed elsewhere.

Permissions: It is the author's responsibility to have prior permission if all or parts of earlier published illustrations are used in this paper.

Please mention proper reference and appropriate acknowledgements wherever expected.

If all or parts of previously published illustrations are used, permission must be taken from the copyright holder concerned. It is the author's responsibility to take these in writing.

Approval for reproduction/modification of any information (including figures and tables) published elsewhere must be obtained by the authors/copyright holders before submission of the manuscript. Contributors (Authors) are responsible for any copyright fee involved.

3. SUBMISSION OF MANUSCRIPTS

Manuscripts should be uploaded via this online submission page. The online submission is most efficient method for submission of papers, as it enables rapid distribution of manuscripts and consequently speeds up the review procedure. It also enables authors to know the status of their own manuscripts by emailing us. Complete instructions for submitting a paper is available below.

Manuscript submission is a systematic procedure and little preparation is required beyond having all parts of your manuscript in a given format and a computer with an Internet connection and a Web browser. Full help and instructions are provided on-screen. As an author, you will be prompted for login and manuscript details as Field of Paper and then to upload your manuscript file(s) according to the instructions.



To avoid postal delays, all transaction is preferred by e-mail. A finished manuscript submission is confirmed by e-mail immediately and your paper enters the editorial process with no postal delays. When a conclusion is made about the publication of your paper by our Editorial Board, revisions can be submitted online with the same procedure, with an occasion to view and respond to all comments.

Complete support for both authors and co-author is provided.

4. MANUSCRIPT'S CATEGORY

Based on potential and nature, the manuscript can be categorized under the following heads:

Original research paper: Such papers are reports of high-level significant original research work.

Review papers: These are concise, significant but helpful and decisive topics for young researchers.

Research articles: These are handled with small investigation and applications

Research letters: The letters are small and concise comments on previously published matters.

5. STRUCTURE AND FORMAT OF MANUSCRIPT

The recommended size of original research paper is less than seven thousand words, review papers fewer than seven thousands words also. Preparation of research paper or how to write research paper, are major hurdle, while writing manuscript. The research articles and research letters should be fewer than three thousand words, the structure original research paper; sometime review paper should be as follows:

Papers: These are reports of significant research (typically less than 7000 words equivalent, including tables, figures, references), and comprise:

- (a) Title should be relevant and commensurate with the theme of the paper.
- (b) A brief Summary, "Abstract" (less than 150 words) containing the major results and conclusions.
- (c) Up to ten keywords, that precisely identifies the paper's subject, purpose, and focus.
- (d) An Introduction, giving necessary background excluding subheadings; objectives must be clearly declared.
- (e) Resources and techniques with sufficient complete experimental details (wherever possible by reference) to permit repetition; sources of information must be given and numerical methods must be specified by reference, unless non-standard.
- (f) Results should be presented concisely, by well-designed tables and/or figures; the same data may not be used in both; suitable statistical data should be given. All data must be obtained with attention to numerical detail in the planning stage. As reproduced design has been recognized to be important to experiments for a considerable time, the Editor has decided that any paper that appears not to have adequate numerical treatments of the data will be returned un-refereed;
- (g) Discussion should cover the implications and consequences, not just recapitulating the results; conclusions should be summarizing.
- (h) Brief Acknowledgements.
- (i) References in the proper form.

Authors should very cautiously consider the preparation of papers to ensure that they communicate efficiently. Papers are much more likely to be accepted, if they are cautiously designed and laid out, contain few or no errors, are summarizing, and be conventional to the approach and instructions. They will in addition, be published with much less delays than those that require much technical and editorial correction.



The Editorial Board reserves the right to make literary corrections and to make suggestions to improve brevity.

It is vital, that authors take care in submitting a manuscript that is written in simple language and adheres to published guidelines.

Format

Language: The language of publication is UK English. Authors, for whom English is a second language, must have their manuscript efficiently edited by an English-speaking person before submission to make sure that, the English is of high excellence. It is preferable, that manuscripts should be professionally edited.

Standard Usage, Abbreviations, and Units: Spelling and hyphenation should be conventional to The Concise Oxford English Dictionary. Statistics and measurements should at all times be given in figures, e.g. 16 min, except for when the number begins a sentence. When the number does not refer to a unit of measurement it should be spelt in full unless, it is 160 or greater.

Abbreviations supposed to be used carefully. The abbreviated name or expression is supposed to be cited in full at first usage, followed by the conventional abbreviation in parentheses.

Metric SI units are supposed to generally be used excluding where they conflict with current practice or are confusing. For illustration, 1.4 l rather than $1.4 \times 10^{-3} \text{ m}^3$, or 4 mm somewhat than $4 \times 10^{-3} \text{ m}$. Chemical formula and solutions must identify the form used, e.g. anhydrous or hydrated, and the concentration must be in clearly defined units. Common species names should be followed by underlines at the first mention. For following use the generic name should be constricted to a single letter, if it is clear.

Structure

All manuscripts submitted to Global Journals Inc. (US), ought to include:

Title: The title page must carry an instructive title that reflects the content, a running title (less than 45 characters together with spaces), names of the authors and co-authors, and the place(s) wherever the work was carried out. The full postal address in addition with the e-mail address of related author must be given. Up to eleven keywords or very brief phrases have to be given to help data retrieval, mining and indexing.

Abstract, used in Original Papers and Reviews:

Optimizing Abstract for Search Engines

Many researchers searching for information online will use search engines such as Google, Yahoo or similar. By optimizing your paper for search engines, you will amplify the chance of someone finding it. This in turn will make it more likely to be viewed and/or cited in a further work. Global Journals Inc. (US) have compiled these guidelines to facilitate you to maximize the web-friendliness of the most public part of your paper.

Key Words

A major linchpin in research work for the writing research paper is the keyword search, which one will employ to find both library and Internet resources.

One must be persistent and creative in using keywords. An effective keyword search requires a strategy and planning a list of possible keywords and phrases to try.

Search engines for most searches, use Boolean searching, which is somewhat different from Internet searches. The Boolean search uses "operators," words (and, or, not, and near) that enable you to expand or narrow your affords. Tips for research paper while preparing research paper are very helpful guideline of research paper.

Choice of key words is first tool of tips to write research paper. Research paper writing is an art. A few tips for deciding as strategically as possible about keyword search:



- One should start brainstorming lists of possible keywords before even begin searching. Think about the most important concepts related to research work. Ask, "What words would a source have to include to be truly valuable in research paper?" Then consider synonyms for the important words.
- It may take the discovery of only one relevant paper to let steer in the right keyword direction because in most databases, the keywords under which a research paper is abstracted are listed with the paper.
- One should avoid outdated words.

Keywords are the key that opens a door to research work sources. Keyword searching is an art in which researcher's skills are bound to improve with experience and time.

Numerical Methods: Numerical methods used should be clear and, where appropriate, supported by references.

Acknowledgements: Please make these as concise as possible.

References

References follow the Harvard scheme of referencing. References in the text should cite the authors' names followed by the time of their publication, unless there are three or more authors when simply the first author's name is quoted followed by et al. unpublished work has to only be cited where necessary, and only in the text. Copies of references in press in other journals have to be supplied with submitted typescripts. It is necessary that all citations and references be carefully checked before submission, as mistakes or omissions will cause delays.

References to information on the World Wide Web can be given, but only if the information is available without charge to readers on an official site. Wikipedia and Similar websites are not allowed where anyone can change the information. Authors will be asked to make available electronic copies of the cited information for inclusion on the Global Journals Inc. (US) homepage at the judgment of the Editorial Board.

The Editorial Board and Global Journals Inc. (US) recommend that, citation of online-published papers and other material should be done via a DOI (digital object identifier). If an author cites anything, which does not have a DOI, they run the risk of the cited material not being noticeable.

The Editorial Board and Global Journals Inc. (US) recommend the use of a tool such as Reference Manager for reference management and formatting.

Tables, Figures and Figure Legends

Tables: Tables should be few in number, cautiously designed, uncrowned, and include only essential data. Each must have an Arabic number, e.g. Table 4, a self-explanatory caption and be on a separate sheet. Vertical lines should not be used.

Figures: Figures are supposed to be submitted as separate files. Always take in a citation in the text for each figure using Arabic numbers, e.g. Fig. 4. Artwork must be submitted online in electronic form by e-mailing them.

Preparation of Electronic Figures for Publication

Even though low quality images are sufficient for review purposes, print publication requires high quality images to prevent the final product being blurred or fuzzy. Submit (or e-mail) EPS (line art) or TIFF (halftone/photographs) files only. MS PowerPoint and Word Graphics are unsuitable for printed pictures. Do not use pixel-oriented software. Scans (TIFF only) should have a resolution of at least 350 dpi (halftone) or 700 to 1100 dpi (line drawings) in relation to the imitation size. Please give the data for figures in black and white or submit a Color Work Agreement Form. EPS files must be saved with fonts embedded (and with a TIFF preview, if possible).

For scanned images, the scanning resolution (at final image size) ought to be as follows to ensure good reproduction: line art: >650 dpi; halftones (including gel photographs) : >350 dpi; figures containing both halftone and line images: >650 dpi.



Color Charges: It is the rule of the Global Journals Inc. (US) for authors to pay the full cost for the reproduction of their color artwork. Hence, please note that, if there is color artwork in your manuscript when it is accepted for publication, we would require you to complete and return a color work agreement form before your paper can be published.

Figure Legends: Self-explanatory legends of all figures should be incorporated separately under the heading 'Legends to Figures'. In the full-text online edition of the journal, figure legends may possibly be truncated in abbreviated links to the full screen version. Therefore, the first 100 characters of any legend should notify the reader, about the key aspects of the figure.

6. AFTER ACCEPTANCE

Upon approval of a paper for publication, the manuscript will be forwarded to the dean, who is responsible for the publication of the Global Journals Inc. (US).

6.1 Proof Corrections

The corresponding author will receive an e-mail alert containing a link to a website or will be attached. A working e-mail address must therefore be provided for the related author.

Acrobat Reader will be required in order to read this file. This software can be downloaded

(Free of charge) from the following website:

www.adobe.com/products/acrobat/readstep2.html. This will facilitate the file to be opened, read on screen, and printed out in order for any corrections to be added. Further instructions will be sent with the proof.

Proofs must be returned to the dean at dean@globaljournals.org within three days of receipt.

As changes to proofs are costly, we inquire that you only correct typesetting errors. All illustrations are retained by the publisher. Please note that the authors are responsible for all statements made in their work, including changes made by the copy editor.

6.2 Early View of Global Journals Inc. (US) (Publication Prior to Print)

The Global Journals Inc. (US) are enclosed by our publishing's Early View service. Early View articles are complete full-text articles sent in advance of their publication. Early View articles are absolute and final. They have been completely reviewed, revised and edited for publication, and the authors' final corrections have been incorporated. Because they are in final form, no changes can be made after sending them. The nature of Early View articles means that they do not yet have volume, issue or page numbers, so Early View articles cannot be cited in the conventional way.

6.3 Author Services

Online production tracking is available for your article through Author Services. Author Services enables authors to track their article - once it has been accepted - through the production process to publication online and in print. Authors can check the status of their articles online and choose to receive automated e-mails at key stages of production. The authors will receive an e-mail with a unique link that enables them to register and have their article automatically added to the system. Please ensure that a complete e-mail address is provided when submitting the manuscript.

6.4 Author Material Archive Policy

Please note that if not specifically requested, publisher will dispose off hardcopy & electronic information submitted, after the two months of publication. If you require the return of any information submitted, please inform the Editorial Board or dean as soon as possible.

6.5 Offprint and Extra Copies

A PDF offprint of the online-published article will be provided free of charge to the related author, and may be distributed according to the Publisher's terms and conditions. Additional paper offprint may be ordered by emailing us at: editor@globaljournals.org.



Before start writing a good quality Computer Science Research Paper, let us first understand what is Computer Science Research Paper? So, Computer Science Research Paper is the paper which is written by professionals or scientists who are associated to Computer Science and Information Technology, or doing research study in these areas. If you are novel to this field then you can consult about this field from your supervisor or guide.

TECHNIQUES FOR WRITING A GOOD QUALITY RESEARCH PAPER:

1. Choosing the topic: In most cases, the topic is searched by the interest of author but it can be also suggested by the guides. You can have several topics and then you can judge that in which topic or subject you are finding yourself most comfortable. This can be done by asking several questions to yourself, like Will I be able to carry our search in this area? Will I find all necessary recourses to accomplish the search? Will I be able to find all information in this field area? If the answer of these types of questions will be "Yes" then you can choose that topic. In most of the cases, you may have to conduct the surveys and have to visit several places because this field is related to Computer Science and Information Technology. Also, you may have to do a lot of work to find all rise and falls regarding the various data of that subject. Sometimes, detailed information plays a vital role, instead of short information.

2. Evaluators are human: First thing to remember that evaluators are also human being. They are not only meant for rejecting a paper. They are here to evaluate your paper. So, present your Best.

3. Think Like Evaluators: If you are in a confusion or getting demotivated that your paper will be accepted by evaluators or not, then think and try to evaluate your paper like an Evaluator. Try to understand that what an evaluator wants in your research paper and automatically you will have your answer.

4. Make blueprints of paper: The outline is the plan or framework that will help you to arrange your thoughts. It will make your paper logical. But remember that all points of your outline must be related to the topic you have chosen.

5. Ask your Guides: If you are having any difficulty in your research, then do not hesitate to share your difficulty to your guide (if you have any). They will surely help you out and resolve your doubts. If you can't clarify what exactly you require for your work then ask the supervisor to help you with the alternative. He might also provide you the list of essential readings.

6. Use of computer is recommended: As you are doing research in the field of Computer Science, then this point is quite obvious.

7. Use right software: Always use good quality software packages. If you are not capable to judge good software then you can lose quality of your paper unknowingly. There are various software programs available to help you, which you can get through Internet.

8. Use the Internet for help: An excellent start for your paper can be by using the Google. It is an excellent search engine, where you can have your doubts resolved. You may also read some answers for the frequent question how to write my research paper or find model research paper. From the internet library you can download books. If you have all required books make important reading selecting and analyzing the specified information. Then put together research paper sketch out.

9. Use and get big pictures: Always use encyclopedias, Wikipedia to get pictures so that you can go into the depth.

10. Bookmarks are useful: When you read any book or magazine, you generally use bookmarks, right! It is a good habit, which helps to not to lose your continuity. You should always use bookmarks while searching on Internet also, which will make your search easier.

11. Revise what you wrote: When you write anything, always read it, summarize it and then finalize it.



12. Make all efforts: Make all efforts to mention what you are going to write in your paper. That means always have a good start. Try to mention everything in introduction, that what is the need of a particular research paper. Polish your work by good skill of writing and always give an evaluator, what he wants.

13. Have backups: When you are going to do any important thing like making research paper, you should always have backup copies of it either in your computer or in paper. This will help you to not to lose any of your important.

14. Produce good diagrams of your own: Always try to include good charts or diagrams in your paper to improve quality. Using several and unnecessary diagrams will degrade the quality of your paper by creating "hotchpotch." So always, try to make and include those diagrams, which are made by your own to improve readability and understandability of your paper.

15. Use of direct quotes: When you do research relevant to literature, history or current affairs then use of quotes become essential but if study is relevant to science then use of quotes is not preferable.

16. Use proper verb tense: Use proper verb tenses in your paper. Use past tense, to present those events that happened. Use present tense to indicate events that are going on. Use future tense to indicate future happening events. Use of improper and wrong tenses will confuse the evaluator. Avoid the sentences that are incomplete.

17. Never use online paper: If you are getting any paper on Internet, then never use it as your research paper because it might be possible that evaluator has already seen it or maybe it is outdated version.

18. Pick a good study spot: To do your research studies always try to pick a spot, which is quiet. Every spot is not for studies. Spot that suits you choose it and proceed further.

19. Know what you know: Always try to know, what you know by making objectives. Else, you will be confused and cannot achieve your target.

20. Use good quality grammar: Always use a good quality grammar and use words that will throw positive impact on evaluator. Use of good quality grammar does not mean to use tough words, that for each word the evaluator has to go through dictionary. Do not start sentence with a conjunction. Do not fragment sentences. Eliminate one-word sentences. Ignore passive voice. Do not ever use a big word when a diminutive one would suffice. Verbs have to be in agreement with their subjects. Prepositions are not expressions to finish sentences with. It is incorrect to ever divide an infinitive. Avoid clichés like the disease. Also, always shun irritating alliteration. Use language that is simple and straight forward. put together a neat summary.

21. Arrangement of information: Each section of the main body should start with an opening sentence and there should be a changeover at the end of the section. Give only valid and powerful arguments to your topic. You may also maintain your arguments with records.

22. Never start in last minute: Always start at right time and give enough time to research work. Leaving everything to the last minute will degrade your paper and spoil your work.

23. Multitasking in research is not good: Doing several things at the same time proves bad habit in case of research activity. Research is an area, where everything has a particular time slot. Divide your research work in parts and do particular part in particular time slot.

24. Never copy others' work: Never copy others' work and give it your name because if evaluator has seen it anywhere you will be in trouble.

25. Take proper rest and food: No matter how many hours you spend for your research activity, if you are not taking care of your health then all your efforts will be in vain. For a quality research, study is must, and this can be done by taking proper rest and food.

26. Go for seminars: Attend seminars if the topic is relevant to your research area. Utilize all your resources.



27. Refresh your mind after intervals: Try to give rest to your mind by listening to soft music or by sleeping in intervals. This will also improve your memory.

28. Make colleagues: Always try to make colleagues. No matter how sharper or intelligent you are, if you make colleagues you can have several ideas, which will be helpful for your research.

29. Think technically: Always think technically. If anything happens, then search its reasons, its benefits, and demerits.

30. Think and then print: When you will go to print your paper, notice that tables are not be split, headings are not detached from their descriptions, and page sequence is maintained.

31. Adding unnecessary information: Do not add unnecessary information, like, I have used MS Excel to draw graph. Do not add irrelevant and inappropriate material. These all will create superfluous. Foreign terminology and phrases are not apropos. One should NEVER take a broad view. Analogy in script is like feathers on a snake. Not at all use a large word when a very small one would be sufficient. Use words properly, regardless of how others use them. Remove quotations. Puns are for kids, not grunt readers. Amplification is a billion times of inferior quality than sarcasm.

32. Never oversimplify everything: To add material in your research paper, never go for oversimplification. This will definitely irritate the evaluator. Be more or less specific. Also too, by no means, ever use rhythmic redundancies. Contractions aren't essential and shouldn't be there used. Comparisons are as terrible as clichés. Give up ampersands and abbreviations, and so on. Remove commas, that are, not necessary. Parenthetical words however should be together with this in commas. Understatement is all the time the complete best way to put onward earth-shaking thoughts. Give a detailed literary review.

33. Report concluded results: Use concluded results. From raw data, filter the results and then conclude your studies based on measurements and observations taken. Significant figures and appropriate number of decimal places should be used. Parenthetical remarks are prohibitive. Proofread carefully at final stage. In the end give outline to your arguments. Spot out perspectives of further study of this subject. Justify your conclusion by at the bottom of them with sufficient justifications and examples.

34. After conclusion: Once you have concluded your research, the next most important step is to present your findings. Presentation is extremely important as it is the definite medium through which your research is going to be in print to the rest of the crowd. Care should be taken to categorize your thoughts well and present them in a logical and neat manner. A good quality research paper format is essential because it serves to highlight your research paper and bring to light all necessary aspects in your research.

INFORMAL GUIDELINES OF RESEARCH PAPER WRITING

Key points to remember:

- Submit all work in its final form.
- Write your paper in the form, which is presented in the guidelines using the template.
- Please note the criterion for grading the final paper by peer-reviewers.

Final Points:

A purpose of organizing a research paper is to let people to interpret your effort selectively. The journal requires the following sections, submitted in the order listed, each section to start on a new page.

The introduction will be compiled from reference matter and will reflect the design processes or outline of basis that direct you to make study. As you will carry out the process of study, the method and process section will be constructed as like that. The result segment will show related statistics in nearly sequential order and will direct the reviewers next to the similar intellectual paths throughout the data that you took to carry out your study. The discussion section will provide understanding of the data and projections as to the implication of the results. The use of good quality references all through the paper will give the effort trustworthiness by representing an alertness of prior workings.



Writing a research paper is not an easy job no matter how trouble-free the actual research or concept. Practice, excellent preparation, and controlled record keeping are the only means to make straightforward the progression.

General style:

Specific editorial column necessities for compliance of a manuscript will always take over from directions in these general guidelines.

To make a paper clear

- Adhere to recommended page limits

Mistakes to evade

- Insertion a title at the foot of a page with the subsequent text on the next page
- Separating a table/chart or figure - impound each figure/table to a single page
- Submitting a manuscript with pages out of sequence

In every sections of your document

- Use standard writing style including articles ("a", "the," etc.)
- Keep on paying attention on the research topic of the paper
- Use paragraphs to split each significant point (excluding for the abstract)
- Align the primary line of each section
- Present your points in sound order
- Use present tense to report well accepted
- Use past tense to describe specific results
- Shun familiar wording, don't address the reviewer directly, and don't use slang, slang language, or superlatives
- Shun use of extra pictures - include only those figures essential to presenting results

Title Page:

Choose a revealing title. It should be short. It should not have non-standard acronyms or abbreviations. It should not exceed two printed lines. It should include the name(s) and address (es) of all authors.



Abstract:

The summary should be two hundred words or less. It should briefly and clearly explain the key findings reported in the manuscript-- must have precise statistics. It should not have abnormal acronyms or abbreviations. It should be logical in itself. Shun citing references at this point.

An abstract is a brief distinct paragraph summary of finished work or work in development. In a minute or less a reviewer can be taught the foundation behind the study, common approach to the problem, relevant results, and significant conclusions or new questions.

Write your summary when your paper is completed because how can you write the summary of anything which is not yet written? Wealth of terminology is very essential in abstract. Yet, use comprehensive sentences and do not let go readability for briefness. You can maintain it succinct by phrasing sentences so that they provide more than lone rationale. The author can at this moment go straight to shortening the outcome. Sum up the study, with the subsequent elements in any summary. Try to maintain the initial two items to no more than one ruling each.

- Reason of the study - theory, overall issue, purpose
- Fundamental goal
- To the point depiction of the research
- Consequences, including definite statistics - if the consequences are quantitative in nature, account quantitative data; results of any numerical analysis should be reported
- Significant conclusions or questions that track from the research(es)

Approach:

- Single section, and succinct
- As a outline of job done, it is always written in past tense
- A conceptual should situate on its own, and not submit to any other part of the paper such as a form or table
- Center on shortening results - bound background information to a verdict or two, if completely necessary
- What you account in an conceptual must be regular with what you reported in the manuscript
- Exact spelling, clearness of sentences and phrases, and appropriate reporting of quantities (proper units, important statistics) are just as significant in an abstract as they are anywhere else

Introduction:

The **Introduction** should "introduce" the manuscript. The reviewer should be presented with sufficient background information to be capable to comprehend and calculate the purpose of your study without having to submit to other works. The basis for the study should be offered. Give most important references but shun difficult to make a comprehensive appraisal of the topic. In the introduction, describe the problem visibly. If the problem is not acknowledged in a logical, reasonable way, the reviewer will have no attention in your result. Speak in common terms about techniques used to explain the problem, if needed, but do not present any particulars about the protocols here. Following approach can create a valuable beginning:

- Explain the value (significance) of the study
- Shield the model - why did you employ this particular system or method? What is its compensation? You strength remark on its appropriateness from a abstract point of vision as well as point out sensible reasons for using it.
- Present a justification. Status your particular theory (es) or aim(s), and describe the logic that led you to choose them.
- Very for a short time explain the tentative propose and how it skilled the declared objectives.

Approach:

- Use past tense except for when referring to recognized facts. After all, the manuscript will be submitted after the entire job is done.
- Sort out your thoughts; manufacture one key point with every section. If you make the four points listed above, you will need a least of four paragraphs.



- Present surroundings information only as desirable in order hold up a situation. The reviewer does not desire to read the whole thing you know about a topic.
- Shape the theory/purpose specifically - do not take a broad view.
- As always, give awareness to spelling, simplicity and correctness of sentences and phrases.

Procedures (Methods and Materials):

This part is supposed to be the easiest to carve if you have good skills. A sound written Procedures segment allows a capable scientist to replacement your results. Present precise information about your supplies. The suppliers and clarity of reagents can be helpful bits of information. Present methods in sequential order but linked methodologies can be grouped as a segment. Be concise when relating the protocols. Attempt for the least amount of information that would permit another capable scientist to spare your outcome but be cautious that vital information is integrated. The use of subheadings is suggested and ought to be synchronized with the results section. When a technique is used that has been well described in another object, mention the specific item describing a way but draw the basic principle while stating the situation. The purpose is to text all particular resources and broad procedures, so that another person may use some or all of the methods in one more study or referee the scientific value of your work. It is not to be a step by step report of the whole thing you did, nor is a methods section a set of orders.

Materials:

- Explain materials individually only if the study is so complex that it saves liberty this way.
- Embrace particular materials, and any tools or provisions that are not frequently found in laboratories.
- Do not take in frequently found.
- If use of a definite type of tools.
- Materials may be reported in a part section or else they may be recognized along with your measures.

Methods:

- Report the method (not particulars of each process that engaged the same methodology)
- Describe the method entirely
- To be succinct, present methods under headings dedicated to specific dealings or groups of measures
- Simplify - details how procedures were completed not how they were exclusively performed on a particular day.
- If well known procedures were used, account the procedure by name, possibly with reference, and that's all.

Approach:

- It is embarrassed or not possible to use vigorous voice when documenting methods with no using first person, which would focus the reviewer's interest on the researcher rather than the job. As a result when script up the methods most authors use third person passive voice.
- Use standard style in this and in every other part of the paper - avoid familiar lists, and use full sentences.

What to keep away from

- Resources and methods are not a set of information.
- Skip all descriptive information and surroundings - save it for the argument.
- Leave out information that is immaterial to a third party.

Results:

The principle of a results segment is to present and demonstrate your conclusion. Create this part a entirely objective details of the outcome, and save all understanding for the discussion.

The page length of this segment is set by the sum and types of data to be reported. Carry on to be to the point, by means of statistics and tables, if suitable, to present consequences most efficiently. You must obviously differentiate material that would usually be incorporated in a study editorial from any unprocessed data or additional appendix matter that would not be available. In fact, such matter should not be submitted at all except requested by the instructor.



Content

- Sum up your conclusion in text and demonstrate them, if suitable, with figures and tables.
- In manuscript, explain each of your consequences, point the reader to remarks that are most appropriate.
- Present a background, such as by describing the question that was addressed by creation an exacting study.
- Explain results of control experiments and comprise remarks that are not accessible in a prescribed figure or table, if appropriate.
- Examine your data, then prepare the analyzed (transformed) data in the form of a figure (graph), table, or in manuscript form.

What to stay away from

- Do not discuss or infer your outcome, report surroundings information, or try to explain anything.
- Not at all, take in raw data or intermediate calculations in a research manuscript.
- Do not present the similar data more than once.
- Manuscript should complement any figures or tables, not duplicate the identical information.
- Never confuse figures with tables - there is a difference.

Approach

- As forever, use past tense when you submit to your results, and put the whole thing in a reasonable order.
- Put figures and tables, appropriately numbered, in order at the end of the report
- If you desire, you may place your figures and tables properly within the text of your results part.

Figures and tables

- If you put figures and tables at the end of the details, make certain that they are visibly distinguished from any attach appendix materials, such as raw facts
- Despite of position, each figure must be numbered one after the other and complete with subtitle
- In spite of position, each table must be titled, numbered one after the other and complete with heading
- All figure and table must be adequately complete that it could situate on its own, divide from text

Discussion:

The Discussion is expected the trickiest segment to write and describe. A lot of papers submitted for journal are discarded based on problems with the Discussion. There is no head of state for how long a argument should be. Position your understanding of the outcome visibly to lead the reviewer through your conclusions, and then finish the paper with a summing up of the implication of the study. The purpose here is to offer an understanding of your results and hold up for all of your conclusions, using facts from your research and generally accepted information, if suitable. The implication of result should be visibly described. Infer your data in the conversation in suitable depth. This means that when you clarify an observable fact you must explain mechanisms that may account for the observation. If your results vary from your prospect, make clear why that may have happened. If your results agree, then explain the theory that the proof supported. It is never suitable to just state that the data approved with prospect, and let it drop at that.

- Make a decision if each premise is supported, discarded, or if you cannot make a conclusion with assurance. Do not just dismiss a study or part of a study as "uncertain."
- Research papers are not acknowledged if the work is imperfect. Draw what conclusions you can based upon the results that you have, and take care of the study as a finished work
- You may propose future guidelines, such as how the experiment might be personalized to accomplish a new idea.
- Give details all of your remarks as much as possible, focus on mechanisms.
- Make a decision if the tentative design sufficiently addressed the theory, and whether or not it was correctly restricted.
- Try to present substitute explanations if sensible alternatives be present.
- One research will not counter an overall question, so maintain the large picture in mind, where do you go next? The best studies unlock new avenues of study. What questions remain?
- Recommendations for detailed papers will offer supplementary suggestions.

Approach:

- When you refer to information, differentiate data generated by your own studies from available information
- Submit to work done by specific persons (including you) in past tense.
- Submit to generally acknowledged facts and main beliefs in present tense.



ADMINISTRATION RULES LISTED BEFORE SUBMITTING YOUR RESEARCH PAPER TO GLOBAL JOURNALS INC. (US)

Please carefully note down following rules and regulation before submitting your Research Paper to Global Journals Inc. (US):

Segment Draft and Final Research Paper: You have to strictly follow the template of research paper. If it is not done your paper may get rejected.

- The **major constraint** is that you must independently make all content, tables, graphs, and facts that are offered in the paper. You must write each part of the paper wholly on your own. The Peer-reviewers need to identify your own perceptive of the concepts in your own terms. NEVER extract straight from any foundation, and never rephrase someone else's analysis.
- Do not give permission to anyone else to "PROOFREAD" your manuscript.
- **Methods to avoid Plagiarism is applied by us on every paper, if found guilty, you will be blacklisted by all of our collaborated research groups, your institution will be informed for this and strict legal actions will be taken immediately.)**
- To guard yourself and others from possible illegal use please do not permit anyone right to use to your paper and files.



CRITERION FOR GRADING A RESEARCH PAPER (COMPILATION)
BY GLOBAL JOURNALS INC. (US)

Please note that following table is only a Grading of "Paper Compilation" and not on "Performed/Stated Research" whose grading solely depends on Individual Assigned Peer Reviewer and Editorial Board Member. These can be available only on request and after decision of Paper. This report will be the property of Global Journals Inc. (US).

Topics	Grades		
	A-B	C-D	E-F
Abstract	Clear and concise with appropriate content, Correct format. 200 words or below	Unclear summary and no specific data, Incorrect form Above 200 words	No specific data with ambiguous information Above 250 words
Introduction	Containing all background details with clear goal and appropriate details, flow specification, no grammar and spelling mistake, well organized sentence and paragraph, reference cited	Unclear and confusing data, appropriate format, grammar and spelling errors with unorganized matter	Out of place depth and content, hazy format
Methods and Procedures	Clear and to the point with well arranged paragraph, precision and accuracy of facts and figures, well organized subheads	Difficult to comprehend with embarrassed text, too much explanation but completed	Incorrect and unorganized structure with hazy meaning
Result	Well organized, Clear and specific, Correct units with precision, correct data, well structuring of paragraph, no grammar and spelling mistake	Complete and embarrassed text, difficult to comprehend	Irregular format with wrong facts and figures
Discussion	Well organized, meaningful specification, sound conclusion, logical and concise explanation, highly structured paragraph reference cited	Wordy, unclear conclusion, spurious	Conclusion is not cited, unorganized, difficult to comprehend
References	Complete and correct format, well organized	Beside the point, Incomplete	Wrong format and structuring



INDEX

A

Ampicillin · 10

B

Barbicillin · 10
Blazovsky · 18, 19

C

Cardiogenic · 30

D

Durojaiye · 13, 19

E

Echocardiogram · 30, 32
Eysenick · 12

F

Fibrinolysis · 30, 32, 33
Fitzpatrick · 12, 19
Flaviviridae · 21

G

Ginzberg · 12

H

Harmoniously · 10
Hemorrhagic · 21, 24, 25
Hunsperger · 25
Hypokinesis · 30

I

Immunoassay · 25

P

Peroxidase · 23

R

Rampicillin · 10
Rolestereotype · 13, 15, 18
Rolestereotype · 8

S

Seychelleges · 5
Stegomyia · 21

T

Tangnararatch · 26
Thrombolysis · 30, 32

V

Vandalisation · 6



save our planet



Global Journal of Science Frontier Research

Visit us on the Web at www.GlobalJournals.org | www.JournalofScience.org
or email us at helpdesk@globaljournals.org

ISSN 9755896



© Global Journals